

SM2015_SLV_FACILITY_SURVEY_FINAL Data Dictionary

Variable count: 1152

ROOT			
<u>Variable Name</u>	<u>Data Type</u>	<u>Display Type</u>	<u>Description</u>
DATE	longText	text	Date (DD/MM/AAAA)
INTERVW_NAME1	longText	text	Name of interviewer 1:
INTERVW_NAME2	longText	text	Name of interviewer 2:
INTERVW_ID1	longText	text	Interviewer ID 1:
INTERVW_ID2	longText	text	Interviewer ID 2:
CONSENT_OBTAINED	integer	radioGroup	Consent obtained? <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> </div>
FAC_TYPE	integer	radioGroup	I would like to ask you some questions pertaining to the general characteristics of this facility. Which category below best describes the facility? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Primary health center ECOS</div> <div>2 Primary health center specialized ECOS</div> <div>3 Health facility</div> <div>995 Other (specify)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FAC_TYPE.TEXT	longText	text	FAC_TYPE Other (specify)
FAC_MOB	integer	radioGroup	Is there a mobile component to this facility? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FAC_EXT	integer	radioGroup	How many months/years has this ECOS/ Health facility been in existence? [IF LESS THAN ONE YEAR, INDICATE NUMBER OF MONTHS] <div> <div>Scale Values</div> <div>1 Number of years</div> <div>2 Less than 1 year (specify number of months)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FAC_EXT.TEXT	integer	text	Description of Number of years:
FAC_EXT.TEXT2	integer	text	Description of Less than 1 year (specify number of months):
FAC_LOC_MOB	integer	radioGroup	How long has this ECOS/ Health facility been located here? [IF LESS THAN ONE YEAR, INDICATE NUMBER OF MONTHS] <div> <div>Scale Values</div> <div>1 Number of years</div> <div>2 Less than 1 year (specify number of months)</div> <div>-1 Don't know</div> </div>

				-2 Decline to respond
FAC_LOC_MOB.TEXT	integer	text	Description of Number of years (specify):	
FAC_LOC_MOB.TEXT2	integer	text	Description of Less than 1 year (specify number of months):	
FAC_LOC_ELSE	integer	radioGroup	Has this ECOS/ Health facility been located elsewhere before? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_LOC_ELSE_LOC	integer	radioGroup	Where was the ECOS/ Health facility located before? (SELECT ONE):	<div>Scale Values</div> <div>1 Location</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_LOC_ELSE_LOC.TEXT	longText	text	Description of Location	
FAC_CATCH	integer	radioGroup	What is the catchment area for this ECOS/ Health facility ? (SELECT ONE):	<div>Scale Values</div> <div>1 Name of localities</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_CATCH.TEXT	longText	text	Description of Name of localities	
FAC_CATCH_ASSIGNED	longText	checkAllSummary	What is the coverage area, by population number, that is allocated to this ECOS/ Health center, according to the national census? (Read options) (Select all that apply)	<div>Scale Values</div> <div>1 Assigned population number:</div> <div>2 Assigned family number:</div> <div>3 Don't know</div> <div>4 Decline to respond</div>
FAC_CATCH_ASSIGNED.ASSIGNED_POP	boolean	checkAllItem	What is the coverage area, by population number, that is allocated to this ECOS/ Health center, according to the national census? (Read options) (Select all that apply) (Assigned population number:)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
FAC_CATCH_ASSIGNED.ASSIGNED_POP.TEXT	positiveInteger	text	Description of Assigned population number:	
FAC_CATCH_ASSIGNED.ASSIGNED_FAMILY	boolean	checkAllItem	What is the coverage area, by population number, that is allocated to this ECOS/ Health center, according to the national census? (Read options) (Select all that apply) (Assigned family number:)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
FAC_CATCH_ASSIGNED.ASSIGNED_FAMILY.TEXT2	positiveInteger	text	Description of Assigned family	

FAC_CATCH_ASSIGNED.DK	boolean	checkAllItem	number: What is the coverage area, by population number, that is allocated to this ECOS/ Health center, according to the national census? (Read options) (Select all that apply) (Don't know) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_ASSIGNED.DR	boolean	checkAllItem	What is the coverage area, by population number, that is allocated to this ECOS/ Health center, according to the national census? (Read options) (Select all that apply) (Decline to respond) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_REGISTERED	longText	checkAllSummary	What is the percentage, as of today, of the population with family records that is registered at this ECOS / Health center? (Read options) (Select all that apply) <table><tr><td>Scale Values</td></tr><tr><td>1 Percentage of registered population:</td></tr><tr><td>2 Percentage of registered families:</td></tr><tr><td>3 Don't know</td></tr><tr><td>4 Decline to respond</td></tr></table>	Scale Values	1 Percentage of registered population:	2 Percentage of registered families:	3 Don't know	4 Decline to respond
Scale Values								
1 Percentage of registered population:								
2 Percentage of registered families:								
3 Don't know								
4 Decline to respond								
FAC_CATCH_REGISTERED.REGISTERED_POP	boolean	checkAllItem	What is the percentage, as of today, of the population with family records that is registered at this ECOS / Health center? (Read options) (Select all that apply) (Percentage of registered population:) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_REGISTERED.REGISTERED_POP.TEXT2	positiveInteger	text	Description of Percentage of registered population:					
FAC_CATCH_REGISTERED.REGISTERED_FAMILY	boolean	checkAllItem	What is the percentage, as of today, of the population with family records that is registered at this ECOS / Health center? (Read options) (Select all that apply) (Percentage of registered families:) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_REGISTERED.REGISTERED_FAMILY.TEXT	longText	text	Description of Percentage of registered families:					
FAC_CATCH_REGISTERED.DK	boolean	checkAllItem	What is the percentage, as of today, of the population with family records that is registered at this ECOS / Health center? (Read options) (Select all that apply) (Don't know) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_REGISTERED.DR	boolean	checkAllItem	What is the percentage, as of today, of the population with family					

			records that is registered at this ECOS / Health center? (Read options) (Select all that apply) (Decline to respond)					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
FAC_CATCH_POP	integer	radioGroup	What is the population number of the catchment area? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Population</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Population	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Population								
-1 Don't know								
-2 Decline to respond								
FAC_CATCH_POP.TEXT	integer	text	Description of Population					
REFRNET	integer	radioGroup	Is this ECOS/ Health facility part of a health referral network? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes</td></tr> <tr><td>0 No</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
REFRNET_NAME	integer	radioGroup	What is the health referral network (SIBASI) for this ECOS/ Health facility ? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Name of referral network</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Name of referral network	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Name of referral network								
-1 Don't know								
-2 Decline to respond								
REFRNET_NAME.TEXT	longText	text	Description of Name					
REFCNT_DIST	integer	radioGroup	What is the distance to the referral health center? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Distance (km)</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Distance (km)	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Distance (km)								
-1 Don't know								
-2 Decline to respond								
REFCNT_DIST.TEXT	integer	text	Description of Distance (km)					
REFCNT_DUR_VHCL	integer	radioGroup	How long does it take to reach the referral health center by vehicle? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Duration (minutes)</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> <tr><td>0 Not applicable</td></tr> </table>	Scale Values	1 Duration (minutes)	-1 Don't know	-2 Decline to respond	0 Not applicable
Scale Values								
1 Duration (minutes)								
-1 Don't know								
-2 Decline to respond								
0 Not applicable								
REFCNT_DUR_VHCL.TEXT	integer	text	Description of Duration (minutes)					
REFCNT_DUR_FT	integer	radioGroup	How long does it take to reach the referral health center by foot? (SELECT ONE):					
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Duration (minutes)</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> <tr><td>-3 Not applicable</td></tr> </table>	Scale Values	1 Duration (minutes)	-1 Don't know	-2 Decline to respond	-3 Not applicable
Scale Values								
1 Duration (minutes)								
-1 Don't know								
-2 Decline to respond								
-3 Not applicable								
REFCNT_DUR_FT.TEXT	integer	text	Description of Travel time (minutes)					
OUTREACH	integer	radioGroup	Does this facility organize or participate in any outreach programs? For example, a primary school outreach program to vaccinate children. (SELECT ONE):					

				<div>Scale Values</div> <div>1 Outreach services provided</div> <div>0 Outreach services not provided, services at facility only</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_AUTH	integer	radioGroup	Who is the managing authority of this ECOS/ Health facility ? (SELECT ONE):	<div>Scale Values</div> <div>1 Government public</div> <div>2 Government non-public (police / military)</div> <div>3 Non-government organization (secular)</div> <div>4 Non-government organization (religious)</div> <div>5 Private (non-profit)</div> <div>6 Private (for profit)</div> <div>7 Political party</div> <div>995 Other (specify)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_AUTH.TEXT	longText	text	Description of Other (specify)	
FAC_ROOM_NUM	integer	radioGroup	What is the total number of rooms in this health facility, excluding toilets? (SELECT ONE):	<div>Scale Values</div> <div>1 Total number of rooms</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FAC_ROOM_NUM.TEXT	integer	text	Description of Total number of rooms	
FAC_AREA	integer	radioGroup	What is the total floor space area of this health facility (built area only)? (SELECT ONE):	<div>Scale Values</div> <div>1 Total area (sq. meters)</div> <div>-1 Don't know</div> <div>-2 Decline to answer</div>
FAC_AREA.TEXT	integer	text	Description of Total area (sq. meters)	
ECOS_SPECIALTIES_GP	longText	checkAllSummary	Primary care physician	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
ECOS_SPECIALTIES_GP.1	boolean	checkAllItem	Primary care physician (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_GP.2	boolean	checkAllItem	Primary care physician (Present, full-time)	<div>Scale Values</div> <div>0 No</div>

				1 Yes
ECOS_SPECIALTIES_GP.0	boolean	checkAllItem	Primary care physician (Not present)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_GP.-1	boolean	checkAllItem	Primary care physician (Don't know)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_GP.-2	boolean	checkAllItem	Primary care physician (Decline to respond)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_GP.NUMBER	boolean	checkAllItem	Primary care physician (Indicate number of personnel if present)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_GP.NUMBER.NUM	positiveInteger	text	Description of Number of personell	
ECOS_SPECIALTIES_NURSE	longText	checkAllSummary	Nurse	Scale Values 1 Present, part-time 2 Present, full-time 3 Not present 4 Don't know 5 Decline to respond 6 Indicate number of personnel if present
ECOS_SPECIALTIES_NURSE.1	boolean	checkAllItem	Nurse (Present, part-time)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.2	boolean	checkAllItem	Nurse (Present, full-time)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.0	boolean	checkAllItem	Nurse (Not present)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.-1	boolean	checkAllItem	Nurse (Don't know)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.-2	boolean	checkAllItem	Nurse (Decline to respond)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.NUMBER	boolean	checkAllItem	Nurse (Indicate number of personnel if present)	Scale Values 0 No 1 Yes
ECOS_SPECIALTIES_NURSE.NUMBER.NUM	positiveInteger	text	Description of Number of personell	

ECOS_SPECIALTIES_MDWF	longText	checkAllSummary	Midwife
			<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
ECOS_SPECIALTIES_MDWF.1	boolean	checkAllItem	Midwife (Present, part-time)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.2	boolean	checkAllItem	Midwife (Present, full-time)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.0	boolean	checkAllItem	Midwife (Not present)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.-1	boolean	checkAllItem	Midwife (Don't know)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.-2	boolean	checkAllItem	Midwife (Decline to respond)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.NUMBER	boolean	checkAllItem	Midwife (Indicate number of personnel if present)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_MDWF.NUMBER.NUM	positiveInteger	text	Description of Number of personell
ECOS_SPECIALTIES_HP	longText	checkAllSummary	Health promoter
			<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
ECOS_SPECIALTIES_HP.1	boolean	checkAllItem	Health promoter (Present, part-time)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_HP.2	boolean	checkAllItem	Health promoter (Present, full-time)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ECOS_SPECIALTIES_HP.0	boolean	checkAllItem	Health promoter (Not present)
			<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>

ECOS_SPECIALTIES_HP.-1	boolean	checkAllItem	Health promoter (Don't know)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_HP.-2	boolean	checkAllItem	Health promoter (Decline to respond)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_HP.NUMBER	boolean	checkAllItem	Health promoter (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_HP.NUMBER.NUM	positiveInteger	text	Description of Number of personell
ECOS_SPECIALTIES_POLYVAL	longText	checkAllSummary	Polyvalent / multipurpose
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present
ECOS_SPECIALTIES_POLYVAL.1	boolean	checkAllItem	Polyvalent / multipurpose (Present, part-time)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.2	boolean	checkAllItem	Polyvalent / multipurpose (Present, full-time)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.0	boolean	checkAllItem	Polyvalent / multipurpose (Not present)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.-1	boolean	checkAllItem	Polyvalent / multipurpose (Don't know)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.-2	boolean	checkAllItem	Polyvalent / multipurpose (Decline to respond)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.NUMBER	boolean	checkAllItem	Polyvalent / multipurpose (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
ECOS_SPECIALTIES_POLYVAL.NUMBER.NUM	positiveInteger	text	Description of Number of personell
SP_ECOS_SPECIALTIES_PED	longText	checkAllSummary	Pediatrician
			Scale Values
			1 Present, part-time

				<div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
SP_ECOS_SPECIALTIES_PED.1	boolean	checkAllItem	Pediatrician (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.2	boolean	checkAllItem	Pediatrician (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.0	boolean	checkAllItem	Pediatrician (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.-1	boolean	checkAllItem	Pediatrician (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.-2	boolean	checkAllItem	Pediatrician (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.NUMBER	boolean	checkAllItem	Pediatrician (Indicate number of personnel if present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PED.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel	
SP_ECOS_SPECIALTIES_DENT	longText	checkAllSummary	Dentist	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
SP_ECOS_SPECIALTIES_DENT.1	boolean	checkAllItem	Dentist (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.2	boolean	checkAllItem	Dentist (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.0	boolean	checkAllItem	Dentist (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.-1	boolean	checkAllItem	Dentist (Don't know)	<div>Scale Values</div>

				<div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.-2	boolean	checkAllItem	Dentist (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.NUMBER	boolean	checkAllItem	Dentist (Indicate number of personnel if present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_DENT.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel	
SP_ECOS_SPECIALTIES_INTERN	longText	checkAllSummary	Internist	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
SP_ECOS_SPECIALTIES_INTERN.1	boolean	checkAllItem	Internist (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.2	boolean	checkAllItem	Internist (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.0	boolean	checkAllItem	Internist (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.-1	boolean	checkAllItem	Internist (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.-2	boolean	checkAllItem	Internist (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.NUMBER	boolean	checkAllItem	Internist (Indicate number of personnel if present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_INTERN.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel	
SP_ECOS_SPECIALTIES_OBGYN	longText	checkAllSummary	Gyneco-obstetrician	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of</div>

				personnel if present							
SP_ECOS_SPECIALTIES_OBGYN.1	boolean	checkAllItem	Gyneco-obstetrician (Present, part-time)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.2	boolean	checkAllItem	Gyneco-obstetrician (Present, full-time)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.0	boolean	checkAllItem	Gyneco-obstetrician (Not present)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.-1	boolean	checkAllItem	Gyneco-obstetrician (Don't know)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.-2	boolean	checkAllItem	Gyneco-obstetrician (Decline to respond)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.NUMBER	boolean	checkAllItem	Gyneco-obstetrician (Indicate number of personnel if present)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_OBGYN.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel								
SP_ECOS_SPECIALTIES_PHYSIO	longText	checkAllSummary	Physiotherapist	<table><tr><td>Scale Values</td></tr><tr><td>1 Present, part-time</td></tr><tr><td>2 Present, full-time</td></tr><tr><td>3 Not present</td></tr><tr><td>4 Don't know</td></tr><tr><td>5 Decline to respond</td></tr><tr><td>6 Indicate number of personnel if present</td></tr></table>	Scale Values	1 Present, part-time	2 Present, full-time	3 Not present	4 Don't know	5 Decline to respond	6 Indicate number of personnel if present
Scale Values											
1 Present, part-time											
2 Present, full-time											
3 Not present											
4 Don't know											
5 Decline to respond											
6 Indicate number of personnel if present											
SP_ECOS_SPECIALTIES_PHYSIO.1	boolean	checkAllItem	Physiotherapist (Present, part-time)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_PHYSIO.2	boolean	checkAllItem	Physiotherapist (Present, full-time)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_PHYSIO.0	boolean	checkAllItem	Physiotherapist (Not present)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_PHYSIO.-1	boolean	checkAllItem	Physiotherapist (Don't know)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
SP_ECOS_SPECIALTIES_PHYSIO.-2	boolean	checkAllItem	Physiotherapist (Decline to								

			respond)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PHYSIO.NUMBER	boolean	checkAllItem	Physiotherapist (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PHYSIO.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
SP_ECOS_SPECIALTIES_HE	longText	checkAllSummary	Health educator
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present
SP_ECOS_SPECIALTIES_HE.1	boolean	checkAllItem	Health educator (Present, part-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.2	boolean	checkAllItem	Health educator (Present, full-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.0	boolean	checkAllItem	Health educator (Not present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.-1	boolean	checkAllItem	Health educator (Don't know)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.-2	boolean	checkAllItem	Health educator (Decline to respond)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.NUMBER	boolean	checkAllItem	Health educator (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_HE.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
SP_ECOS_SPECIALTIES_STAT	longText	checkAllSummary	Statistician's auxiliary
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present

SP_ECOS_SPECIALTIES_STAT.1	boolean	checkAllItem	Statisticianâ€™s auxiliary (Present, part-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.2	boolean	checkAllItem	Statisticianâ€™s auxiliary (Present, full-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.0	boolean	checkAllItem	Statisticianâ€™s auxiliary (Not present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.-1	boolean	checkAllItem	Statisticianâ€™s auxiliary (Don't know)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.-2	boolean	checkAllItem	Statisticianâ€™s auxiliary (Decline to respond)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.NUMBER	boolean	checkAllItem	Statisticianâ€™s auxiliary (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_STAT.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
SP_ECOS_SPECIALTIES_PSYCH	longText	checkAllSummary	Psychologist
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present
SP_ECOS_SPECIALTIES_PSYCH.1	boolean	checkAllItem	Psychologist (Present, part-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PSYCH.2	boolean	checkAllItem	Psychologist (Present, full-time)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PSYCH.0	boolean	checkAllItem	Psychologist (Not present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PSYCH.-1	boolean	checkAllItem	Psychologist (Don't know)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_PSYCH.-2	boolean	checkAllItem	Psychologist (Decline to respond)

			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_PSYCH.NUMBER	boolean	checkAllItem	Psychologist (Indicate number of personnel if present) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_PSYCH.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel							
SP_ECOS_SPECIALTIES_NUT	longText	checkAllSummary	Nutritionist <table><tr><td>Scale Values</td></tr><tr><td>1 Present, part-time</td></tr><tr><td>2 Present, full-time</td></tr><tr><td>3 Not present</td></tr><tr><td>4 Don't know</td></tr><tr><td>5 Decline to respond</td></tr><tr><td>6 Indicate number of personnel if present</td></tr></table>	Scale Values	1 Present, part-time	2 Present, full-time	3 Not present	4 Don't know	5 Decline to respond	6 Indicate number of personnel if present
Scale Values										
1 Present, part-time										
2 Present, full-time										
3 Not present										
4 Don't know										
5 Decline to respond										
6 Indicate number of personnel if present										
SP_ECOS_SPECIALTIES_NUT.1	boolean	checkAllItem	Nutritionist (Present, part-time) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.2	boolean	checkAllItem	Nutritionist (Present, full-time) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.0	boolean	checkAllItem	Nutritionist (Not present) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.-1	boolean	checkAllItem	Nutritionist (Don't know) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.-2	boolean	checkAllItem	Nutritionist (Decline to respond) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.NUMBER	boolean	checkAllItem	Nutritionist (Indicate number of personnel if present) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
SP_ECOS_SPECIALTIES_NUT.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel							
SP_ECOS_SPECIALTIES_PHARM	longText	checkAllSummary	Pharmacist <table><tr><td>Scale Values</td></tr><tr><td>1 Present, part-time</td></tr><tr><td>2 Present, full-time</td></tr><tr><td>3 Not present</td></tr><tr><td>4 Don't know</td></tr><tr><td>5 Decline to respond</td></tr><tr><td>6 Indicate number of personnel if present</td></tr></table>	Scale Values	1 Present, part-time	2 Present, full-time	3 Not present	4 Don't know	5 Decline to respond	6 Indicate number of personnel if present
Scale Values										
1 Present, part-time										
2 Present, full-time										
3 Not present										
4 Don't know										
5 Decline to respond										
6 Indicate number of personnel if present										
SP_ECOS_SPECIALTIES_PHARM.1	boolean	checkAllItem	Pharmacist (Present, part-time) <table><tr><td>Scale Values</td></tr></table>	Scale Values						
Scale Values										

				<div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.2	boolean	checkAllItem	Pharmacist (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.0	boolean	checkAllItem	Pharmacist (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.-1	boolean	checkAllItem	Pharmacist (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.-2	boolean	checkAllItem	Pharmacist (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.NUMBER	boolean	checkAllItem	Pharmacist (Indicate number of personnel if present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_PHARM.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel	
SP_ECOS_SPECIALTIES_EMT	longText	checkAllSummary	Emergency medical technicians (e.g., paramedics)	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
SP_ECOS_SPECIALTIES_EMT.1	boolean	checkAllItem	Emergency medical technicians (e.g., paramedics) (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_EMT.2	boolean	checkAllItem	Emergency medical technicians (e.g., paramedics) (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_EMT.0	boolean	checkAllItem	Emergency medical technicians (e.g., paramedics) (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_EMT.-1	boolean	checkAllItem	Emergency medical technicians (e.g., paramedics) (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
SP_ECOS_SPECIALTIES_EMT.-2	boolean	checkAllItem	Emergency medical technicians	

			(e.g., paramedics) (Decline to respond)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_EMT.NUMBER	boolean	checkAllItem	Emergency medical technicians (e.g., paramedics) (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
SP_ECOS_SPECIALTIES_EMT.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
Q1	longText	checkAllSummary	Primary care physician
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present
Q1.1	boolean	checkAllItem	Primary care physician (Present, part-time)
			Scale Values
			0 No
			1 Yes
Q1.2	boolean	checkAllItem	Primary care physician (Present, full-time)
			Scale Values
			0 No
			1 Yes
Q1.0	boolean	checkAllItem	Primary care physician (Not present)
			Scale Values
			0 No
			1 Yes
Q1.-1	boolean	checkAllItem	Primary care physician (Don't know)
			Scale Values
			0 No
			1 Yes
Q1.-2	boolean	checkAllItem	Primary care physician (Decline to respond)
			Scale Values
			0 No
			1 Yes
Q1.NUMBER	boolean	checkAllItem	Primary care physician (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
Q1.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
Q2	longText	checkAllSummary	Nurse
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present

				<div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
Q2.1	boolean	checkAllItem	Nurse (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.2	boolean	checkAllItem	Nurse (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.0	boolean	checkAllItem	Nurse (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.-1	boolean	checkAllItem	Nurse (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.-2	boolean	checkAllItem	Nurse (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.NUMBER	boolean	checkAllItem	Nurse (Indicate number of personnel if present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q2.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel	
Q3	longText	checkAllSummary	Midwife	<div>Scale Values</div> <div>1 Present, part-time</div> <div>2 Present, full-time</div> <div>3 Not present</div> <div>4 Don't know</div> <div>5 Decline to respond</div> <div>6 Indicate number of personnel if present</div>
Q3.1	boolean	checkAllItem	Midwife (Present, part-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q3.2	boolean	checkAllItem	Midwife (Present, full-time)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q3.0	boolean	checkAllItem	Midwife (Not present)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
Q3.-1	boolean	checkAllItem	Midwife (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>

Q3.-2	boolean	checkAllItem	Midwife (Decline to respond)
			Scale Values
			0 No
			1 Yes
Q3.NUMBER	boolean	checkAllItem	Midwife (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
Q3.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
Q4	longText	checkAllSummary	Health promoter
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present
Q4.1	boolean	checkAllItem	Health promoter (Present, part-time)
			Scale Values
			0 No
			1 Yes
Q4.2	boolean	checkAllItem	Health promoter (Present, full-time)
			Scale Values
			0 No
			1 Yes
Q4.0	boolean	checkAllItem	Health promoter (Not present)
			Scale Values
			0 No
			1 Yes
Q4.-1	boolean	checkAllItem	Health promoter (Don't know)
			Scale Values
			0 No
			1 Yes
Q4.-2	boolean	checkAllItem	Health promoter (Decline to respond)
			Scale Values
			0 No
			1 Yes
Q4.NUMBER	boolean	checkAllItem	Health promoter (Indicate number of personnel if present)
			Scale Values
			0 No
			1 Yes
Q4.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel
Q5	longText	checkAllSummary	Polyvalent / multipurpose
			Scale Values
			1 Present, part-time
			2 Present, full-time
			3 Not present
			4 Don't know
			5 Decline to respond
			6 Indicate number of personnel if present

Q5.1	boolean	checkAllItem	Polyvalent / multipurpose (Present, part-time) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.2	boolean	checkAllItem	Polyvalent / multipurpose (Present, full-time) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.0	boolean	checkAllItem	Polyvalent / multipurpose (Not present) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.-1	boolean	checkAllItem	Polyvalent / multipurpose (Don't know) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.-2	boolean	checkAllItem	Polyvalent / multipurpose (Decline to respond) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.NUMBER	boolean	checkAllItem	Polyvalent / multipurpose (Indicate number of personnel if present) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
Q5.NUMBER.TEXT	longText	text	Description of If present, indicate the number of personnel									
ELECT	integer	radioGroup	Does this facility have a functional electricity connection? (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond				
Scale Values												
1 Yes												
0 No												
-1 Don't know												
-2 Decline to respond												
ELECT_SRC	longText	checkAllSummary	Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1 Central supply</td></tr><tr><td>2 Private supply</td></tr><tr><td>3 Solar</td></tr><tr><td>4 In-facility generator</td></tr><tr><td>5 Other source (specify)</td></tr><tr><td>6 None of the above</td></tr><tr><td>7 Don't know</td></tr><tr><td>8 Decline to respond</td></tr></table>	Scale Values	1 Central supply	2 Private supply	3 Solar	4 In-facility generator	5 Other source (specify)	6 None of the above	7 Don't know	8 Decline to respond
Scale Values												
1 Central supply												
2 Private supply												
3 Solar												
4 In-facility generator												
5 Other source (specify)												
6 None of the above												
7 Don't know												
8 Decline to respond												
ELECT_SRC.1	boolean	checkAllItem	Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (Central supply) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
ELECT_SRC.2	boolean	checkAllItem	Please indicate all source(s) of									

			electricity for this facility. (SELECT ALL THAT APPLY): (Private supply)				
			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.3	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (Solar)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.4	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (In-facility generator)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.995	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (Other source (specify))</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.995.TEXT	longText	text	Description of Other source (specify)				
ELECT_SRC.0	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (None of the above)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.-1	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (Don't know)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELECT_SRC.-2	boolean	checkAllItem	<p>Please indicate all source(s) of electricity for this facility. (SELECT ALL THAT APPLY): (Decline to respond)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes	
Scale Values							
0 No							
1 Yes							
ELEC_AV	integer	radioGroup	<p>How many days during the past week was the electricity not available for at least two hours during a time the facility was open for services (including emergency services)? (SELECT ONE): Enter "0" if there were no interruptions in electricity.</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Total number of days</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Total number of days	-1 Don't know	-2 Decline to respond
Scale Values							
1 Total number of days							
-1 Don't know							
-2 Decline to respond							
ELEC_AV.TEXT	integer	text	Description of Total number of days				
WATER	integer	radioGroup	Does this facility have a water source? (SELECT ONE):				

			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes</td></tr> <tr><td>0 No</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond							
Scale Values															
1 Yes															
0 No															
-1 Don't know															
-2 Decline to respond															
WATER_SRC	longText	checkAllSummary	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY):</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Piped into facility</td></tr> <tr><td>2 Well (public protected)</td></tr> <tr><td>3 Well (facility protected)</td></tr> <tr><td>4 Bottled water</td></tr> <tr><td>5 Tanker truck</td></tr> <tr><td>6 Source just outside the facility</td></tr> <tr><td>7 Tank</td></tr> <tr><td>8 Other (specify)</td></tr> <tr><td>9 No water source</td></tr> <tr><td>10 Don't know</td></tr> <tr><td>11 Decline to respond</td></tr> </table>	Scale Values	1 Piped into facility	2 Well (public protected)	3 Well (facility protected)	4 Bottled water	5 Tanker truck	6 Source just outside the facility	7 Tank	8 Other (specify)	9 No water source	10 Don't know	11 Decline to respond
Scale Values															
1 Piped into facility															
2 Well (public protected)															
3 Well (facility protected)															
4 Bottled water															
5 Tanker truck															
6 Source just outside the facility															
7 Tank															
8 Other (specify)															
9 No water source															
10 Don't know															
11 Decline to respond															
WATER_SRC.1	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Piped into facility)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
WATER_SRC.2	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Well (public protected))</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
WATER_SRC.3	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Well (facility protected))</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
WATER_SRC.4	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Bottled water)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
WATER_SRC.5	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Tanker truck)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
WATER_SRC.6	boolean	checkAllItem	<p>What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Source just outside the facility)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td></td></tr> </table>	Scale Values											
Scale Values															

				<div>0 No</div> <div>1 Yes</div>
WATER_SRC.7	boolean	checkAllItem	What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Tank)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
WATER_SRC.995	boolean	checkAllItem	What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Other (specify))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
WATER_SRC.995.TEXT	longText	text	Description of Other (specify)	
WATER_SRC.0	boolean	checkAllItem	What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (No water source)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
WATER_SRC.-1	boolean	checkAllItem	What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
WATER_SRC.-2	boolean	checkAllItem	What are the most commonly used sources of water at this facility? (SELECT ALL THAT APPLY): (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
WATER_SHRT	integer	radioGroup	Is there routinely a time of year when there is a severe shortage or lack of water at this facility? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CONTRA_AV	integer	radioGroup	I will ask you now some questions about contraceptive methods. Are any contraceptive methods ever stored in this facility? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes, in family planning (FP) service area</div> <div>2 Yes, in pharmacy or other site (not FP service area)</div> <div>3 Yes, area locked, no access</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CONTRA_STORE	integer	radioGroup	Are contraceptive supplies stored in	

			the same location as other medicines? (SELECT ONE):							
			<table><tr><th>Scale Values</th></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond		
Scale Values										
1 Yes										
0 No										
-1 Don't know										
-2 Decline to respond										
CONTRA_SUP_TM1	integer	radioGroup	<p>When was the last time that you received a routine supply of contraceptives, either that you ordered, or that is part of your routine supply system? (SELECT ONE):</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Between 0 and 4 weeks ago</td></tr><tr><td>2 Between 5-12 weeks ago</td></tr><tr><td>3 More than 12 weeks ago</td></tr><tr><td>0 No routine supply system</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Between 0 and 4 weeks ago	2 Between 5-12 weeks ago	3 More than 12 weeks ago	0 No routine supply system	-1 Don't know	-2 Decline to respond
Scale Values										
1 Between 0 and 4 weeks ago										
2 Between 5-12 weeks ago										
3 More than 12 weeks ago										
0 No routine supply system										
-1 Don't know										
-2 Decline to respond										
CONTRA_SUP_QNT1	integer	radioGroup	<p>Does this facility determine the quantity of each contraceptive method that it needs and orders or is the quantity that you receive is determined elsewhere? (SELECT ONE):</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Determines own need and orders</td></tr><tr><td>2 Quantity is determined elsewhere</td></tr><tr><td>3 Both (differ by method)</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Determines own need and orders	2 Quantity is determined elsewhere	3 Both (differ by method)	-1 Don't know	-2 Decline to respond	
Scale Values										
1 Determines own need and orders										
2 Quantity is determined elsewhere										
3 Both (differ by method)										
-1 Don't know										
-2 Decline to respond										
CONTRA_SUP_QNT2	integer	radioGroup	<p>Do you always receive a standard fixed quantity for each method received or does the quantity you receive vary according to recent need or activity level? (SELECT ONE):</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Quantity based on activity level</td></tr><tr><td>2 Always receive standard fixed supply</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Quantity based on activity level	2 Always receive standard fixed supply	-1 Don't know	-2 Decline to respond		
Scale Values										
1 Quantity based on activity level										
2 Always receive standard fixed supply										
-1 Don't know										
-2 Decline to respond										
CONTRA_ORD_QNT	integer	radioGroup	<p>When you order contraceptive methods, which best describes the system you use to determine how much of each to order? [Read options](SELECT ONE):</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Order to maintain fixed stock</td></tr><tr><td>2 Order same amount</td></tr><tr><td>3 Order based on consumption</td></tr><tr><td>4 Other</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Order to maintain fixed stock	2 Order same amount	3 Order based on consumption	4 Other	-1 Don't know	-2 Decline to respond
Scale Values										
1 Order to maintain fixed stock										
2 Order same amount										
3 Order based on consumption										
4 Other										
-1 Don't know										
-2 Decline to respond										
CONTRA_ORD_TM	integer	radioGroup	<p>Which of the following best describes the routine system for deciding when to order contraceptive methods? [Read</p>							

			options](SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Predetermined level</td></tr><tr><td>2 Fixed time: every</td></tr><tr><td>3 Order when needed</td></tr><tr><td>995 Other (specify)</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Predetermined level	2 Fixed time: every	3 Order when needed	995 Other (specify)	-1 Don't know	-2 Decline to respond
Scale Values										
1 Predetermined level										
2 Fixed time: every										
3 Order when needed										
995 Other (specify)										
-1 Don't know										
-2 Decline to respond										
CONTRA_ORD_TM.TEXT2	integer	text	Description of Fixed time: every							
CONTRA_ORD_TM.TEXT	longText	text	Description of Other (specify)							
CONTRA_SUP_TM2	integer	radioGroup	On average, how long does it take to receive your supplies after you have placed an order? (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Between 0 and 4 weeks</td></tr><tr><td>2 Between 5 and 8 weeks</td></tr><tr><td>3 Over 8 weeks</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Between 0 and 4 weeks	2 Between 5 and 8 weeks	3 Over 8 weeks	-1 Don't know	-2 Decline to respond	
Scale Values										
1 Between 0 and 4 weeks										
2 Between 5 and 8 weeks										
3 Over 8 weeks										
-1 Don't know										
-2 Decline to respond										
CONTRA_SHRT	longText	checkAllSummary	If there is a shortage of a specific method between routine orders, what is the most common procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1 Special order</td></tr><tr><td>2 Facility purchase</td></tr><tr><td>3 Client purchases outside the facility</td></tr><tr><td>4 Don't know</td></tr><tr><td>5 Decline to respond</td></tr></table>	Scale Values	1 Special order	2 Facility purchase	3 Client purchases outside the facility	4 Don't know	5 Decline to respond	
Scale Values										
1 Special order										
2 Facility purchase										
3 Client purchases outside the facility										
4 Don't know										
5 Decline to respond										
CONTRA_SHRT.1	boolean	checkAllItem	If there is a shortage of a specific method between routine orders, what is the most common procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): (Special order) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
CONTRA_SHRT.2	boolean	checkAllItem	If there is a shortage of a specific method between routine orders, what is the most common procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): (Facility purchase) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
CONTRA_SHRT.3	boolean	checkAllItem	If there is a shortage of a specific method between routine orders, what is the most common procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): (Client purchases outside the facility) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
CONTRA_SHRT.-1	boolean	checkAllItem	If there is a shortage of a specific method between routine orders, what is the most common							

			procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): (Don't know)								
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
CONTRA_SHRT.-2	boolean	checkAllItem	If there is a shortage of a specific method between routine orders, what is the most common procedure followed by this facility? [Read options] (SELECT ALL THAT APPLY): (Decline to respond)								
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
CONTRA_ORD_RCV	integer	radioGroup	During the past 6 months, have you always, often (but not always), or almost never received the amount of each method that you ordered (or that you are supposed to routinely receive)? (SELECT ONE):								
			<table><tr><td>Scale Values</td></tr><tr><td>1 Always</td></tr><tr><td>2 Often but not always</td></tr><tr><td>0 Never or almost never</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Always	2 Often but not always	0 Never or almost never	-1 Don't know	-2 Decline to respond		
Scale Values											
1 Always											
2 Often but not always											
0 Never or almost never											
-1 Don't know											
-2 Decline to respond											
VAC_SERV	integer	radioGroup	Does this facility provide immunization services? (SELECT ONE):								
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond			
Scale Values											
1 Yes											
0 No											
-1 Don't know											
-2 Decline to respond											
VAC_PPL	integer	radioGroup	Do you provide immunizations for children only, as part of antenatal care only, or for both children and pregnant women? (SELECT ONE):								
			<table><tr><td>Scale Values</td></tr><tr><td>1 Children only</td></tr><tr><td>2 Part of antenatal care only</td></tr><tr><td>3 Both children and part of antenatal care</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Children only	2 Part of antenatal care only	3 Both children and part of antenatal care	-1 Don't know	-2 Decline to respond		
Scale Values											
1 Children only											
2 Part of antenatal care only											
3 Both children and part of antenatal care											
-1 Don't know											
-2 Decline to respond											
VAC_INJ	longText	checkAllSummary	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY):								
			<table><tr><td>Scale Values</td></tr><tr><td>1 Single-use</td></tr><tr><td>2 Sterilizable</td></tr><tr><td>3 Auto-disable</td></tr><tr><td>4 Other (specify)</td></tr><tr><td>5 None</td></tr><tr><td>6 Don't know</td></tr><tr><td>7 Decline to respond</td></tr></table>	Scale Values	1 Single-use	2 Sterilizable	3 Auto-disable	4 Other (specify)	5 None	6 Don't know	7 Decline to respond
Scale Values											
1 Single-use											
2 Sterilizable											
3 Auto-disable											
4 Other (specify)											
5 None											
6 Don't know											
7 Decline to respond											
VAC_INJ.1	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Single-use)								
			<table><tr><td>Scale Values</td></tr></table>	Scale Values							
Scale Values											

				<div>0 No</div> <div>1 Yes</div>
VAC_INJ.2	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Sterilizable)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_INJ.3	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Auto-disable)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_INJ.995	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Other (specify))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_INJ.995.TEXT	longText	text	Description of Other (specify)	
VAC_INJ.0	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (None)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_INJ.-1	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_INJ.-2	boolean	checkAllItem	What type of injection equipment is used during routine immunization sessions at this facility? (SELECT ALL THAT APPLY): (Decline to respond)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
VAC_STR1	longText	checkAllSummary	Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY):	<div>Scale Values</div> <div>1 Yes, this facility stores vaccines</div> <div>2 No, picked up from another facility</div> <div>3 No, delivered when services are being provided</div> <div>4 None of the above</div>

				<div>5 Don't know</div> <div>6 Decline to respond</div>
VAC_STR1.1	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (Yes, this facility stores vaccines)</p> <div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>	
VAC_STR1.2	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (No, picked up from another facility)</p> <div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>	
VAC_STR1.3	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (No, delivered when services are being provided)</p> <div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>	
VAC_STR1.0	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (None of the above)</p> <div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>	
VAC_STR1.-1	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (Don't know)</p> <div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>	
VAC_STR1.-2	boolean	checkAllItem	<p>Does this facility routinely store any vaccines, or are all vaccines either picked up from another facility or delivered when services are</p>	

			provided? Keeping vaccines 1-2 days only for immediate use is not considered as storing vaccines. (SELECT ALL THAT APPLY): (Decline to respond)									
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2	longText	checkAllSummary	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1 Electric refrigerator</td></tr><tr><td>2 Kerosene refrigerator</td></tr><tr><td>3 Gas refrigerator</td></tr><tr><td>4 Solar refrigerator</td></tr><tr><td>5 Cold box</td></tr><tr><td>6 Other (specify)</td></tr><tr><td>7 Don't know</td></tr><tr><td>8 Decline to respond</td></tr></table>	Scale Values	1 Electric refrigerator	2 Kerosene refrigerator	3 Gas refrigerator	4 Solar refrigerator	5 Cold box	6 Other (specify)	7 Don't know	8 Decline to respond
Scale Values												
1 Electric refrigerator												
2 Kerosene refrigerator												
3 Gas refrigerator												
4 Solar refrigerator												
5 Cold box												
6 Other (specify)												
7 Don't know												
8 Decline to respond												
VAC_STR2.1	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Electric refrigerator) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.2	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Kerosene refrigerator) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.3	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Gas refrigerator) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.4	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Solar refrigerator) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.5	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Cold box) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.995	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Other (specify)) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
VAC_STR2.995.TEXT	longText	text	Description of Other (specify)									
VAC_STR2.-1	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Don't know) <table><tr><td>Scale Values</td></tr></table>	Scale Values								
Scale Values												

				<table border="1"> <tr><td>0</td><td>No</td></tr> <tr><td>1</td><td>Yes</td></tr> </table>	0	No	1	Yes												
0	No																			
1	Yes																			
VAC_STR2.-2	boolean	checkAllItem	What equipment is used to store vaccines? (SELECT ALL THAT APPLY): (Decline to respond)	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>1</td><td>Yes</td></tr> </table>	Scale Values		0	No	1	Yes										
Scale Values																				
0	No																			
1	Yes																			
VAC_CLDCHN	integer	radioGroup	Do you have a cold chain temperature-monitoring chart? (SELECT ONE):	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond						
Scale Values																				
1	Yes																			
0	No																			
-1	Don't know																			
-2	Decline to respond																			
VAC_SUPP	integer	radioGroup	When was the last time that you received a routine supply of vaccines, either that you ordered, or that is part of your routine supply system? (SELECT ONE):	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Between 0 and 1 weeks ago</td></tr> <tr><td>2</td><td>Between 2 and 4 weeks ago</td></tr> <tr><td>3</td><td>Between 5 and 12 weeks ago</td></tr> <tr><td>4</td><td>More than 12 weeks ago</td></tr> <tr><td>0</td><td>No routine supply system and do not order</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Between 0 and 1 weeks ago	2	Between 2 and 4 weeks ago	3	Between 5 and 12 weeks ago	4	More than 12 weeks ago	0	No routine supply system and do not order	-1	Don't know	-2	Decline to respond
Scale Values																				
1	Between 0 and 1 weeks ago																			
2	Between 2 and 4 weeks ago																			
3	Between 5 and 12 weeks ago																			
4	More than 12 weeks ago																			
0	No routine supply system and do not order																			
-1	Don't know																			
-2	Decline to respond																			
VAC_QNT1	integer	radioGroup	Does this facility determine the quantity of vaccines required and orders that, or is the quantity that you receive determined elsewhere? (SELECT ONE):	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Determines own need and orders</td></tr> <tr><td>2</td><td>Need determined elsewhere</td></tr> <tr><td>3</td><td>Both (differ by vaccine)</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Determines own need and orders	2	Need determined elsewhere	3	Both (differ by vaccine)	-1	Don't know	-2	Decline to respond				
Scale Values																				
1	Determines own need and orders																			
2	Need determined elsewhere																			
3	Both (differ by vaccine)																			
-1	Don't know																			
-2	Decline to respond																			
VAC_QNT2	integer	radioGroup	Do you always receive a standard fixed quantity for each vaccine received or does the quantity you receive vary according to recent need or activity level? (SELECT ONE):	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Quantity based on activity level</td></tr> <tr><td>2</td><td>Standard fixed supply</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Quantity based on activity level	2	Standard fixed supply	-1	Don't know	-2	Decline to respond						
Scale Values																				
1	Quantity based on activity level																			
2	Standard fixed supply																			
-1	Don't know																			
-2	Decline to respond																			
VAC_ORD1	integer	radioGroup	Which best describes the system you typically use to determine how much of each to order when you order vaccines? [Read options] (SELECT ONE):	<table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Order the maintain a fixed stock</td></tr> </table>	Scale Values		1	Order the maintain a fixed stock												
Scale Values																				
1	Order the maintain a fixed stock																			

			<table border="1"> <tr><td>2</td><td>Order same amount</td></tr> <tr><td>3</td><td>Order based on consumption</td></tr> <tr><td>995</td><td>Other (specify)</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	2	Order same amount	3	Order based on consumption	995	Other (specify)	-1	Don't know	-2	Decline to respond						
2	Order same amount																		
3	Order based on consumption																		
995	Other (specify)																		
-1	Don't know																		
-2	Decline to respond																		
VAC_ORD1.TEXT	longText	text	Description of Other (specify)																
VAC_ORD2	integer	radioGroup	<p>Which of the following best describes the routine system for deciding when to order vaccines? [Read options](SELECT ONE):</p> <table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Predetermined level</td></tr> <tr><td>2</td><td>Fixed time, more than once a week</td></tr> <tr><td>3</td><td>Fixed time, every</td></tr> <tr><td>4</td><td>Order when needed</td></tr> <tr><td>995</td><td>Other (specify)</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Predetermined level	2	Fixed time, more than once a week	3	Fixed time, every	4	Order when needed	995	Other (specify)	-1	Don't know	-2	Decline to respond
Scale Values																			
1	Predetermined level																		
2	Fixed time, more than once a week																		
3	Fixed time, every																		
4	Order when needed																		
995	Other (specify)																		
-1	Don't know																		
-2	Decline to respond																		
VAC_ORD2.TEXT2	integer	text	Description of Every																
VAC_ORD2.TEXT	longText	text	Description of Other (specify)																
VAC_ORD3	integer	radioGroup	<p>On average, how long does it take to receive your supplies after you have placed an order? (SELECT ONE):</p> <table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Between 0 and 1 week</td></tr> <tr><td>2</td><td>Between 2 and 4 weeks</td></tr> <tr><td>3</td><td>Between 5 and 8 weeks</td></tr> <tr><td>4</td><td>Over 8 weeks</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Between 0 and 1 week	2	Between 2 and 4 weeks	3	Between 5 and 8 weeks	4	Over 8 weeks	-1	Don't know	-2	Decline to respond		
Scale Values																			
1	Between 0 and 1 week																		
2	Between 2 and 4 weeks																		
3	Between 5 and 8 weeks																		
4	Over 8 weeks																		
-1	Don't know																		
-2	Decline to respond																		
VAC_ORD4	integer	radioGroup	<p>During the past 6 months, have you always, often (but not always), or almost never received the amount of vaccines that you ordered (or that you are supposed to routinely receive)? (SELECT ONE):</p> <table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Always</td></tr> <tr><td>2</td><td>Often but not always</td></tr> <tr><td>0</td><td>Never or almost never</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Always	2	Often but not always	0	Never or almost never	-1	Don't know	-2	Decline to respond				
Scale Values																			
1	Always																		
2	Often but not always																		
0	Never or almost never																		
-1	Don't know																		
-2	Decline to respond																		
VAC_CARR1	integer	radioGroup	<p>Do you have a vaccine carrier? (SELECT ONE):</p> <table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond						
Scale Values																			
1	Yes																		
0	No																		
-1	Don't know																		
-2	Decline to respond																		
VAC_CARR2	integer	radioGroup	<p>How many vaccine carriers do you have available? (SELECT ONE):</p> <table border="1"> <tr><td colspan="2">Scale Values</td></tr> <tr><td>1</td><td>One</td></tr> <tr><td>2</td><td>Two or more</td></tr> <tr><td>0</td><td>None</td></tr> <tr><td>-1</td><td>Don't know</td></tr> <tr><td>-2</td><td>Decline to respond</td></tr> </table>	Scale Values		1	One	2	Two or more	0	None	-1	Don't know	-2	Decline to respond				
Scale Values																			
1	One																		
2	Two or more																		
0	None																		
-1	Don't know																		
-2	Decline to respond																		
VAC_CARR3	integer	radioGroup	Are there ice packs for the vaccine																

			carriers (four or five per carrier)? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes, one set</td></tr><tr><td>2 Yes, two or more sets</td></tr><tr><td>3 No, use purchased ice</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes, one set	2 Yes, two or more sets	3 No, use purchased ice	0 No	-1 Don't know	-2 Decline to respond
Scale Values										
1 Yes, one set										
2 Yes, two or more sets										
3 No, use purchased ice										
0 No										
-1 Don't know										
-2 Decline to respond										
ANC_PNC	integer	radioGroup	Does this facility offer antenatal services, postpartum services, or both? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes, antenatal only</td></tr><tr><td>2 Yes, postpartum only</td></tr><tr><td>3 Yes, both</td></tr><tr><td>0 No, neither service</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to answer</td></tr></table>	Scale Values	1 Yes, antenatal only	2 Yes, postpartum only	3 Yes, both	0 No, neither service	-1 Don't know	-2 Decline to answer
Scale Values										
1 Yes, antenatal only										
2 Yes, postpartum only										
3 Yes, both										
0 No, neither service										
-1 Don't know										
-2 Decline to answer										
ANC_DAY	integer	radioGroup	How many days of the month are antenatal care services provided at the facility? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Number of days</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Number of days	-1 Don't know	-2 Decline to respond			
Scale Values										
1 Number of days										
-1 Don't know										
-2 Decline to respond										
ANC_DAY.TEXT	integer	text	Description of Number of days							
ANC_TODAY	integer	radioGroup	Are antenatal care services being provided at the facility today? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond		
Scale Values										
1 Yes										
0 No										
-1 Don't know										
-2 Decline to respond										
ANC_WAIT	integer	radioGroup	Is there a waiting area for clients receiving antenatal care services where they are protected from sun and rain? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond		
Scale Values										
1 Yes										
0 No										
-1 Don't know										
-2 Decline to respond										
ANC_PREEXAM	integer	radioGroup	Is there an area where antenatal clients are seen before they have their medical consultation? (SELECT ONE):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond		
Scale Values										
1 Yes										
0 No										
-1 Don't know										
-2 Decline to respond										
ANC_PREEXAM_ACT	longText	checkAllSummary	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY):							
			<table><tr><td>Scale Values</td></tr><tr><td>1 Weighing clients</td></tr><tr><td>2 Taking blood pressure</td></tr><tr><td>3 Urine test for protein</td></tr></table>	Scale Values	1 Weighing clients	2 Taking blood pressure	3 Urine test for protein			
Scale Values										
1 Weighing clients										
2 Taking blood pressure										
3 Urine test for protein										

				<div>4 Blood test for anemia</div> <div>5 Conducting group health education sessions</div> <div>6 Other (specify)</div> <div>7 Don't know</div> <div>8 Decline to respond</div>
ANC_PREEEXAM_ACT.1	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Weighing clients)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.2	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Taking blood pressure)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.3	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Urine test for protein)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.4	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Blood test for anemia)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.5	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Conducting group health education sessions)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.995	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Other (specify))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
ANC_PREEEXAM_ACT.995.TEXT	longText	text	Description of Other (specify)	
ANC_PREEEXAM_ACT.-1	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Don't know)	<div>Scale Values</div> <div>0 No</div>

				<div>1 Yes</div>
ANC_PREEEXAM_ACT.-2	boolean	checkAllItem	What activities are being conducted routinely in the pre-exam area? (DO NOT READ THE OPTIONS) (SELECT ALL THAT APPLY): (Decline to respond)	<div><div>Scale Values</div><div>0 No</div><div>1 Yes</div></div>
ANC_PREEEXAM_WT	integer	radioGroup	As part of ANC services, do you measure the client's weight? (Select one)	<div><div>Scale Values</div><div>1 Yes</div><div>0 No</div><div>-1 Don't know</div><div>2 Decline to respond</div></div>
ANC_PREEEXAM_BP	integer	radioGroup	As part of ANC services, do you measure the client's blood pressure? (Select one)	<div><div>Scale Values</div><div>1 Yes</div><div>0 No</div><div>-1 Don't know</div><div>2 Decline to respond</div></div>
ANC_ROUTINEACT_ANEMIA	integer	radioGroup	Blood test for anemia	<div><div>Scale Values</div><div>1 Yes</div><div>2 Sample sent to the lab</div><div>3 Patient referred</div><div>0 No routine examination offered</div><div>-1 Don't know</div><div>-2 Decline to respond</div></div>
ANC_ROUTINEACT_SYPH	integer	radioGroup	Blood test for syphilis	<div><div>Scale Values</div><div>1 Yes</div><div>2 Sample sent to the lab</div><div>3 Patient referred</div><div>0 No routine examination offered</div><div>-1 Don't know</div><div>-2 Decline to respond</div></div>
ANC_ROUTINEACT_BG	integer	radioGroup	Blood group	<div><div>Scale Values</div><div>1 Yes</div><div>2 Sample sent to the lab</div><div>3 Patient referred</div><div>0 No routine examination offered</div><div>-1 Don't know</div><div>-2 Decline to respond</div></div>
ANC_ROUTINEACT_RH	integer	radioGroup	Test for Rh factor	<div><div>Scale Values</div><div>1 Yes</div><div>2 Sample sent to the lab</div><div>3 Patient referred</div><div>0 No routine examination offered</div><div></div></div>

				-1 Don't know
				-2 Decline to respond
ANC_ROUTINEACT_UTPR	integer	radioGroup	Urine test for protein	<div>Scale Values</div> <div>1 Yes</div> <div>2 Sample sent to the lab</div> <div>3 Patient referred</div> <div>0 No routine examination offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_ROUTINEACT_UTGL	integer	radioGroup	Urine test for glucose	<div>Scale Values</div> <div>1 Yes</div> <div>2 Sample sent to the lab</div> <div>3 Patient referred</div> <div>0 No routine examination offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_ANTIMAL	integer	radioGroup	Preventive antimalarial treatment	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_COUNSELFPP	integer	radioGroup	Counseling about family planning	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_COUNSELHIV	integer	radioGroup	Counseling about HIV / AIDS	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_TESTHIV	integer	radioGroup	Voluntary testing for HIV / AIDS	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_SYPHPREG	integer	radioGroup	Screening and management of syphilis in pregnancy	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
ANC_SER_MALPREG	integer	radioGroup	Screening and management of malaria in pregnancy	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div>

				-2 Decline to respond
ANC_SER_TOXPREG	integer	radioGroup	Screening and management of toxoplasma in pregnancy	Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
ANC_SER_ANEMIAPREG	integer	radioGroup	Screening and management of anemia in pregnancy	Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
ANC_SER_BACPREG	integer	radioGroup	Screening and management of bacteriuria in pregnancy	Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
ANC_SER_STREPPREG	integer	radioGroup	Screening and management of group b streptococcus	Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
ANC_SER_DELPREP	integer	radioGroup	Preparations to make for delivery	Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
ANC_ADVICE	longText	checkAllSummary	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY):	Scale Values 1 Plan for transportation 2 Set aside emergency funds 3 Supplies to bring to the facility 4 Supplies to have at home 5 Advantages of delivery in facility 6 Other (specify) 7 No advice given 8 Don't know 9 Decline to respond
ANC_ADVICE.1	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Plan for transportation)	Scale Values 0 No

				1 Yes			
ANC_ADVICE.2	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Set aside emergency funds)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.3	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Supplies to bring to the facility)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.4	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Supplies to have at home)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.5	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Advantages of delivery in facility)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.995	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Other (specify))	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.995.TEXT	longText	text	Description of Other (specify)				
ANC_ADVICE.0	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (No advice given)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_ADVICE.-1	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Don't know)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							

ANC_ADVICE.-2	boolean	checkAllItem	What routine advice is given to pregnant women about preparations to make for delivery? [ASK FOR EACH ITEM] (SELECT ALL THAT APPLY): (Decline to respond)												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes						
Scale Values															
0	No														
1	Yes														
ANC_TET	integer	radioGroup	Is tetanus vaccination offered as part of antenatal care? (SELECT ONE):												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond		
Scale Values															
1	Yes														
0	No														
-1	Don't know														
-2	Decline to respond														
ANC_TET_WK	integer	radioGroup	How many days each week are tetanus toxoid vaccinations offered at this facility? (SELECT ONE):												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Days per week</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Days per week	-1	Don't know	-2	Decline to respond				
Scale Values															
1	Days per week														
-1	Don't know														
-2	Decline to respond														
ANC_TET_WK.TEXT	integer	text	Description of Days per week												
ANC_TET_ALLDAY	integer	radioGroup	Is tetanus toxoid vaccination available all days antenatal care services are offered? (SELECT ONE):												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes, all days antenatal care services are offered</td></tr><tr><td>2</td><td>Not all days antenatal care services are offered</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes, all days antenatal care services are offered	2	Not all days antenatal care services are offered	-1	Don't know	-2	Decline to respond		
Scale Values															
1	Yes, all days antenatal care services are offered														
2	Not all days antenatal care services are offered														
-1	Don't know														
-2	Decline to respond														
ANC_TET_TODAY	integer	radioGroup	Is tetanus toxoid immunization available today? (SELECT ONE):												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond		
Scale Values															
1	Yes														
0	No														
-1	Don't know														
-2	Decline to respond														
ANC_RUB_SCR	longText	checkAllSummary	Do you test for rubella antibodies before or before or during pregnancy? (SELECT ALL THAT APPLY):												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes, during pre-conception</td></tr><tr><td>2</td><td>Yes, during pregnancy</td></tr><tr><td>3</td><td>No</td></tr><tr><td>4</td><td>Don't know</td></tr><tr><td>5</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes, during pre-conception	2	Yes, during pregnancy	3	No	4	Don't know	5	Decline to respond
Scale Values															
1	Yes, during pre-conception														
2	Yes, during pregnancy														
3	No														
4	Don't know														
5	Decline to respond														
ANC_RUB_SCR.1	boolean	checkAllItem	Do you test for rubella antibodies before or before or during pregnancy? (SELECT ALL THAT APPLY): (Yes, during pre-conception)												
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes						
Scale Values															
0	No														
1	Yes														
ANC_RUB_SCR.2	boolean	checkAllItem	Do you test for rubella antibodies												

			before or before or during pregnancy? (SELECT ALL THAT APPLY): (Yes, during pregnancy)					
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
ANC_RUB_SCR.0	boolean	checkAllItem	Do you test for rubella antibodies before or before or during pregnancy? (SELECT ALL THAT APPLY): (No)					
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
ANC_RUB_SCR.-1	boolean	checkAllItem	Do you test for rubella antibodies before or before or during pregnancy? (SELECT ALL THAT APPLY): (Don't know)					
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
ANC_RUB_SCR.-2	boolean	checkAllItem	Do you test for rubella antibodies before or before or during pregnancy? (SELECT ALL THAT APPLY): (Decline to respond)					
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
ANC_RUB	integer	radioGroup	Is rubella vaccination offered for seronegative reproductive females before pregnancy? (SELECT ONE):					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
ANC_RUB_WK	integer	radioGroup	How many days each week are rubella vaccinations offered at this facility as part of antenatal care? (SELECT ONE):					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Days per week</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Days per week	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Days per week								
-1 Don't know								
-2 Decline to respond								
ANC_RUB_WK.TEXT	integer	text	Description of Days per week					
ANC_RUB_TODAY	integer	radioGroup	Is rubella immunization available today? (SELECT ONE):					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
ANC_PAP	integer	radioGroup	Do you perform Pap smears to screen for cervical pathology in pregnant women? (SELECT ONE):					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
ANC_PAP_RD	integer	radioGroup	Who reads the Pap smear? (SELECT ONE):					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								

			<table><tr><td>Scale Values</td></tr><tr><td>1 Internal pathologist</td></tr><tr><td>2 Sent to an outside laboratory</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Internal pathologist	2 Sent to an outside laboratory	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Internal pathologist									
2 Sent to an outside laboratory									
-1 Don't know									
-2 Decline to respond									
ANC_PAP_EQP_TODAY	integer	radioGroup	<div>Is equipment for Pap smear available today? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Yes									
0 No									
-1 Don't know									
-2 Decline to respond									
ANC_PAP_RSLT	integer	radioGroup	<div>Is the patient informed of the results of the Pap smear? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Yes									
0 No									
-1 Don't know									
-2 Decline to respond									
ANC_PAP_ABNRSLT	integer	radioGroup	<div>In case of abnormal Pap smear results, can this facility accomodate further work or treatment or is the patient referred to another facility? [Read options](SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>2 No, but patient referred</td></tr><tr><td>0 No follow-up work and/or treatment done</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	2 No, but patient referred	0 No follow-up work and/or treatment done	-1 Don't know	-2 Decline to respond
Scale Values									
1 Yes									
2 No, but patient referred									
0 No follow-up work and/or treatment done									
-1 Don't know									
-2 Decline to respond									
ANC_STI	integer	radioGroup	<div>Do antenatal care providers here routinely treat STIs, or are clients referred to another provider or location for STI treatment, other than HIV/AIDS? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 This facility routinely treats STI</td></tr><tr><td>2 Patient is referred to another facility</td></tr><tr><td>0 No treatment or referral provided</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 This facility routinely treats STI	2 Patient is referred to another facility	0 No treatment or referral provided	-1 Don't know	-2 Decline to respond
Scale Values									
1 This facility routinely treats STI									
2 Patient is referred to another facility									
0 No treatment or referral provided									
-1 Don't know									
-2 Decline to respond									
ANC_REG	integer	radioGroup	<div>Is there a register where information on client antenatal care visits is recorded? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Yes									
0 No									
-1 Don't know									
-2 Decline to respond									
ANC_PNC_REG	integer	radioGroup	<div>Is there a register where client information from postpartum (PP) visits is recorded? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Yes									
0 No									
-1 Don't know									
-2 Decline to respond									

ANC_PERC	integer	radioGroup	What percent of antenatal care clients routinely receive antenatal services at least four times? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Percent with at least 4 antenatal care visits (specify percentage)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_PERC.TEXT	integer	text	Description of Percent with at least 4 antenatal care visits (specify percentage)
ANC_ARV	integer	radioGroup	Are ARVs for PMTCT kept or managed in this antenatal care service site? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>2 ARV's not kept at this site</div> <div>0 No PMTCT services from this antenatal care service area</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_DOCUMENT	integer	radioGroup	Are individual client cards, charts, and/or records maintained for antenatal and/or postnatal care? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_TBA_FAC	integer	radioGroup	Does this facility have a formal relationship with traditional birth attendants (TBAs) in which they refer clients to the facility? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_TBA_DOC	integer	radioGroup	Is there any documentation on activities with TBAs (such as lists of affiliated TBAs or records of their referral)? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_TBA_NUM	integer	radioGroup	Please tell me how many TBAs report to this facility? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Number of TBAs reporting to this facility (specify number)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
ANC_TBA_NUM.TEXT	integer	text	Description of Number of TBAs reporting to this facility (specify number)

ANC_TBA_SUP	integer	radioGroup	<div>Does anyone from this facility supervise the activities of the TBAs? (SELECT ONE):</div> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond														
Scale Values																											
1	Yes																										
0	No																										
-1	Don't know																										
-2	Decline to respond																										
ANC_TBA_REF	integer	radioGroup	<div>Do the TBAs refer women to this facility? (SELECT ONE):</div> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes	0	No	-1	Don't know	-2	Decline to respond														
Scale Values																											
1	Yes																										
0	No																										
-1	Don't know																										
-2	Decline to respond																										
ANC_OBER	integer	radioGroup	<div>Are there any community based systems to help women with obstetric emergencies either to come to the facility, or to transfer from this facility to another? (SELECT ONE):</div> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Yes, only to bring patients to this facility</td></tr><tr><td>2</td><td>Yes, only to transfer patients to another facility</td></tr><tr><td>3</td><td>Yes, both to bring patients to this facility and to transfer patients to another facility</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Don't know</td></tr><tr><td>-2</td><td>Decline to respond</td></tr></table>	Scale Values		1	Yes, only to bring patients to this facility	2	Yes, only to transfer patients to another facility	3	Yes, both to bring patients to this facility and to transfer patients to another facility	0	No	-1	Don't know	-2	Decline to respond										
Scale Values																											
1	Yes, only to bring patients to this facility																										
2	Yes, only to transfer patients to another facility																										
3	Yes, both to bring patients to this facility and to transfer patients to another facility																										
0	No																										
-1	Don't know																										
-2	Decline to respond																										
ANC_OBER_TRANS	longText	checkAllSummary	<div>What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY):</div> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Ambulance</td></tr><tr><td>2</td><td>Private car or bus</td></tr><tr><td>3</td><td>Public car or bus</td></tr><tr><td>4</td><td>Motorcycle (private or public)</td></tr><tr><td>5</td><td>Bicycle</td></tr><tr><td>6</td><td>People carry or push/pull patient</td></tr><tr><td>7</td><td>Animals carry or pull patient</td></tr><tr><td>8</td><td>Other (specify)</td></tr><tr><td>9</td><td>Never receive obstetric emergencies</td></tr><tr><td>10</td><td>Don't know</td></tr><tr><td>11</td><td>Decline to respond</td></tr></table>	Scale Values		1	Ambulance	2	Private car or bus	3	Public car or bus	4	Motorcycle (private or public)	5	Bicycle	6	People carry or push/pull patient	7	Animals carry or pull patient	8	Other (specify)	9	Never receive obstetric emergencies	10	Don't know	11	Decline to respond
Scale Values																											
1	Ambulance																										
2	Private car or bus																										
3	Public car or bus																										
4	Motorcycle (private or public)																										
5	Bicycle																										
6	People carry or push/pull patient																										
7	Animals carry or pull patient																										
8	Other (specify)																										
9	Never receive obstetric emergencies																										
10	Don't know																										
11	Decline to respond																										
ANC_OBER_TRANS.1	boolean	checkAllItem	<div>What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Ambulance)</div> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes																		
Scale Values																											
0	No																										
1	Yes																										
ANC_OBER_TRANS.2	boolean	checkAllItem	<div>What is the most common means of transport used by women coming from their homes to this facility for</div>																								

				help during obstetric emergencies? (SELECT ALL THAT APPLY): (Private car or bus)			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.3	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Public car or bus)			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.4	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Motorcycle (private or public))			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.5	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Bicycle)			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.6	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (People carry or push/pull patient)			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.7	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Animals carry or pull patient)			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.995	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Other (specify))			
				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes
Scale Values							
0 No							
1 Yes							
ANC_OBER_TRANS.995.TEXT	longText	text		Description of Other (specify)			
ANC_OBER_TRANS.0	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies?			

				(SELECT ALL THAT APPLY): (Never receive obstetric emergencies)
				Scale Values
				0 No
				1 Yes
ANC_OBER_TRANS.-1	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Don't know)
				Scale Values
				0 No
				1 Yes
ANC_OBER_TRANS.-2	boolean	checkAllItem		What is the most common means of transport used by women coming from their homes to this facility for help during obstetric emergencies? (SELECT ALL THAT APPLY): (Decline to respond)
				Scale Values
				0 No
				1 Yes
ANC_OBER_REF	integer	radioGroup		Does this facility ever refer women outside the facility for emergency obstetric care? (SELECT ONE):
				Scale Values
				1 Yes
				0 No
				-1 Don't know
				-2 Decline to respond
ANC_OBER_TRANS_STF	integer	radioGroup		If an emergency obstetric case is transferred, is the woman always accompanied by a staff member? (SELECT ONE):
				Scale Values
				1 Yes, always
				2 Sometimes, not always
				3 Not accompanied by staff
				0 Never emergency transfer
				-1 Don't know
				-2 Decline to respond
ANC_OBER_SYSTEMS_VEHCL	integer	radioGroup		Does the facility hire a vehicle locally to provide emergency obstetric transportation?
				Scale Values
				1 Yes
				0 No
				-1 Don't know
				-2 Decline to respond
ANC_OBER_SYSTEMS_FUEL	integer	radioGroup		Is fuel set aside for emergency obstetric referrals?
				Scale Values
				1 Yes
				0 No
				-1 Don't know
				-2 Decline to respond
ANC_OBER_SYSTEMS_TEL	integer	radioGroup		Does the facility radio or phone another facility to send transportation for emergency obstetric referrals?

			<table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes</td></tr> <tr><td>0 No</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_SUPP_SYSTEMS_OTHER	integer	radioGroup	Is there any other system not listed above? (SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes (specify)</td></tr> <tr><td>0 No</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Yes (specify)	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes (specify)								
0 No								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_SUPP_SYSTEMS_OTHER.TEXT	longText	text	Description of Yes (specify)					
ANC_OBER_DRY1	integer	radioGroup	How long does it take to get to the nearest referral facility with the most commonly used type of transportation during the dry season? (SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Travel time (in minutes)</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Travel time (in minutes)	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Travel time (in minutes)								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_DRY1.TEXT	integer	text	Description of Travel time (in minutes)					
ANC_OBER_WET1	integer	radioGroup	How long does it take to get to the nearest referral facility with the most commonly used type of transportation during the wet season? (SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Travel time (in minutes)</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Travel time (in minutes)	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Travel time (in minutes)								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_WET1.TEXT	integer	text	Description of Travel time (in minutes)					
ANC_OBER_DRY2	integer	radioGroup	If a call elsewhere must be made to obtain a vehicle, record average time from the call to the patient's arrival at the referral facility during the dry season? (SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Duration in minutes</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Duration in minutes	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Duration in minutes								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_DRY2.TEXT	integer	text	Description of Duration in minutes					
ANC_OBER_WET2	integer	radioGroup	If a call elsewhere must be made to obtain a vehicle, record average time from the call to the patient's arrival at the referral facility during the wet season? (SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Duration in minutes</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Duration in minutes	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Duration in minutes								
-1 Don't know								
-2 Decline to respond								
ANC_OBER_WET2.TEXT	integer	text	Description of Duration in minutes					
DEL	integer	radioGroup	Does this facility offer services for normal (non-emergency) deliveries? Indicate the response that best reflects the current practice for deliveries. [Read options](SELECT ONE): <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Duration in minutes</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Duration in minutes	-1 Don't know	-2 Decline to respond	
Scale Values								
1 Duration in minutes								
-1 Don't know								
-2 Decline to respond								

				<div>Scale Values</div> <div>1 Yes, in facility only</div> <div>2 Yes, only home deliveries</div> <div>3 Yes, both in-facility and home delivery</div> <div>4 No, have infrastructure but no service provided</div> <div>0 No, no infrastructure and no service provided</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_REG	integer	radioGroup	Is there a register where client information about births attended by skilled attendants is recorded? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_NUM	integer	radioGroup	Do you have an estimate of the annual number of deliveries (births) in the facility's catchment area? (SELECT ONE):	<div>Scale Values</div> <div>1 Number of births in catchment area</div> <div>0 No catchment area</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_NUM.TEXT	integer	text	Description of Number of births in catchment area	
DEL_MDWV_KIT	integer	radioGroup	Is there an emergency home delivery bag or kit for use by skilled attendants? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_MDWV_ANC	integer	radioGroup	Do you offer home-based antenatal care visits? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_MDWV_ANC_NUM	integer	radioGroup	How many prenatal care visits are made to household? (SELECT ONE):	<div>Scale Values</div> <div>1 One</div> <div>2 Two</div> <div>3 Three</div> <div>4 More than three</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
DEL_MDWV_ANC_CNT	longText	checkAllSummary	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY):	<div>Scale Values</div>

				<div>1 Check fetal heart rate</div> <div>2 Measure fundal height</div> <div>3 Counsel on danger signs (e.g. signs of abortion, preeclampsia, etcâ€¦)</div> <div>4 Advice on preparation for delivery</div> <div>5 Counsel on breastfeeding</div> <div>6 Other (specify)</div> <div>7 Don't know</div> <div>8 Decline to respond</div>
DEL_MDWV_ANC_CNT.1	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Check fetal heart rate)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.2	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Measure fundal height)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.3	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Counsel on danger signs (e.g. signs of abortion, preeclampsia, etcâ€¦))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.4	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Advice on preparation for delivery)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.5	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Counsel on breastfeeding)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.995	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Other (specify))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.995.TEXT	longText	text	Description of Other (specify)	
DEL_MDWV_ANC_CNT.-1	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Don't know)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
DEL_MDWV_ANC_CNT.-2	boolean	checkAllItem	What is the content of the antenatal care visit? (SELECT ALL THAT APPLY): (Decline to respond)	

			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
DEL_MDWV_PNC	integer	radioGroup	<div>Do you offer home-based postnatal care / postpartum visits? (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond			
Scale Values											
1 Yes											
0 No											
-1 Don't know											
-2 Decline to respond											
DEL_MDWV_PNC_NUM	integer	radioGroup	<div>How many postnatal care and/or post-delivery visits are made to households where deliveries took place?</div> <table><tr><td>Scale Values</td></tr><tr><td>1 One</td></tr><tr><td>2 Two</td></tr><tr><td>3 Three</td></tr><tr><td>4 More than three</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 One	2 Two	3 Three	4 More than three	-1 Don't know	-2 Decline to respond	
Scale Values											
1 One											
2 Two											
3 Three											
4 More than three											
-1 Don't know											
-2 Decline to respond											
DEL_MDWV_PNC_CNT	longText	checkAllSummary	<div>What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Examine mother and child to identify danger signs</td></tr><tr><td>2 Counsel about newborn care and exclusive breastfeeding</td></tr><tr><td>3 Deliver iron tablets and Vitamin A</td></tr><tr><td>4 Other (specify)</td></tr><tr><td>5 None of the above</td></tr><tr><td>6 Don't know</td></tr><tr><td>7 Decline to respond</td></tr></table>	Scale Values	1 Examine mother and child to identify danger signs	2 Counsel about newborn care and exclusive breastfeeding	3 Deliver iron tablets and Vitamin A	4 Other (specify)	5 None of the above	6 Don't know	7 Decline to respond
Scale Values											
1 Examine mother and child to identify danger signs											
2 Counsel about newborn care and exclusive breastfeeding											
3 Deliver iron tablets and Vitamin A											
4 Other (specify)											
5 None of the above											
6 Don't know											
7 Decline to respond											
DEL_MDWV_PNC_CNT.1	boolean	checkAllItem	<div>What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (Examine mother and child to identify danger signs)</div> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
DEL_MDWV_PNC_CNT.2	boolean	checkAllItem	<div>What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (Counsel about newborn care and exclusive breastfeeding)</div> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
DEL_MDWV_PNC_CNT.3	boolean	checkAllItem	<div>What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (Deliver iron tablets and Vitamin A)</div> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes					
Scale Values											
0 No											
1 Yes											
DEL_MDWV_PNC_CNT.995	boolean	checkAllItem	<div>What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY):</div>								

			(Other (specify))
			Scale Values
			0 No
			1 Yes
DEL_MDWV_PNC_CNT.995.TEXT	longText	text	Description of Other (specify)
DEL_MDWV_PNC_CNT.0	boolean	checkAllItem	What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (None of the above)
			Scale Values
			0 No
			1 Yes
DEL_MDWV_PNC_CNT.-1	boolean	checkAllItem	What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (Don't know)
			Scale Values
			0 No
			1 Yes
DEL_MDWV_PNC_CNT.-2	boolean	checkAllItem	What is the content of the postnatal care and/or post-delivery visit? (SELECT ALL THAT APPLY): (Decline to respond)
			Scale Values
			0 No
			1 Yes
CHLDSERV	integer	radioGroup	Does this facility provide any services for children below 5 years of age, either at the facility or on an outreach basis or outreach in school for primary school children? (SELECT ONE):
			Scale Values
			1 Yes
			0 No
			-1 Don't know
			-2 Decline to respond
CHLD_VAC	integer	radioGroup	Does this facility provide immunization services for children under 5 years of age? (SELECT ONE):
			Scale Values
			1 Yes
			0 No
			-1 Don't know
			-2 Decline to respond
CHLD_VAC_TODAY	integer	radioGroup	Are routine immunizations for children available at the facility today? (SELECT ONE):
			Scale Values
			1 Yes
			0 No
			-1 Don't know
			-2 Decline to respond
CHLD_VAC_EVRDAY	integer	radioGroup	Are immunizations offered in the facility on every day that sick child consultations are provided? (SELECT ONE):
			Scale Values
			1 Yes
			0 No
			-1 Don't know

				-2 Decline to respond
CHLD_VAC_WTAREA	integer	radioGroup	Is there a waiting area for clients receiving child immunization services where they are protected from sun and rain? (SELECT ONE):	<div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_RECENT2	integer	radioGroup	When were immunizations most recently provided at this facility? (SELECT ONE):	<div>Scale Values</div> <div>3 Date (DD/MM/AAAA)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_RECENT2.TEXT	date	text	Description of Date (MM/DD/YYYY)	
CHLD_VAC_RECENT	integer	radioGroup	When were immunizations most recently provided at this facility? (SELECT ONE):	<div>Scale Values</div> <div>3 Date (DD/MM/AAAA)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_RECENT.TEXT	longText	text	Description of Date (MM/DD/YYYY)	
CHLD_VAC_DTP_DRP	integer	radioGroup	What is the current estimate for your DPT dropout rate? This is the dropout between dose 1 at 2 months and dose 3 at sixth months. (SELECT ONE):	<div>Scale Values</div> <div>1 DPT dropout rate (percent)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_DTP_DRP.TEXT	integer	text	Description of DTP dropout rate (percent)	
CHLD_VAC_MEASLES_1	integer	radioGroup	What is the current estimate for your facility's MMR coverage for children age 1 year? (SELECT ONE):	<div>Scale Values</div> <div>1 Measles coverage (percent)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_MEASLES_1.TEXT	integer	text	Description of Measles coverage (percent)	
CHLD_VAC_MEASLES_4	integer	radioGroup	What is the current estimate for your facility's MMR coverage for children age 4-6 years? (SELECT ONE):	<div>Scale Values</div> <div>1 Measles coverage (percent)</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_MEASLES_4.TEXT	integer	text	Description of Measles coverage (percent)	
CHLD_VAC_CATCH	integer	radioGroup	Do you have an estimate of the target population for child immunizations in the facility catchment area?	<div>Scale Values</div>

			<div>1 Yes (specify estimate of number of children)</div> <div>0 No estimate or no catchment area</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_VAC_CATCH.TEXT	integer	text	Description of Yes (specify number of children)
CHLD_VAC_GRAPH	integer	radioGroup	Do you have a graphic for total immunization coverage? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_VAC_CARE	integer	radioGroup	Do you routinely check the immunization status of all infants less than 12 months? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_SERVICES	integer	radioGroup	Is there a clinic where children are routinely assessed for growth and development and screened for early signs of disease available in this facility (also known as a "well baby" clinic)? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes, at this location</div> <div>2 Yes, at a different location</div> <div>0 No "well baby" clinic at this facility</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_GRWTH_COV	integer	radioGroup	Do you have an estimate of the target population (children 1-5) for growth-monitoring services area? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Target population (specify)</div> <div>0 No estimate or catchment area</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_GRWTH_COV.TEXT	integer	text	Description of Target population
CHLD_GRWTH	integer	radioGroup	How many children received growth-monitoring services during the past 4 complete weeks? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Number of children</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_GRWTH.TEXT	integer	text	Description of Number of children
CHLD_SERV_NUM	integer	radioGroup	How many days in a month are "well baby" services offered at this facility? (SELECT ONE): <div> <div>Scale Values</div> </div>

			<div>1 Number of days</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_SERV_NUM.TEXT	integer	text	Description of Number of days
CHLD_SERV_TODAY	integer	radioGroup	Are "well baby" services being offered at this facility today? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_TRN	integer	radioGroup	How many of the staff assigned to this unit have received training on IMCI guidelines? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Number of staff trained in IMCI</div> <div>0 None</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_TRN.TEXT	integer	text	Description of Number of staff trained in IMCI
CHLD_GUID	integer	radioGroup	Are IMCI guidelines ever used when assessing and treating sick children? If yes, clarify if the guidelines are routinely followed or sometimes, depending on the situation. (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes, always follow IMCI</div> <div>2 Yes, sometimes follow IMCI</div> <div>0 Never use IMCI guidelines</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHLD_PREEXAM	integer	radioGroup	Does this facility have pre-examination measures and activities that are routinely carried out on children? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHILD_CARE_EXAM_WEIGH	integer	radioGroup	Weighing the child <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHILD_CARE_EXAM_HEIGHT	integer	radioGroup	Measuring the child's height <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
CHILD_CARE_EXAM_GRAPH	integer	radioGroup	Plotting the child's weight and height on a graph <div> <div>Scale Values</div> <div>1 Yes</div> </div>

			<div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_TEMP	integer	radioGroup	Taking the child's temperature <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_VAC	integer	radioGroup	Assessing the child's immunization status <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_VITA	integer	radioGroup	Assessing Vitamin A supplementation <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_MIRCONUT	integer	radioGroup	Assessing micronutrient supplementation status <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_GHEDU	integer	radioGroup	Group health education <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHILD_CARE_EXAM_ACE	integer	radioGroup	Acetaminophen and / or sponge for fever <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_ORT	integer	radioGroup	Is there space for oral rehydration therapy (ORT) at the facility? (SELECT ONE): <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
CHLD_DRUG	integer	radioGroup	Is there a routine system for the health worker who examines the child to give him or her first dose of prescribed oral medication? (SELECT ONE): <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div>

			-1 Don't know -2 Decline to respond
CHLD_REG	integer	radioGroup	Is there a patient register where information on the diagnosis for each child is written? To be valid, the register must indicate that the child is below 5 years of age and the diagnosis or major symptom. (SELECT ONE): Scale Values 1 Yes, separate under 5 register 2 Yes, combined adult and under 5 register 0 No register -1 Don't know -2 Decline to respond
FP_AV	integer	radioGroup	Does this facility offer any family planning services, including clinical methods or counseling on natural family planning? (SELECT ONE): Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
FP_AV_TM	integer	radioGroup	How many days in a month are family planning services offered at this facility? (SELECT ONE): [USE A 4-WEEK MONTH TO CALCULATE NUMBER OF DAYS] Scale Values 1 Number of days -1 Don't know -2 Decline to respond
FP_AV_TM.TEXT	integer	text	Description of Number of days
FP_OUT	integer	radioGroup	How many days in a month are family planning outreach services offered at this facility? (SELECT ONE): [USE A 4-WEEK MONTH TO CALCULATE NUMBER OF DAYS] Scale Values 1 Number of days -1 Don't know -2 Decline to respond
FP_OUT.TEXT	integer	text	Description of Number of days
FP_TODAY	integer	radioGroup	Are family planning services being offered at this facility today? (SELECT ONE): Scale Values 1 Yes 0 No -1 Don't know -2 Decline to respond
FP_WTAREA	integer	radioGroup	Is there a waiting area for clients receiving family planning services where they are protected from sun and rain? (SELECT ONE): Scale Values 1 Yes 0 No

				-1 Don't know
				-2 Decline to respond
FP_TYPE_ORAL	integer	radioGroup	Combined oral pill	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_PROG	integer	radioGroup	Progestin-only pill	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_COMBINJ	integer	radioGroup	Combined injectable (with estrogen) (1 monthly)	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_PROGINJ	integer	radioGroup	Progestin-only injectable (2 or 3 monthly) (e.g., depo or microgynon)	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_MCOND	integer	radioGroup	Male condom	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_FCOND	integer	radioGroup	Female condom	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_IUD	integer	radioGroup	Intrauterine device	<div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_IMPL	integer	radioGroup	Implant (6 rod, 1 rod, implanon, jadelle, norplant)	<div>Scale Values</div> <div>1 Provided</div>

			<div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_SPERM	integer	radioGroup	Spermicides <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_DIAPH	integer	radioGroup	Diaphragm <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_EMERCONTRA	integer	radioGroup	Emergency contraceptive pill <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_NATURAL	integer	radioGroup	Counseling on natural methods (cycle beads for example) <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_VASEC	integer	radioGroup	Male sterilization / vasectomy <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_TUBAL	integer	radioGroup	Female sterilization / tubal ligation <div>Scale Values</div> <div>1 Provided</div> <div>2 Prescribed / counseled</div> <div>0 Not offered</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_OTHERMETHOD	integer	radioGroup	Does this facility provide, prescribe, or provide counseling about any other type of method of contraception not listed above? (SELECT ONE): <div>Scale Values</div> <div>1 Yes (specify type)</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div>
FP_TYPE_OTHERMETHOD.TEXT	longText	text	Description of Yes (specify type)

FP_ERCONTRA	longText	checkAllSummary	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1 High dose of progesterone-only pill</td></tr><tr><td>2 Emergency copper IUD contraceptive</td></tr><tr><td>3 Other (specify)</td></tr><tr><td>4 No intervention provided</td></tr><tr><td>5 Don't know</td></tr><tr><td>6 Decline to respond</td></tr></table>	Scale Values	1 High dose of progesterone-only pill	2 Emergency copper IUD contraceptive	3 Other (specify)	4 No intervention provided	5 Don't know	6 Decline to respond
Scale Values										
1 High dose of progesterone-only pill										
2 Emergency copper IUD contraceptive										
3 Other (specify)										
4 No intervention provided										
5 Don't know										
6 Decline to respond										
FP_ERCONTRA.1	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (High dose of progesterone-only pill) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
FP_ERCONTRA.2	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (Emergency copper IUD contraceptive) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
FP_ERCONTRA.995	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (Other (specify)) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
FP_ERCONTRA.995.TEXT	longText	text	Description of Other (specify)							
FP_ERCONTRA.0	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (No intervention provided) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
FP_ERCONTRA.-1	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (Don't know) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										
FP_ERCONTRA.-2	boolean	checkAllItem	What do you provide when a client asks for services to prevent pregnancy after unprotected sex? (SELECT ALL THAT APPLY): (Decline to respond) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values										
0 No										
1 Yes										

FP_PREG_TEST	integer	radioGroup	Does this facility offer pregnancy tests? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_PREEXAM_ACT_WEIGH	integer	radioGroup	Weighing patients <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_PREEXAM_ACT_BP	integer	radioGroup	Taking blood pressure <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_PREEXAM_ACT_GHEDU	integer	radioGroup	Conducting group health education sessions <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_REG	integer	radioGroup	Is there a register where family planning consultation information is recorded? For the register to be valid, it must show the chosen method and status (new or continuing) for each client. (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_CNSL	integer	radioGroup	Is family planning counseling part of a permanent services program? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_EVAL	integer	radioGroup	Are there ever any meetings where service statistics for family planning are discussed with staff from this clinic/unit, such as looking at changes in patterns or other items relevant to client services? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>
FP_REC	integer	radioGroup	Are individual records or charts maintained for family planning clients? (SELECT ONE): <div> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>-1 Don't know</div> <div>-2 Decline to respond</div> </div>

			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond	
Scale Values									
1 Yes									
0 No									
-1 Don't know									
-2 Decline to respond									
FP_STI	longText	checkAllSummary	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY):</p> <table><tr><td>Scale Values</td></tr><tr><td>1 Routinely treat STIs</td></tr><tr><td>2 Refers clients to other provider or location</td></tr><tr><td>3 No treatment or referral provided</td></tr><tr><td>4 Don't know</td></tr><tr><td>5 Decline to respond</td></tr></table>	Scale Values	1 Routinely treat STIs	2 Refers clients to other provider or location	3 No treatment or referral provided	4 Don't know	5 Decline to respond
Scale Values									
1 Routinely treat STIs									
2 Refers clients to other provider or location									
3 No treatment or referral provided									
4 Don't know									
5 Decline to respond									
FP_STI.1	boolean	checkAllItem	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY): (Routinely treat STIs)</p> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values									
0 No									
1 Yes									
FP_STI.2	boolean	checkAllItem	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY): (Refers clients to other provider or location)</p> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values									
0 No									
1 Yes									
FP_STI.0	boolean	checkAllItem	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY): (No treatment or referral provided)</p> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values									
0 No									
1 Yes									
FP_STI.-1	boolean	checkAllItem	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY): (Don't know)</p> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values									
0 No									
1 Yes									
FP_STI.-2	boolean	checkAllItem	<p>Does the family planning provider routinely treat STIs, or are clients referred to another provider or location for STIs treatment? (SELECT ALL THAT APPLY): (Decline to respond)</p> <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values									
0 No									
1 Yes									

INFCTRL_SYR_REUSE	integer	radioGroup	Are syringes for client injections or drawing blood ever reused? (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond				
Scale Values												
1 Yes												
0 No												
-1 Don't know												
-2 Decline to respond												
INFCTRL_SYR_STER	longText	checkAllSummary	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1 Dry-heat sterilization</td></tr><tr><td>2 Autoclaving</td></tr><tr><td>3 Boiling</td></tr><tr><td>4 Steam sterilization</td></tr><tr><td>5 Chemical sterilization</td></tr><tr><td>6 Other (specify)</td></tr><tr><td>7 Don't know</td></tr><tr><td>8 Decline to respond</td></tr></table>	Scale Values	1 Dry-heat sterilization	2 Autoclaving	3 Boiling	4 Steam sterilization	5 Chemical sterilization	6 Other (specify)	7 Don't know	8 Decline to respond
Scale Values												
1 Dry-heat sterilization												
2 Autoclaving												
3 Boiling												
4 Steam sterilization												
5 Chemical sterilization												
6 Other (specify)												
7 Don't know												
8 Decline to respond												
INFCTRL_SYR_STER.1	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Dry-heat sterilization) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
INFCTRL_SYR_STER.2	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Autoclaving) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
INFCTRL_SYR_STER.3	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Boiling) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
INFCTRL_SYR_STER.4	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Steam sterilization) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
INFCTRL_SYR_STER.5	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Chemical sterilization) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes						
Scale Values												
0 No												
1 Yes												
INFCTRL_SYR_STER.995	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Other (specify)) <table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr></table>	Scale Values	0 No							
Scale Values												
0 No												

			1 Yes
INFCTRL_SYR_STER.995.TEXT	longText	text	Description of Other (specify)
INFCTRL_SYR_STER.-1	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Don't know)
			Scale Values
			0 No
			1 Yes
INFCTRL_SYR_STER.-2	boolean	checkAllItem	If yes, what is the final method most commonly used sterilizing syringes prior to reuse? (SELECT ALL THAT APPLY): (Decline to respond)
			Scale Values
			0 No
			1 Yes
INFCTRL_DECONT	longText	checkAllSummary	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY):
			Scale Values
			1 Soaked in disinfectant solution and then brush scrubbed with soap and water
			2 Brush scrubbed with soap and water and then soak in disinfectant
			3 Brush scrubbed with soap and water only
			4 Soaked in disinfectant, not brush scrubbed
			5 Clean with soap and water, not brush scrubbed
			6 No equipment ever reused
			7 Other (specify)
			8 Don't decontaminate
			9 Don't know
			10 Decline to respond
INFCTRL_DECONT.1	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Soaked in disinfectant solution and then brush scrubbed with soap and water)
			Scale Values
			0 No
			1 Yes
INFCTRL_DECONT.2	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Brush scrubbed with soap and water and then soak in disinfectant)
			Scale Values
			0 No

				<table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes				
1	Yes									
INFCTRL_DECONT.3	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Brush scrubbed with soap and water only)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									
INFCTRL_DECONT.4	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Soaked in disinfectant, not brush scrubbed)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									
INFCTRL_DECONT.5	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Clean with soap and water, not brush scrubbed)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									
INFCTRL_DECONT.6	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (No equipment ever reused)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									
INFCTRL_DECONT.995	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Other (specify))	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									
INFCTRL_DECONT.995.TEXT	longText	text	Description of Other (specify)							
INFCTRL_DECONT.0	boolean	checkAllItem	What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Don't decontaminate)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values										
0	No									
1	Yes									

INFCTRL_DECONT.-1	boolean	checkAllItem	<p>What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Don't know)</p> <table><tr><th>Scale Values</th></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
INFCTRL_DECONT.-2	boolean	checkAllItem	<p>What is the procedure for decontaminating and cleaning equipment before its final processing for reuse? [probe if necessary to determine correct response] (SELECT ALL THAT APPLY): (Decline to respond)</p> <table><tr><th>Scale Values</th></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes									
Scale Values															
0 No															
1 Yes															
INFCTRL_GUID	integer	radioGroup	<p>Are there written guidelines for how to decontaminate equipment? (SELECT ONE):</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>-1 Don't know</td></tr><tr><td>-2 Decline to respond</td></tr></table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond							
Scale Values															
1 Yes															
0 No															
-1 Don't know															
-2 Decline to respond															
INFCTRL_STER	longText	checkAllSummary	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS]</p> <table><tr><th>Scale Values</th></tr><tr><td>1 Dry-heat sterilization</td></tr><tr><td>2 Autoclaving</td></tr><tr><td>3 Boiling</td></tr><tr><td>4 Steam sterilization</td></tr><tr><td>5 Chemical sterilization</td></tr><tr><td>6 Processed outside facility</td></tr><tr><td>7 Inapplicable</td></tr><tr><td>8 Other (specify)</td></tr><tr><td>9 Never sterilize medical equipment</td></tr><tr><td>10 Don't know</td></tr><tr><td>11 Decline to respond</td></tr></table>	Scale Values	1 Dry-heat sterilization	2 Autoclaving	3 Boiling	4 Steam sterilization	5 Chemical sterilization	6 Processed outside facility	7 Inapplicable	8 Other (specify)	9 Never sterilize medical equipment	10 Don't know	11 Decline to respond
Scale Values															
1 Dry-heat sterilization															
2 Autoclaving															
3 Boiling															
4 Steam sterilization															
5 Chemical sterilization															
6 Processed outside facility															
7 Inapplicable															
8 Other (specify)															
9 Never sterilize medical equipment															
10 Don't know															
11 Decline to respond															
INFCTRL_STER.1	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as</p>												

			speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Dry-heat sterilization)						
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.2	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Autoclaving)</p> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.3	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Boiling)</p> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.4	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS]</p>						

			(Steam sterilization)						
			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.5	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Chemical sterilization)</p> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.6	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Processed outside facility)</p> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.7	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Inapplicable)</p> <table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes
Scale Values									
0	No								
1	Yes								
INFCTRL_STER.995	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such</p>						

			<p>as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Other (specify))</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes
Scale Values						
0 No						
1 Yes						
INFCTRL_STER.995.TEXT	longText	text	Description of Other (specify)			
INFCTRL_STER.0	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Never sterilize medical equipment)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes
Scale Values						
0 No						
1 Yes						
INFCTRL_STER.-1	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Don't know)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes
Scale Values						
0 No						
1 Yes						
INFCTRL_STER.-2	boolean	checkAllItem	<p>What is the final method most commonly used for disinfecting or sterilizing medical equipment (such as speculums and/or surgical instruments) before they are reused? If different methods are used for different types of equipment, indicate the method(s) used for metal equipment such as speculums or forceps. (SELECT</p>			

			<p>ALL THAT APPLY): [IF DIFFERENT METHODS ARE USED FOR DIFFERENT TYPES OF EQUIPMENT, INDICATE THE METHOD(S) USED FOR METAL EQUIPMENT SUCH AS SPECULUMS OR FORCEPS] (Decline to respond)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>0 No</td></tr> <tr><td>1 Yes</td></tr> </table>	Scale Values	0 No	1 Yes		
Scale Values								
0 No								
1 Yes								
ANC_DATA_EVAL1	integer	radioGroup	<p>Are there ever any meetings where service statistics are discussed with staff from this clinic or unit. For example, looking at changes in patterns or other items relevant to client services? (SELECT ONE):</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes</td></tr> <tr><td>0 No</td></tr> <tr><td>-1 Don't know</td></tr> <tr><td>-2 Decline to respond</td></tr> </table>	Scale Values	1 Yes	0 No	-1 Don't know	-2 Decline to respond
Scale Values								
1 Yes								
0 No								
-1 Don't know								
-2 Decline to respond								
COMMENT	longText	comment	<p>Write any comments on the questionnaire part of the survey before moving into the observation checklist part.</p>					
CL_ANC_PL	integer	radioGroup	<p>Thank you for your time. Now I would like to observe the rooms and equipment in the facility. Ask to see the place where antenatal clients are seen before they have their medical consultation. Note if the place protected from sun and rain. (SELECT ONE):</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Yes, protected</td></tr> <tr><td>0 Not protected</td></tr> <tr><td>-1 Not observed</td></tr> </table>	Scale Values	1 Yes, protected	0 Not protected	-1 Not observed	
Scale Values								
1 Yes, protected								
0 Not protected								
-1 Not observed								
CL_ANC_ITEMS_ANEMIA	integer	radioGroup	<p>Blood test for anemia</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Observed</td></tr> <tr><td>2 Test in lab</td></tr> <tr><td>0 Not observed</td></tr> <tr><td>-1 Don't know</td></tr> </table>	Scale Values	1 Observed	2 Test in lab	0 Not observed	-1 Don't know
Scale Values								
1 Observed								
2 Test in lab								
0 Not observed								
-1 Don't know								
CL_ANC_ITEMS_SYPH	integer	radioGroup	<p>Blood test for syphilis</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Observed</td></tr> <tr><td>2 Test in lab</td></tr> <tr><td>0 Not observed</td></tr> <tr><td>-1 Don't know</td></tr> </table>	Scale Values	1 Observed	2 Test in lab	0 Not observed	-1 Don't know
Scale Values								
1 Observed								
2 Test in lab								
0 Not observed								
-1 Don't know								
CL_ANC_ITEMS_BG	integer	radioGroup	<p>Blood group</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Observed</td></tr> <tr><td>2 Test in lab</td></tr> <tr><td>0 Not observed</td></tr> <tr><td>-1 Don't know</td></tr> </table>	Scale Values	1 Observed	2 Test in lab	0 Not observed	-1 Don't know
Scale Values								
1 Observed								
2 Test in lab								
0 Not observed								
-1 Don't know								
CL_ANC_ITEMS_RH	integer	radioGroup	<p>Test for Rh factor</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1 Observed</td></tr> <tr><td>2 Test in lab</td></tr> <tr><td>0 Not observed</td></tr> <tr><td>-1 Don't know</td></tr> </table>	Scale Values	1 Observed	2 Test in lab	0 Not observed	-1 Don't know
Scale Values								
1 Observed								
2 Test in lab								
0 Not observed								
-1 Don't know								

CL_ANC_ITEMS_URPR	integer	radioGroup	Urine test for protein
			Scale Values
			1 Observed
			2 Test in lab
			0 Not observed
			-1 Don't know
CL_ANC_ITEMS_URGL	integer	radioGroup	Urine test for glucose
			Scale Values
			1 Observed
			2 Test in lab
			0 Not observed
			-1 Don't know
CL_ANC_EQUIP_PELV	integer	radioGroup	Spotlight for pelvic exam (flashlight/torch or exam light acceptable)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_BP	integer	radioGroup	Blood pressure apparatus
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_STETH	integer	radioGroup	Stethoscope
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_PINARD	integer	radioGroup	Fetal stethoscope (pinard)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_SCALE	integer	radioGroup	Adult weighing scale
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_VAGSPECS	integer	radioGroup	Vaginal speculum (small)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_VAGSPECM	integer	radioGroup	Vaginal speculum (medium)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_EQUIP_VAGSPECL	integer	radioGroup	Vaginal speculum (large)

			<div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_PPTHERM	integer	radioGroup	<div>Postpartum/newborn thermometer</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_INFANTSCALE	integer	radioGroup	<div>Infant scale</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_TIMER	integer	radioGroup	<div>Facility provided minute timer</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_WATCH	integer	radioGroup	<div>Personal watch with second hand</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_CHART	integer	radioGroup	<div>Individual chart/record for infant</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_VITK	integer	radioGroup	<div>Vitamin K</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_EQUIP_VITA	integer	radioGroup	<div>Vitamin A</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_PAP	integer	radioGroup	<div>Ask to see pap smear material (endocervical brush, swab, slides, preserving liquid). (SELECT ONE):</div> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_ANC_REG	integer	radioGroup	<div>Ask to see a blank record or chart used for documenting antenatal care. (SELECT ONE):</div>

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_PNC_REG	integer	radioGroup	<div>Ask to see a blank record or chart used for documenting postnatal care. (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_SABAG	integer	radioGroup	<div>Ask to see a home delivery bag or kit used by skilled attendants. (SELECT ONE):</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Bag observed</td></tr><tr><td>0 Bag not observed</td></tr><tr><td>-1 Don't know</td></tr></table>	Scale Values	1 Bag observed	0 Bag not observed	-1 Don't know	
Scale Values								
1 Bag observed								
0 Bag not observed								
-1 Don't know								
CL_VAC_STR_EFRIDGE	integer	radioGroup	<div>Electric refrigerator</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_VAC_STR_KFRIDGE	integer	radioGroup	<div>Kerosene refrigerator</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_VAC_STR_GFRIDGE	integer	radioGroup	<div>Gas refrigerator</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_VAC_STR_SFRIDGE	integer	radioGroup	<div>Solar refrigerator</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_VAC_STR_BOX	integer	radioGroup	<div>Cold box</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_PENTA	integer	radioGroup	<div>Pentavalent (includes DTP, Hib, HepB)</div> <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_DTP	integer	radioGroup	<div>DPT [alone and not as part of the</div>					

			pentavalent vaccine]
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_HIB	integer	radioGroup	Hib [alone and not as part of the pentavalent vaccine]
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_HEPB	integer	radioGroup	HepB [alone and not as part of the pentavalent vaccine]
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_ROTA	integer	radioGroup	Rotavirus
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_PNEU	integer	radioGroup	Pneumococcal conjugate
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_MICRONUT	integer	radioGroup	Micronutrient
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_TET	integer	radioGroup	Tetanus toxoid
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_BCG	integer	radioGroup	BCG
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_POLIO	integer	radioGroup	Oral polio
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_CHLD_VAC_MMR	integer	radioGroup	MMR (Measles Mumps Rubella)

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show			
Scale Values											
1 Observed											
0 Not observed											
995 Other											
-2 Decline to show											
CL_CHLD_VAC_MEAS	integer	radioGroup	Measles [alone and not as part of the MMR vaccine] <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show			
Scale Values											
1 Observed											
0 Not observed											
995 Other											
-2 Decline to show											
CL_CHLD_VAC_VITA	integer	radioGroup	Vitamin A <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show			
Scale Values											
1 Observed											
0 Not observed											
995 Other											
-2 Decline to show											
CL_VAC_TEMP1	integer	radioGroup	Indicate the temperature inside the refrigerator or cold box. If more than one system/storage equipment is used, select the one where DPT-Hib is stored and check the temperature. (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Temperature (centigrade)</td></tr><tr><td>2 Thermometer not functioning</td></tr><tr><td>3 No thermometer</td></tr><tr><td>4 Above or below zero display only</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Temperature (centigrade)	2 Thermometer not functioning	3 No thermometer	4 Above or below zero display only	0 Not observed	995 Other	-2 Decline to show
Scale Values											
1 Temperature (centigrade)											
2 Thermometer not functioning											
3 No thermometer											
4 Above or below zero display only											
0 Not observed											
995 Other											
-2 Decline to show											
CL_VAC_TEMP1.TEXT	integer	text	Description of Temperature (centigrade)								
CL_VAC_TEMP2	integer	radioGroup	Indicate whether temperature inside the cooling unit is above or below 0 (zero) degrees centigrade. (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Above zero degrees centigrade</td></tr><tr><td>2 Below zero degrees centigrade</td></tr><tr><td>3 Exactly zero degrees centigrade</td></tr><tr><td>0 Not observed</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Above zero degrees centigrade	2 Below zero degrees centigrade	3 Exactly zero degrees centigrade	0 Not observed	-2 Decline to show		
Scale Values											
1 Above zero degrees centigrade											
2 Below zero degrees centigrade											
3 Exactly zero degrees centigrade											
0 Not observed											
-2 Decline to show											
CL_VAC_TEMP_CHRT	integer	radioGroup	Ask to see the cold-chain temperature-monitoring chart. If more than one system/storage equipment is used, select the one where DPT-Hib is stored and check the temperature chart. (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show			
Scale Values											
1 Observed											
0 Not observed											
995 Other											
-2 Decline to show											
CL_VAC_TEMP_REC	integer	radioGroup	Check whether the temperature								

			record was completed twice daily for each of the past 30 days. (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Yes, completed</td></tr><tr><td>2 No, not completed</td></tr><tr><td>0 Not seen</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Yes, completed	2 No, not completed	0 Not seen	995 Other	-2 Decline to show	
Scale Values											
1 Yes, completed											
2 No, not completed											
0 Not seen											
995 Other											
-2 Decline to show											
CL_VAC_TEMP_PRT	integer	radioGroup	Indicate whether the refrigerator or cold box is protected from direct sunlight. (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Yes, protected</td></tr><tr><td>0 Not protected</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Yes, protected	0 Not protected	995 Other	-2 Decline to show		
Scale Values											
1 Yes, protected											
0 Not protected											
995 Other											
-2 Decline to show											
CL_VAC_CARR	integer	radioGroup	Ask to see the vaccine carriers available. (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed (record number of carriers)</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed (record number of carriers)	0 Not observed	995 Other	-2 Decline to show		
Scale Values											
1 Observed (record number of carriers)											
0 Not observed											
995 Other											
-2 Decline to show											
CL_VAC_CARR.TEXT	integer	text	Description of Observed (record number of carriers)								
CL_VAC_CARR_ICE	integer	radioGroup	Ask to see the ice packs used for the vaccine carriers (set = four or five per carrier). (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed, one set</td></tr><tr><td>2 Observed, two or more sets</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed, one set	2 Observed, two or more sets	0 Not observed	995 Other	-2 Decline to show	
Scale Values											
1 Observed, one set											
2 Observed, two or more sets											
0 Not observed											
995 Other											
-2 Decline to show											
CL_VAC_INJ_TYPE	longText	checkAllSummary	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY):	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed, single use</td></tr><tr><td>2 Observed, sterilizable</td></tr><tr><td>3 Observed, auto-disable</td></tr><tr><td>4 Observed, other</td></tr><tr><td>5 Not observed</td></tr><tr><td>6 Decline to show</td></tr></table>	Scale Values	1 Observed, single use	2 Observed, sterilizable	3 Observed, auto-disable	4 Observed, other	5 Not observed	6 Decline to show
Scale Values											
1 Observed, single use											
2 Observed, sterilizable											
3 Observed, auto-disable											
4 Observed, other											
5 Not observed											
6 Decline to show											
CL_VAC_INJ_TYPE.1	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Observed, single use)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes				
Scale Values											
0 No											
1 Yes											
CL_VAC_INJ_TYPE.2	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Observed, sterilizable)	<table></table>							

				<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values									
0 No									
1 Yes									
CL_VAC_INJ_TYPE.3	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Observed, auto-disable)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values									
0 No									
1 Yes									
CL_VAC_INJ_TYPE.995	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Observed, other)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values									
0 No									
1 Yes									
CL_VAC_INJ_TYPE.0	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Not observed)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values									
0 No									
1 Yes									
CL_VAC_INJ_TYPE.-2	boolean	checkAllItem	Ask to see the injection equipment used during routine immunization sessions at this facility. Note the type too. (SELECT ALL THAT APPLY): (Decline to show)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes		
Scale Values									
0 No									
1 Yes									
CL_CHLD_EQUIP_AVAIL_IV	integer	radioGroup	Intravenous fluid (D5NS, NS, Ringers Lactate)	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
995 Other									
-2 Decline to show									
CL_CHLD_EQUIP_AVAIL_D5WIV	integer	radioGroup	D5W intravenous fluid	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
995 Other									
-2 Decline to show									
CL_CHLD_EQUIP_AVAIL_OR SJAR	integer	radioGroup	Jar or pitcher for oral rehydration solution (ORS)	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
995 Other									
-2 Decline to show									
CL_CHLD_EQUIP_AVAIL_CUP	integer	radioGroup	Cup and spoon	<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	
Scale Values									
1 Observed									
0 Not observed									
995 Other									

			-2 Decline to show
CL_CHLD_EQUIP_AVAIL_ORs	integer	radioGroup	ORs packets Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_AVAIL_ALBEN	integer	radioGroup	Albendazole tablets Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_AVAIL_ZINC	integer	radioGroup	Zinc supplements Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_FP_RM	integer	radioGroup	Ask to see where counseling for family planning is provided and indicate the setting. (SELECT ONE): Scale Values 1 Private room with visual and auditory privacy 2 Non-private room with auditory and visual privacy 3 Visual privacy only 0 No privacy 995 Other -2 Decline to show
CL_FP_IUD_GLOVES	integer	radioGroup	Sterile gloves Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_FP_IUD_ANTISEPTIC	integer	radioGroup	Antiseptic solution (such as iodine) Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_FP_IUD_FORECEP	integer	radioGroup	Sponge holding forceps Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_FP_IUD_GAUZE	integer	radioGroup	Gauze pad or cotton wool Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_FP_IUD_INSERT_VAGSPECS	integer	radioGroup	Vaginal speculum small

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IUD_INSERT_VAGSPECM	integer	radioGroup	Vaginal speculum medium <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IUD_INSERT_VAGSPECCL	integer	radioGroup	Vaginal speculum large <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IUD_INSERT_TENA	integer	radioGroup	Tenaculum <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IUD_INSERT_UTERSOUND	integer	radioGroup	Uterine sound <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IMPL_ANESTH	integer	radioGroup	Local anesthetic (such as lidocaine) <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IMPL_SYRIN	integer	radioGroup	Sterile syringe and needle <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IMPL_CANNULA	integer	radioGroup	Cannula and trochar for inserting implant <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IMPL_IMPLANON	integer	radioGroup	Sealed implanon pack <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_IMPL_SCALP	integer	radioGroup	Scalpel with blade <table><tr><td>Scale Values</td></tr><tr><td></td></tr></table>	Scale Values				
Scale Values								

			<table><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	1	Observed	0	Not observed	995	Other	-2	Decline to show		
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_IMPL_FORCEPS	integer	radioGroup	Forceps for grasping implant (artery forceps or hemostat or tweezers or mosquito forceps) <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_PREG_TEST	integer	radioGroup	Note the availability of equipment for a pregnancy test. (Select one) <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_ORAL	integer	radioGroup	Combined oral pill <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_PROG	integer	radioGroup	Progestin-only pill <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_INJ	integer	radioGroup	Combined injectable (with estrogen) (1 monthly) <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_PROGINJ	integer	radioGroup	Progestin-only injectable (2 or 3 monthly) (e.g., depo or microgynon) <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_MCOND	integer	radioGroup	Male condom <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_FCOND	integer	radioGroup	Female condom <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show
Scale Values													
1	Observed												
0	Not observed												
995	Other												
-2	Decline to show												
CL_FP_TYPE_IUD	integer	radioGroup	Intrauterine device										

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_IMPL	integer	radioGroup	Implant (6 rod, 1 rod, implanon, jadelle, norplant) <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_SPERM	integer	radioGroup	Spermicides <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_DIAPH	integer	radioGroup	Diaphragm <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_EMCONTRA	integer	radioGroup	Emergency contraceptive pill <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_NATURAL	integer	radioGroup	Counseling on natural methods (cycle beads for example) <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_VASEC	integer	radioGroup	Male sterilization / vasectomy <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_TUBAL	integer	radioGroup	Female sterilization / tubal ligation <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_TYPE_OTHER	integer	radioGroup	Other <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_BLNKREC	integer	radioGroup	Ask to see a blank record or chart maintained for family planning clients. (SELECT ONE):					

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show	
Scale Values									
1 Observed									
0 Not observed									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_CLOTH	integer	radioGroup	Wrapped in sterile cloth, sealed with TST tape <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_CONT	integer	radioGroup	Stored in sterile container with lid that clasps shut <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_AUTO	integer	radioGroup	Stored unwrapped inside an autoclave or dry-heat sterilizer <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_TRAY	integer	radioGroup	On tray, covered with cloth or wrapped without TST sealing tape <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_ANTISEP	integer	radioGroup	In container with disinfectant or antiseptic <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_OTHERCLEAN	integer	radioGroup	Other stored, clean and covered <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable	995 Other	-2 Decline to show
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									
995 Other									
-2 Decline to show									
CL_INFCTRL_STORE_OTHERNOTCLEAN	integer	radioGroup	Other stored, not clean and/or uncovered <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>2 Not applicable</td></tr></table>	Scale Values	1 Observed	0 Not observed	2 Not applicable		
Scale Values									
1 Observed									
0 Not observed									
2 Not applicable									

			<div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_STORE_DATE	integer	radioGroup	<p>Date of sterilization written on packet or container with processed items</p> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>2 Not applicable</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_STORE_DRYCLEAN	integer	radioGroup	<p>Storage location dry and clean</p> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>2 Not applicable</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_CONDITIONS_FLOOR	integer	radioGroup	<p>Are the supplies / equipment off the floor?</p> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_CONDITIONS_WATER	integer	radioGroup	<p>Are the supplies / equipment protected from water?</p> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_CONDITIONS_SUN	integer	radioGroup	<p>Are the supplies / equipment protected from sun?</p> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_INFCTRL_CONDITIONS_PEST	integer	radioGroup	<p>Is the room clean of evidence of rodents (bats, rats) or pests (roaches, etc.).</p> <div>Scale Values</div> <div>1 Yes</div> <div>0 No</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_FAC_CATCH_ASSIGNED	longText	checkAllSummary	<p>Ask to see a graphic of the number of people and/or families assigned to this ECOS / Health center. (Select all that apply)</p> <div>Scale Values</div> <div>1 Assigned population number:</div> <div>2 Assigned number of families:</div> <div>3 No graphic</div> <div>4 Other</div> <div>5 Decline to show</div>
CL_FAC_CATCH_ASSIGNED.ASSIGNED_POP	boolean	checkAllItem	<p>Ask to see a graphic of the number</p>

			of people and/or families assigned to this ECOS / Health center. (Select all that apply) (Assigned population number:)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_ASSIGNED.ASSIGNED_POP.TEXT	longText	text	Description of Assigned population number:
CL_FAC_CATCH_ASSIGNED.ASSIGNED_FAMILY	boolean	checkAllItem	Ask to see a graphic of the number of people and/or families assigned to this ECOS / Health center. (Select all that apply) (Assigned number of families:)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_ASSIGNED.ASSIGNED_FAMILY.TEXT2	positiveInteger	text	Description of Assigned number of families:
CL_FAC_CATCH_ASSIGNED.NONE	boolean	checkAllItem	Ask to see a graphic of the number of people and/or families assigned to this ECOS / Health center. (Select all that apply) (No graphic)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_ASSIGNED.OTHER	boolean	checkAllItem	Ask to see a graphic of the number of people and/or families assigned to this ECOS / Health center. (Select all that apply) (Other)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_ASSIGNED.DS	boolean	checkAllItem	Ask to see a graphic of the number of people and/or families assigned to this ECOS / Health center. (Select all that apply) (Decline to show)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_REGISTERED	longText	checkAllSummary	Ask to see evidence of registered people and/or families. (Select all that apply)
			Scale Values
			1 Registered population number:
			2 Assigned number of families:
			3 Not available
			4 Other
			5 Decline to show
CL_FAC_CATCH_REGISTERED.REGISTERED_POP	boolean	checkAllItem	Ask to see evidence of registered people and/or families. (Select all that apply) (Registered population number:)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_REGISTERED.REGISTERED_POP.TEXT2	longText	text	Description of Registered population number:
CL_FAC_CATCH_REGISTERED.REGISTERED_FAMILY	boolean	checkAllItem	Ask to see evidence of registered people and/or families. (Select all that apply) (Assigned number of

			families:)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_REGISTERED.REGISTERED_FAMILY.TEXT	longText	text	Description of Assigned number of families:
CL_FAC_CATCH_REGISTERED.NONE	boolean	checkAllItem	Ask to see evidence of registered people and/or families. (Select all that apply) (Not available)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_REGISTERED.OTHER	boolean	checkAllItem	Ask to see evidence of registered people and/or families. (Select all that apply) (Other)
			Scale Values
			0 No
			1 Yes
CL_FAC_CATCH_REGISTERED.DS	boolean	checkAllItem	Ask to see evidence of registered people and/or families. (Select all that apply) (Decline to show)
			Scale Values
			0 No
			1 Yes
CL_ANC_PROTO_NATPOLICY	integer	radioGroup	National policy, guidelines, protocol for family planning and reproductive health services
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_PROTO_MATNNCARE	integer	radioGroup	Guideline for clinical care in maternal and neonatal care
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_PROTO_OTHER	integer	radioGroup	Any other guidelines or protocols for antenatal care
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_PROTO_IPT	integer	radioGroup	Any other guidelines or protocols for IPT?
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_ANC_PROTO_FP	integer	radioGroup	Any other guidelines or protocols for family planning?
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show

CL_ANC_PROTO_STI	integer	radioGroup	Guidelines for syndromic approach for STIs					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_PROTO_TREATSTI	integer	radioGroup	Other guidelines or protocols for diagnosing or treating STIs					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_PROTO_VISUAL	integer	radioGroup	Visual aids for client education on subjects related to pregnancy or antenatal care					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_PROTO_OTHERPP	integer	radioGroup	Other guidelines for postpartum care					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_ANC_PROTO_OTHERNN	integer	radioGroup	Other guidelines for newborn health care					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_ITEMS_GUIDE	integer	radioGroup	National guideline for immunization					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_ITEMS_CARD	integer	radioGroup	Blank, individual child immunization cards					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_ITEMS_REG	integer	radioGroup	Tally sheets or register sheets					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_VAC_ITEMS_PERMREG	integer	radioGroup	Permanent register or summary sheets for recording immunizations					
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr></table>	Scale Values	1 Observed			
Scale Values								
1 Observed								

				<table><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	0	Not observed	995	Other	-2	Decline to show								
0	Not observed																	
995	Other																	
-2	Decline to show																	
CL_VAC_GRP	integer	radioGroup	Ask to check a graphic for total immunization coverage. (SELECT ONE):	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Observed</td></tr><tr><td>0</td><td>Not observed</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Observed	0	Not observed	995	Other	-2	Decline to show				
Scale Values																		
1	Observed																	
0	Not observed																	
995	Other																	
-2	Decline to show																	
CL_VAC_SRCCVR	longText	checkAllSummary	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Written report</td></tr><tr><td>2</td><td>Graph / chart</td></tr><tr><td>3</td><td>Registry book</td></tr><tr><td>4</td><td>Other (specify)</td></tr><tr><td>5</td><td>No sources of information on coverage rates</td></tr><tr><td>6</td><td>Decline to show</td></tr></table>	Scale Values		1	Written report	2	Graph / chart	3	Registry book	4	Other (specify)	5	No sources of information on coverage rates	6	Decline to show
Scale Values																		
1	Written report																	
2	Graph / chart																	
3	Registry book																	
4	Other (specify)																	
5	No sources of information on coverage rates																	
6	Decline to show																	
CL_VAC_SRCCVR.1	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY) (Written report)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes								
Scale Values																		
0	No																	
1	Yes																	
CL_VAC_SRCCVR.2	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY) (Graph / chart)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes								
Scale Values																		
0	No																	
1	Yes																	
CL_VAC_SRCCVR.3	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY) (Registry book)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes								
Scale Values																		
0	No																	
1	Yes																	
CL_VAC_SRCCVR.995	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY) (Other (specify))	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes								
Scale Values																		
0	No																	
1	Yes																	
CL_VAC_SRCCVR.995.TEXT	longText	text	Description of Other (specify)															
CL_VAC_SRCCVR.0	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout rate estimates. (SELECT ALL THAT APPLY) (No sources of information on coverage rates)	<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes								
Scale Values																		
0	No																	
1	Yes																	
CL_VAC_SRCCVR.-2	boolean	checkAllItem	Record the source(s) of information for percent coverage and dropout															

				rate estimates. (SELECT ALL THAT APPLY) (Decline to show)
				Scale Values
				0 No
				1 Yes
CL_CHLD_FRM_IMCILAM	integer	radioGroup	IMCI laminated forms	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_IMCICHART	integer	radioGroup	IMCI chart booklet	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_IMCICOUNSEL	integer	radioGroup	IMCI counseling cards for provider to use	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_MOMCARD	integer	radioGroup	IMCI mother's cards (to give to caretaker)	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_OTHER	integer	radioGroup	Other visual aids for teaching caretakers	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_PNEUMONIA	integer	radioGroup	Pneumonia attention flowchart	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_RESPIR	integer	radioGroup	Respiratory problems children flowchart	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_EXACERBCRISIS	integer	radioGroup	Exacerbation crisis flowchart	
				Scale Values
				1 Observed
				0 Not observed
				995 Other
				-2 Decline to show
CL_CHLD_FRM_DENGUE	integer	radioGroup	Dengue management flowchart	

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_FRM_SOCIALRISK	integer	radioGroup	Social risk assessment for kids under 5 <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_CHLD_FRM_DIA	integer	radioGroup	Diarrhea treatment plan <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_SAMPLES	integer	radioGroup	Samples of various family planning methods <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_TEACH	integer	radioGroup	Other visual aids for teaching about family planning or specific contraceptive methods <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_STI	integer	radioGroup	Visual aids for teaching about STIs <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_HIV	integer	radioGroup	Visual aids for teaching about HIV/AIDS <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_COND	integer	radioGroup	Model for demonstrating how to use condoms <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_FP_VISUAL_PROMOTE	integer	radioGroup	Posters for general promotion of family planning <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr></table>	Scale Values	1 Observed	0 Not observed		
Scale Values								
1 Observed								
0 Not observed								

			995 Other
			-2 Decline to show
CL_FP_VISUAL_STIAWARE	integer	radioGroup	Posters for general awareness of STIs or HIV/AIDS
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_BKLT_FP	integer	radioGroup	Printed material about family planning
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_BKLT_STI	integer	radioGroup	Printed material about STIs
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_BKLT_HIV	integer	radioGroup	Printed material about HIV/AIDS
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_GD_NATPOL	integer	radioGroup	National policy, guidelines, protocol for family planning and reproductive health services
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_GD_OTHERPROT	integer	radioGroup	Any other guidelines or protocols on family planning
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_GD_HIV	integer	radioGroup	Screening and HIV management protocols
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_GD_STI	integer	radioGroup	Syndrome diagnosis and treatment of STIs (based on who guidelines)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_GD_OTHERSTI	integer	radioGroup	Other guidelines for STIs diagnosis

			or treatment
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_GUIDE1	integer	radioGroup	Ask to see any written guidelines for how to decontaminate equipment. (SELECT ONE):
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_GUIDE2	longText	checkAllSummary	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY)
			Scale Values
			1 Soaking time
			2 Percent of chemical used
			3 Proportions to mix
			4 Brush scrub
			5 None of the above
			6 Other
			7 Decline to show
CL_INFCTRL_GUIDE2.1	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Soaking time)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_GUIDE2.2	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Percent of chemical used)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_GUIDE2.3	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Proportions to mix)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_GUIDE2.4	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Brush scrub)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_GUIDE2.0	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (None of the above)
			Scale Values
			0 No
			1 Yes

CL_INFCTRL_GUIDE2.995	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Other)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_GUIDE2.-2	boolean	checkAllItem	Scan the guideline and circle all components that are mentioned or covered. (SELECT ALL THAT APPLY) (Decline to show)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_AREA_FLOOR	integer	radioGroup	Floor: swept, no obvious dirt or waste [re-arrange ordering]
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_AREA_SURFACE	integer	radioGroup	Counters/tables/chairs: wiped clean- no obvious dust or waste
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_AREA_CLUTTER	integer	radioGroup	Broken equipment, papers, boxes around making area cluttered and dirty
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_AREA_WALL	integer	radioGroup	Walls: reasonably clean
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_AREA_DOOR	integer	radioGroup	Doors: no or minor damage
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_AREA_ROOF	integer	radioGroup	Roof: no or minor damage
			Scale Values
			1 Yes
			0 No
			995 Other
			-2 Decline to show
CL_INFCTRL_SHARP1	integer	radioGroup	Were any used needles or other sharps observed outside of a sharps container? (SELECT ONE):
			Scale Values
			1 Yes

			<table border="1"> <tr><td>0</td><td>No</td></tr> <tr><td>2</td><td>No sharps container</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	0	No	2	No sharps container	995	Other	-2	Decline to show			
0	No													
2	No sharps container													
995	Other													
-2	Decline to show													
CL_INFCTRL_SHARP2	integer	radioGroup	<p>Was the sharps container overflowing, or was the container pierced/broken? (SELECT ONE):</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>2</td><td>No sharps container</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Yes	0	No	2	No sharps container	995	Other	-2	Decline to show
Scale Values														
1	Yes													
0	No													
2	No sharps container													
995	Other													
-2	Decline to show													
CL_INFCTRL_NONSHARP	integer	radioGroup	<p>Were any bandages or other non-sharp infectious waste observed outside of a covered trash container? (SELECT ONE):</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Yes, on floor or surfaces</td></tr> <tr><td>2</td><td>Yes, in uncovered container</td></tr> <tr><td>0</td><td>No</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Yes, on floor or surfaces	2	Yes, in uncovered container	0	No	995	Other	-2	Decline to show
Scale Values														
1	Yes, on floor or surfaces													
2	Yes, in uncovered container													
0	No													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_WTRPIP	integer	radioGroup	<p>Running water (piped)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Observed</td></tr> <tr><td>0</td><td>Not observed</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Observed	0	Not observed	995	Other	-2	Decline to show		
Scale Values														
1	Observed													
0	Not observed													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_OTHERWTR	integer	radioGroup	<p>Other running water (bucket with tap or pour pitcher)</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Observed</td></tr> <tr><td>0</td><td>Not observed</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Observed	0	Not observed	995	Other	-2	Decline to show		
Scale Values														
1	Observed													
0	Not observed													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_BASIN	integer	radioGroup	<p>Water in bucket or basin (water reused) hand-washing soap</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Observed</td></tr> <tr><td>0</td><td>Not observed</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Observed	0	Not observed	995	Other	-2	Decline to show		
Scale Values														
1	Observed													
0	Not observed													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_TOWEL	integer	radioGroup	<p>Single-use hand drying towels</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Observed</td></tr> <tr><td>0</td><td>Not observed</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Observed	0	Not observed	995	Other	-2	Decline to show		
Scale Values														
1	Observed													
0	Not observed													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_BIN	integer	radioGroup	<p>Waste receptacle with lid and plastic liner</p> <table border="1"> <tr><td>Scale Values</td></tr> <tr><td>1</td><td>Observed</td></tr> <tr><td>0</td><td>Not observed</td></tr> <tr><td>995</td><td>Other</td></tr> <tr><td>-2</td><td>Decline to show</td></tr> </table>	Scale Values	1	Observed	0	Not observed	995	Other	-2	Decline to show		
Scale Values														
1	Observed													
0	Not observed													
995	Other													
-2	Decline to show													
CL_INFCTRL_ITEMS_SHARPSCONT	integer	radioGroup	<p>Sharps container</p> <table border="1"> <tr><td> </td></tr> </table>											

			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_LATEX	integer	radioGroup	Disposable latex gloves <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_NOLATEX	integer	radioGroup	Disposable non-latex gloves <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_DECONTSOL	integer	radioGroup	Already mixed decontamination solution <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_DISINFECT	integer	radioGroup	Disinfectant (not yet mixed) disposable needles <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_AUSOSYRIN	integer	radioGroup	Auto-disable syringes (3 or 5 ml) disposable syringes (3 or 5 ml) <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_PRIVRM	integer	radioGroup	Private room (auditory and visual privacy) <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_PRIVACY	integer	radioGroup	Auditory privacy / visual privacy <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
CL_INFCTRL_ITEMS_EXAMTBL	integer	radioGroup	Examination table <table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show
Scale Values								
1 Observed								
0 Not observed								
995 Other								
-2 Decline to show								
INFCTRL_WTAREA	integer	radioGroup	Is there a waiting area for clients					

			receiving health services where they are protected from sun and rain? (SELECT ONE)											
			<table><tr><td>Scale Values</td></tr><tr><td>1 Yes</td></tr><tr><td>0 No</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Yes	0 No	995 Other	-2 Decline to show						
Scale Values														
1 Yes														
0 No														
995 Other														
-2 Decline to show														
CL_INFCTRL_WATER	integer	radioGroup	Ask to see the source of water to the facility. Indicate if observed. (Select one)											
			<table><tr><td>Scale Values</td></tr><tr><td>1 Observed</td></tr><tr><td>0 Not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 Not observed	995 Other	-2 Decline to show						
Scale Values														
1 Observed														
0 Not observed														
995 Other														
-2 Decline to show														
CL_INFCTRL_WTRSRC	longText	checkAllSummary	Circle any water source observed. (SELECT ALL THAT APPLY):											
			<table><tr><td>Scale Values</td></tr><tr><td>1 Pipe going into facility</td></tr><tr><td>2 Well (public protected)</td></tr><tr><td>3 Well (facility protected)</td></tr><tr><td>4 Bottled water</td></tr><tr><td>5 Tanker truck</td></tr><tr><td>6 Source just outside the facility</td></tr><tr><td>7 Other (specified in questionnaire)</td></tr><tr><td>8 Tank</td></tr><tr><td>9 Other</td></tr><tr><td>10 Decline to show</td></tr></table>	Scale Values	1 Pipe going into facility	2 Well (public protected)	3 Well (facility protected)	4 Bottled water	5 Tanker truck	6 Source just outside the facility	7 Other (specified in questionnaire)	8 Tank	9 Other	10 Decline to show
Scale Values														
1 Pipe going into facility														
2 Well (public protected)														
3 Well (facility protected)														
4 Bottled water														
5 Tanker truck														
6 Source just outside the facility														
7 Other (specified in questionnaire)														
8 Tank														
9 Other														
10 Decline to show														
CL_INFCTRL_WTRSRC.1	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Pipe going into facility)											
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes								
Scale Values														
0 No														
1 Yes														
CL_INFCTRL_WTRSRC.2	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Well (public protected))											
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes								
Scale Values														
0 No														
1 Yes														
CL_INFCTRL_WTRSRC.3	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Well (facility protected))											
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes								
Scale Values														
0 No														
1 Yes														
CL_INFCTRL_WTRSRC.4	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Bottled water)											
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes								
Scale Values														
0 No														
1 Yes														
CL_INFCTRL_WTRSRC.5	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Tanker truck)											
			<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes								
Scale Values														
0 No														
1 Yes														

CL_INFCTRL_WTRSRC.6	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Source just outside the facility)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_WTRSRC.7	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Other (specified in questionnaire))
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_WTRSRC.8	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Tank)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_WTRSRC.995	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Other)
			Scale Values
			0 No
			1 Yes
CL_INFCTRL_WTRSRC.-2	boolean	checkAllItem	Circle any water source observed. (SELECT ALL THAT APPLY): (Decline to show)
			Scale Values
			0 No
			1 Yes
CL_ROOMNUM	integer	radioGroup	Indicate the number of rooms in the facility: (Excluding the toilet) (MAKE SURE ALL ROOMS HAVE BEEN INCLUDED IN THE COUNT) (SELECT ONE):
			Scale Values
			1 Number of rooms:
			995 Other
			-2 Decline to show
CL_ROOMNUM.TEXT	longText	text	Description of Numer of rooms:
CL_ANC_DOC1	integer	radioGroup	Ask to see the register(s) where antenatal care client information is recorded. (SELECT ONE):
			Scale Values
			1 Yes, register observed
			0 Register not observed
			995 Other
			-2 Don't show
CL_ANC_DOC2	longText	checkAllSummary	Scan the register for the past 3 months and mark the response for each type of information routinely recorded for ANC clients. Search all applicable registers/records maintained routinely. (SELECT ALL THAT APPLY):
			Scale Values
			1 Client visit (first or follow-up)
			2 Preventive treatment provided for malaria
			3 Tetanus toxoid provided
			4 Other
CL_ANC_DOC2.1	boolean	checkAllItem	Scan the register for the past 3

			months and mark the response for each type of information routinely recorded for ANC clients. Search all applicable registers/records maintained routinely. (SELECT ALL THAT APPLY): (Client visit (first or follow-up))	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes	
Scale Values								
0 No								
1 Yes								
CL_ANC_DOC2.2	boolean	checkAllItem	Scan the register for the past 3 months and mark the response for each type of information routinely recorded for ANC clients. Search all applicable registers/records maintained routinely. (SELECT ALL THAT APPLY): (Preventive treatment provided for malaria)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes	
Scale Values								
0 No								
1 Yes								
CL_ANC_DOC2.3	boolean	checkAllItem	Scan the register for the past 3 months and mark the response for each type of information routinely recorded for ANC clients. Search all applicable registers/records maintained routinely. (SELECT ALL THAT APPLY): (Tetanus toxoid provided)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes	
Scale Values								
0 No								
1 Yes								
CL_ANC_DOC2.995	boolean	checkAllItem	Scan the register for the past 3 months and mark the response for each type of information routinely recorded for ANC clients. Search all applicable registers/records maintained routinely. (SELECT ALL THAT APPLY): (Other)	<table><tr><td>Scale Values</td></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes	
Scale Values								
0 No								
1 Yes								
CL_ANC_DOC3	integer	radioGroup	How recent is the date of the most recent entry? (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Within past 7 days</td></tr><tr><td>2 More than 7 days old</td></tr><tr><td>995 Other</td></tr></table>	Scale Values	1 Within past 7 days	2 More than 7 days old	995 Other
Scale Values								
1 Within past 7 days								
2 More than 7 days old								
995 Other								
CL_ANC_DOC4	integer	radioGroup	Record the number of antenatal visits, new and follow-up, who received services during the past 12 completed months. (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td>1 Number of ANC visits (specify)</td></tr><tr><td>-1 Don't know</td></tr></table>	Scale Values	1 Number of ANC visits (specify)	-1 Don't know	
Scale Values								
1 Number of ANC visits (specify)								
-1 Don't know								
CL_ANC_DOC4.TEXT	integer	text	Description of Number of ANC visits (specify)					
CL_ANC_DOC5	integer	radioGroup	Record the number of antenatal visits, new and follow-up who received first dose of IPT during the past 12 completed months. (SELECT ONE):	<table><tr><td>Scale Values</td></tr><tr><td></td></tr></table>	Scale Values			
Scale Values								

			<table><tr><td>1</td><td>Number of ANC visits (specify)</td></tr><tr><td>0</td><td>Not routinely done</td></tr><tr><td>-1</td><td>Don't know</td></tr></table>	1	Number of ANC visits (specify)	0	Not routinely done	-1	Don't know					
1	Number of ANC visits (specify)													
0	Not routinely done													
-1	Don't know													
CL_ANC_DOC5.TEXT	integer	text	Description of Number of ANC visits (specify)											
CL_ANC_DOC6	integer	radioGroup	Record the number of months of data represented in previous questions. (SELECT ONE): <table><tr><td>Scale Values</td></tr><tr><td>1</td><td>Months of data (specify)</td></tr><tr><td>-1</td><td>Don't know</td></tr></table>	Scale Values	1	Months of data (specify)	-1	Don't know						
Scale Values														
1	Months of data (specify)													
-1	Don't know													
CL_ANC_DOC6.TEXT	integer	text	Description of Months of data (specify)											
CL_ANC_DOC7	longText	checkAllSummary	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): <table><tr><td>Scale Values</td></tr><tr><td>1</td><td>Written report</td></tr><tr><td>2</td><td>Graph/chart</td></tr><tr><td>3</td><td>Other (specify)</td></tr><tr><td>4</td><td>None</td></tr><tr><td>5</td><td>Decline to show</td></tr></table>	Scale Values	1	Written report	2	Graph/chart	3	Other (specify)	4	None	5	Decline to show
Scale Values														
1	Written report													
2	Graph/chart													
3	Other (specify)													
4	None													
5	Decline to show													
CL_ANC_DOC7.1	boolean	checkAllItem	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): (Written report) <table><tr><td>Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values	0	No	1	Yes						
Scale Values														
0	No													
1	Yes													
CL_ANC_DOC7.2	boolean	checkAllItem	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): (Graph/chart) <table><tr><td>Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values	0	No	1	Yes						
Scale Values														
0	No													
1	Yes													
CL_ANC_DOC7.995	boolean	checkAllItem	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): (Other (specify)) <table><tr><td>Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values	0	No	1	Yes						
Scale Values														
0	No													
1	Yes													
CL_ANC_DOC7.995.TEXT	longText	text	Description of Other (specify)											
CL_ANC_DOC7.0	boolean	checkAllItem	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): (None) <table><tr><td>Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values	0	No	1	Yes						
Scale Values														
0	No													
1	Yes													
CL_ANC_DOC7.-2	boolean	checkAllItem	Record the source of information for estimated percent of antenatal care coverage. (SELECT ALL THAT APPLY): (Decline to show) <table><tr><td>Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values	0	No	1	Yes						
Scale Values														
0	No													
1	Yes													
CL_ANC_DOC8	integer	radioGroup	Calculate, using the record/graph/etc... the percent of											

				pregnants that recieved antenatal care services at least 4 times.						
				<table><tr><th>Scale Values</th></tr><tr><td>1</td></tr><tr><td>-1 Unable to calculate</td></tr></table>	Scale Values	1	-1 Unable to calculate			
Scale Values										
1										
-1 Unable to calculate										
CL_ANC_DOC8.TEXT	positiveInteger	text		Description of						
CL_TBA_DOC	integer	radioGroup		Ask to see if there is any documentation on activities with TBAs (such as lists of affiliated TBAs or records of their referral). (SELECT ONE): <table><tr><th>Scale Values</th></tr><tr><td>1 Observed</td></tr><tr><td>0 not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Observed	0 not observed	995 Other	-2 Decline to show	
Scale Values										
1 Observed										
0 not observed										
995 Other										
-2 Decline to show										
CL_PNC_DOC1	integer	radioGroup		Ask to see the register where client information from postpartum (PP) visits is recorded. (SELECT ONE): <table><tr><th>Scale Values</th></tr><tr><td>1 Register observed</td></tr><tr><td>0 Register not observed</td></tr><tr><td>995 Other</td></tr><tr><td>-2 Decline to show</td></tr></table>	Scale Values	1 Register observed	0 Register not observed	995 Other	-2 Decline to show	
Scale Values										
1 Register observed										
0 Register not observed										
995 Other										
-2 Decline to show										
CL_PNC_DOC2	longText	checkAllSummary		Scan the register for the past 3 months and indicate the response for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): <table><tr><th>Scale Values</th></tr><tr><td>1 Delivery day of days PP</td></tr><tr><td>2 Any/no complications</td></tr><tr><td>3 Temperature</td></tr><tr><td>4 Other</td></tr><tr><td>5 Decline to show</td></tr></table>	Scale Values	1 Delivery day of days PP	2 Any/no complications	3 Temperature	4 Other	5 Decline to show
Scale Values										
1 Delivery day of days PP										
2 Any/no complications										
3 Temperature										
4 Other										
5 Decline to show										
CL_PNC_DOC2.1	boolean	checkAllItem		Scan the register for the past 3 months and indicate the response for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): (Delivery day of days PP) <table><tr><th>Scale Values</th></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values										
0 No										
1 Yes										
CL_PNC_DOC2.2	boolean	checkAllItem		Scan the register for the past 3 months and indicate the response for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): (Any/no complications) <table><tr><th>Scale Values</th></tr><tr><td>0 No</td></tr><tr><td>1 Yes</td></tr></table>	Scale Values	0 No	1 Yes			
Scale Values										
0 No										
1 Yes										
CL_PNC_DOC2.3	boolean	checkAllItem		Scan the register for the past 3 months and indicate the response						

				for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): (Temperature)								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes		
Scale Values												
0	No											
1	Yes											
CL_PNC_DOC2.995	boolean	checkAllItem		Scan the register for the past 3 months and indicate the response for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): (Other)								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes		
Scale Values												
0	No											
1	Yes											
CL_PNC_DOC2.-2	boolean	checkAllItem		Scan the register for the past 3 months and indicate the response for each type of information routinely recorded for PNC clients. Search all applicable registers/records maintained routinely.How recent is the date of the most recent entry? (SELECT ONE): (Decline to show)								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table>	Scale Values		0	No	1	Yes		
Scale Values												
0	No											
1	Yes											
CL_PNC_DOC3	integer	radioGroup		How recent is the date of the most recent entry? (SELECT ONE)								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Within the past 7 days</td></tr><tr><td>2</td><td>More than days old</td></tr><tr><td>-1</td><td>Don't know</td></tr></table>	Scale Values		1	Within the past 7 days	2	More than days old	-1	Don't know
Scale Values												
1	Within the past 7 days											
2	More than days old											
-1	Don't know											
CL_PNC_DOC4	integer	radioGroup		How many postpartum visits took place during the previous 12 complete months? (SELECT ONE):								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Number of PNC visits (specify)</td></tr><tr><td>-1</td><td>Don't know</td></tr></table>	Scale Values		1	Number of PNC visits (specify)	-1	Don't know		
Scale Values												
1	Number of PNC visits (specify)											
-1	Don't know											
CL_PNC_DOC4.TEXT	integer	text		Description of Number of PNC visits (specify)								
CL_PNC_DOC5	integer	radioGroup		Record the number of months of data represented in previous questions on PP care.(SELECT ONE):								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Months of data</td></tr><tr><td>-1</td><td>Don't know</td></tr></table>	Scale Values		1	Months of data	-1	Don't know		
Scale Values												
1	Months of data											
-1	Don't know											
CL_PNC_DOC5.TEXT	integer	text		Description of Number of PNC visits (specify)								
CL_VAC_DOC	integer	radioGroup		Verify if the register for vaccine provision is up-to-date. (SELECT ONE):								
				<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Up to date</td></tr><tr><td>0</td><td>Not up to date</td></tr></table>	Scale Values		1	Up to date	0	Not up to date		
Scale Values												
1	Up to date											
0	Not up to date											

			<div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLDVAC_DOC1	integer	radioGroup	<p>Ask to see the register where information on the diagnosis for each child is written. To be valid, the register must indicate that the child is below 5 years of age and the diagnosis or major symptom. (SELECT ONE):</p> <div>Scale Values</div> <div>1 Observed, register for under 5 only</div> <div>2 Observed, combined register for under 5 and adult</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLDVAC_DOC2	integer	radioGroup	<p>Record the number of sick children, below 5 years of age, who received consultation services during the past 12 completed months. (SELECT ONE):</p> <div>Scale Values</div> <div>1 Number of children (specify)</div> <div>-1 Don't know</div>
CL_CHLDVAC_DOC2.TEXT	integer	text	Description of Number of children (specify)
CL_CHLDVAC_DOC3	integer	radioGroup	<p>How recent is the date of the most recent entry? (SELECT ONE):</p> <div>Scale Values</div> <div>1 Within past 7 days</div> <div>2 More than 7 days old</div> <div>-1 Don't know</div>
CL_FP_DOC1	integer	radioGroup	<p>Ask to see the register where family planning consultation information is recorded. For the register to be valid, it must show the chosen method and status (new or continuing) for each client. (SELECT ONE):</p> <div>Scale Values</div> <div>1 Observed</div> <div>0 Not observed</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_FP_DOC2	integer	radioGroup	<p>How recent is the date of the most recent entry? (SELECT ONE):</p> <div>Scale Values</div> <div>1 Within past 7 days</div> <div>2 More than 7 days old</div> <div>-1 Don't know</div>
CL_FP_DOC3	integer	radioGroup	<p>Record the number of total clients, new and continuing, who received family planning services during the past 12 completed months. (SELECT ONE):</p> <div>Scale Values</div> <div>1 Total number of clients (specify)</div> <div>-1 Don't know</div>
CL_FP_DOC3.TEXT	integer	text	Description of Total number of clients (specify)

CL_FP_DOC4	integer	radioGroup	Record the number of months of data on new and continuing clients who received family planning services . (SELECT ONE): <div> <div>Scale Values</div> <div>1 Months of data (specify)</div> <div>-1 Don't know</div> </div>
CL_FP_DOC4.TEXT	integer	text	Description of Months of data (specify)
CL_ANC_SERVDOC_ANEMIA	integer	radioGroup	Blood test for anemia <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SERVDOC_SYPH	integer	radioGroup	Blood test for syphilis <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SERVDOC_BG	integer	radioGroup	Blood group <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SERVDOC_RH	integer	radioGroup	Test for Rh factor <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SERVDOC_UTPR	integer	radioGroup	Urine test for protein <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SERVDOC_UTGL	integer	radioGroup	Urine test for glucose <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SER_DOC_ANTIMAL	integer	radioGroup	Preventive antimalarial treatment <div> <div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div> </div>
CL_ANC_SER_DOC_TESTHIV	integer	radioGroup	Voluntary testing for HIV/AIDS <div></div>

			<table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_SYPH	integer	radioGroup	Screening and management of syphilis in pregnancy <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_MALPREG	integer	radioGroup	Screening and management of malaria in pregnancy <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_TOXPREG	integer	radioGroup	Screening and management of toxoplasma in pregnancy <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_ANEMIAPREG	integer	radioGroup	Screening and management of anemia in pregnancy <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_BACPREG	integer	radioGroup	Screening and management of bacteriuria in pregnancy <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_STREPPREG	integer	radioGroup	Screening and management of group B streptococcus <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr><tr><td>-2</td><td>Decline to show</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other	-2	Decline to show
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												
-2	Decline to show												
CL_ANC_SER_DOC_DELPREP	integer	radioGroup	Preparations to make for delivery <table><tr><td colspan="2">Scale Values</td></tr><tr><td>1</td><td>Documented activity</td></tr><tr><td>0</td><td>Activity not observed in record</td></tr><tr><td>995</td><td>Other</td></tr></table>	Scale Values		1	Documented activity	0	Activity not observed in record	995	Other		
Scale Values													
1	Documented activity												
0	Activity not observed in record												
995	Other												

				-2 Decline to show
CL_CHLD_DOC_WEIGHT	integer	radioGroup	Child weight	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_HEIGHT	integer	radioGroup	Child height	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_GRAPH	integer	radioGroup	Plotting child's weight and height on graph	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_TEMP	integer	radioGroup	Child's temperature	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_VAC	integer	radioGroup	Assessing child's immunization status	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_VITA	integer	radioGroup	Assessing vitamin A supplementation status	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_CHLD_DOC_MICRONUT	integer	radioGroup	Assessing micronutrient supplementation status	<div>Scale Values</div> <div>1 Documented activity</div> <div>0 Activity not observed in record</div> <div>995 Other</div> <div>-2 Decline to show</div>
CL_DATA_EVAL	longText	checkAllSummary	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY):	<div>Scale Values</div>

				<div>1 Wall chart or graph</div> <div>2 Written report or minutes</div> <div>3 Other (specified in questionnaire)</div> <div>4 Other</div> <div>5 Not available or observed</div> <div>6 Decline to show</div>
CL_DATA_EVAL.1	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Wall chart or graph)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_EVAL.2	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Written report or minutes)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_EVAL.3	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Other (specified in questionnaire))	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_EVAL.995	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Other)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_EVAL.0	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Not available or observed)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_EVAL.-2	boolean	checkAllItem	Ask to see any reports, wall graphs or charts that show service data has been reviewed, evaluated, or monitored. (SELECT ALL THAT APPLY): (Decline to show)	<div>Scale Values</div> <div>0 No</div> <div>1 Yes</div>
CL_DATA_REC	integer	radioGroup	Assess the most recent date where there is evidence of data being reviewed. (SELECT ONE):	<div>Scale Values</div> <div>1 Within the past 3 months</div> <div>2 More than 3 months ago</div>

			-1 Don't know
CL_COMMENTS	longText	comment	Write any comments on the observation checklist part

PRELOADVARIABLES			
<u>Variable Name</u>	<u>Data Type</u>	<u>Display Type</u>	<u>Description</u>
CL_CHLD_EQUIP_1	integer	preload	Infant scale Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_2	integer	preload	Child scale Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_3	integer	preload	Thermometer Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_4	integer	preload	Timer or facility provided watch/clock with second hand Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_5	integer	preload	Staff has watch with second hand Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_6	integer	preload	Butterfly or scalp vein 21-23g, or branula (intercath) 22-24g Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_7	integer	preload	Perfusion set Scale Values 1 Observed 0 Not observed 995 Other -2 Decline to show
CL_CHLD_EQUIP_FUN_1	boolean	preload	Infant scale Scale Values 0 no 1 yes
CL_CHLD_EQUIP_FUN_2	boolean	preload	Child scale Scale Values 0 no 1 yes

CL_CHLD_EQUIP_FUN_3	boolean	preload	Thermometer
			Scale Values
			0 no
			1 yes
CL_CHLD_EQUIP_FUN_4	boolean	preload	Timer or facility provided watch/clock with second hand
			Scale Values
			0 no
			1 yes
CL_CHLD_EQUIP_FUN_5	boolean	preload	Staff has watch with second hand
			Scale Values
			0 no
			1 yes
CL_CHLD_EQUIP_FUN_6	boolean	preload	Butterfly or scalp vein 21-23g, or branula (intercath) 22-24g
			Scale Values
			0 no
			1 yes
CL_CHLD_EQUIP_FUN_7	boolean	preload	Perfusion set
			Scale Values
			0 no
			1 yes
CL_FP_EQUIP_1	integer	preload	Spotlight for pelvic exam flashlight/torch or exam light acceptable
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_EQUIP_2	integer	preload	BP apparatus
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_EQUIP_3	integer	preload	Stethoscope
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_FP_EQUIP_FUN_1	boolean	preload	Spotlight for pelvic exam flashlight/torch or exam light acceptable
			Scale Values
			0 no
			1 yes
CL_FP_EQUIP_FUN_2	boolean	preload	Blood pressure apparatus
			Scale Values
			0 no
			1 yes
CL_FP_EQUIP_FUN_3	boolean	preload	Stethoscope
			Scale Values
			0 no
			1 yes
CL_INFCTRL_EQUIP_1	integer	preload	Electric autoclave (pressure and wet heat)
			Scale Values
			1 Observed
			0 Not observed

			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_2	integer	preload	Non-electric autoclave (pressure/wet heat)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_3	integer	preload	Electric dry heat sterilizer
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_4	integer	preload	Electric boiler or steamer (no pressure)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_5	integer	preload	Non-electric pot with cover (for steam/ boil)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_6	integer	preload	Heat source for non- electric equipment
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_7	integer	preload	Automatic timer (may be on equipment)
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_8	integer	preload	TST indicator strips or other item that indicates when sterilization is complete.
			Scale Values
			1 Observed
			0 Not observed
			995 Other
			-2 Decline to show
CL_INFCTRL_EQUIP_FUN_1	boolean	preload	Electric autoclave (pressure and wet heat)
			Scale Values
			0 no
			1 yes
CL_INFCTRL_EQUIP_FUN_2	boolean	preload	Non-electric autoclave (pressure/wet heat)
			Scale Values
			0 no
			1 yes
CL_INFCTRL_EQUIP_FUN_3	boolean	preload	Electric dry heat sterilizer
			Scale Values
			0 no

				1 yes
CL_INFCTRL_EQUIP_FUN_4	boolean	preload	Electric boiler or steamer (no pressure)	Scale Values 0 no 1 yes
CL_INFCTRL_EQUIP_FUN_5	boolean	preload	Non-electric pot with cover (for steam/ boil)	Scale Values 0 no 1 yes
CL_INFCTRL_EQUIP_FUN_6	boolean	preload	Heat source for non- electric equipment	Scale Values 0 no 1 yes
CL_INFCTRL_EQUIP_FUN_7	boolean	preload	Automatic timer (may be on equipment)	Scale Values 0 no 1 yes
CL_INFCTRL_EQUIP_FUN_8	boolean	preload	TST indicator strips or other item that indicates when sterilization is complete.	Scale Values 0 no 1 yes
CHLD_VACC_1	boolean	preload	Pentavalent (includes DPT, Hib, Hepb) in facility	Scale Values 0 no 1 yes
CHLD_VACC_OUT_1	boolean	preload	Pentavalent (includes DPT, Hib, Hepb) outreach	Scale Values 0 no 1 yes
CHLD_VACC_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine] in facility	Scale Values 0 no 1 yes
CHLD_VACC_OUT_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine] outreach	Scale Values 0 no 1 yes
CHLD_VACC_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine] in facility	Scale Values 0 no 1 yes
CHLD_VACC_OUT_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine] outreach	Scale Values 0 no 1 yes
CHLD_VACC_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine] in facility	Scale Values 0 no 1 yes
CHLD_VACC_OUT_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine] outreach	Scale Values

				0 no
				1 yes
CHLD_VACC_5	boolean	preload	Polio in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_5	boolean	preload	Polio outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_6	boolean	preload	Measles [alone and not as part of the MMR vaccine] in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_15	boolean	preload	MMR in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_6	boolean	preload	Measles [alone and not as part of the MMR vaccine] outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_15	boolean	preload	MMR outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_7	boolean	preload	Influenza in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_7	boolean	preload	Influenza outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_8	boolean	preload	Rotavirus in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_8	boolean	preload	Rotavirus outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_9	boolean	preload	Pneumococcal conjugate in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_9	boolean	preload	Pneumococcal conjugate outreach	Scale Values
				0 no
				1 yes
CHLD_VACC_10	boolean	preload	BCG immunizations for premature babies in facility	Scale Values
				0 no
				1 yes
CHLD_VACC_OUT_10	boolean	preload	BCG immunizations for premature babies outreach	

			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_11	boolean	preload	Routine vitamin A supplementation in facility			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_OUT_11	boolean	preload	Routine vitamin A supplementation outreach			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_12	boolean	preload	Routine micronutrient supplementation in facility			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_OUT_12	boolean	preload	Routine micronutrient supplementation outreach			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_13	boolean	preload	Consultation or curative services for a sick child in facility			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_OUT_13	boolean	preload	Consultation or curative services for a sick child outreach			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_14	boolean	preload	Growth monitoring or growth promotion in facility			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_OUT_14	boolean	preload	Growth monitoring or growth promotion outreach			
			<table><tr><td>Scale Values</td></tr><tr><td>0 no</td></tr><tr><td>1 yes</td></tr></table>	Scale Values	0 no	1 yes
Scale Values						
0 no						
1 yes						
CHLD_VACC_NUM_1	integer	preload	Pentavalent (includes DPT, Hib, Hepb) number of days in facility			
CHLD_VACC_NUM_OUT_1	integer	preload	Pentavalent (includes DPT, Hib, Hepb) number of days outreach			
CHLD_VACC_NUM_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine] number of days in facility			
CHLD_VACC_NUM_OUT_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine] number of days in outreach			
CHLD_VACC_NUM_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine] number of days in facility			
CHLD_VACC_NUM_OUT_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine] number of days in outreach			
CHLD_VACC_NUM_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine] number of days in facility			
CHLD_VACC_NUM_OUT_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine] number of days in outreach			
CHLD_VACC_NUM_5	integer	preload	Polio number of days in facility			
CHLD_VACC_NUM_OUT_5	integer	preload	Polio number of days in outreach			
CHLD_VACC_NUM_6	integer	preload	Measles [alone and not as part of the MMR vaccine] number of days in facility			
CHLD_VACC_NUM_15	integer	preload	MMR number of days in facility			
CHLD_VACC_NUM_OUT_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine] number of days in outreach			
CHLD_VACC_NUM_OUT_15	integer	preload	MMR number of days in outreach			

CHLD_VACC_NUM_7	integer	preload	Influenza number of days in facility
CHLD_VACC_NUM_OUT_7	integer	preload	Influenza number of days in outreach
CHLD_VACC_NUM_8	integer	preload	Rotavirus number of days in facility
CHLD_VACC_NUM_OUT_8	integer	preload	Rotavirus number of days in outreach
CHLD_VACC_NUM_9	integer	preload	Pneumococcal conjugate number of days in facility
CHLD_VACC_NUM_OUT_9	integer	preload	Pneumococcal conjugate number of days in outreach
CHLD_VACC_NUM_10	integer	preload	BCG immunizations for premature babies number of days in facility
CHLD_VACC_NUM_OUT_10	integer	preload	BCG immunizations for premature babies number of days in outreach
CHLD_VACC_NUM_11	integer	preload	Routine vitamin A supplementation number of days in facility
CHLD_VACC_NUM_OUT_11	integer	preload	Routine vitamin A supplementation number of days in outreach
CHLD_VACC_NUM_12	integer	preload	Routine micronutrient supplementation number of days in facility
CHLD_VACC_NUM_OUT_12	integer	preload	Routine micronutrient supplementation number of days in outreach
CHLD_VACC_NUM_13	integer	preload	Consultation or curative services for a sick child number of days in facility
CHLD_VACC_NUM_OUT_13	integer	preload	Consultation or curative services for a sick child number of days in outreach
CHLD_VACC_NUM_14	integer	preload	Growth monitoring or growth promotion number of days in facility
CHLD_VACC_NUM_OUT_14	integer	preload	Growth monitoring or growth promotion number of days in outreach
CHLD_VACC_DR_1	boolean	preload	Pentavalent (includes DPT, Hib, Hepb) missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine] missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine] missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine] missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_5	boolean	preload	Polio missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine] missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_15	boolean	preload	MMR missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_7	boolean	preload	Influenza missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_8	boolean	preload	Rotavirus missing

			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_9	boolean	preload	Pneumococcal conjugate missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_10	boolean	preload	BCG immunizations for premature babies missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_11	boolean	preload	Routine vitamin A supplementation missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_12	boolean	preload	Routine micronutrient supplementation missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_13	boolean	preload	Consultation or curative services for a sick child missing
			Scale Values
			0 no
			1 yes
CHLD_VACC_DR_14	boolean	preload	Growth monitoring or growth promotion missing
			Scale Values
			0 no
			1 yes
CL_VACC_UNIT_1	longText	preload	Pentavalent
CL_VACC_UNIT_2	longText	preload	DPT [alone and not as part of the pentavalent vaccine]
CL_VACC_UNIT_3	longText	preload	Hepb [alone and not as part of the pentavalent vaccine]
CL_VACC_UNIT_4	longText	preload	Hib [alone and not as part of the pentavalent vaccine]
CL_VACC_UNIT_5	longText	preload	Polio
CL_VACC_UNIT_6	longText	preload	Measles [alone and not as part of the pentavalent vaccine]
CL_VACC_UNIT_14	longText	preload	MMR
CL_VACC_UNIT_7	longText	preload	Influenza
CL_VACC_UNIT_8	longText	preload	Rotavirus
CL_VACC_UNIT_9	longText	preload	Pneumococcal conjugate
CL_VACC_UNIT_10	longText	preload	BCG
CL_VACC_UNIT_11	longText	preload	Vitamin A
CL_VACC_UNIT_12	longText	preload	Micronutrients
CL_VACC_UNIT_13	longText	preload	Tetanus toxoid
CL_VACC_STOCK_1	boolean	preload	Pentavalent
			Scale Values
			0 No
			1 Yes
CL_VACC_STOCK_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOCK_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOCK_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No

				1 Yes
CL_VACC_STOCK_5	boolean	preload	Polio	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_14	boolean	preload	MMR	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_7	boolean	preload	Influenza	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_8	boolean	preload	Rotavirus	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_9	boolean	preload	Pneumococcal conjugate	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_10	boolean	preload	BCG	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_11	boolean	preload	Vitamin A	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_12	boolean	preload	Micronutrients	Scale Values
				0 No
				1 Yes
CL_VACC_STOCK_13	boolean	preload	Tetanux toxoid	Scale Values
				0 No
				1 Yes
CL_VACC_VALIDEXP_1	integer	preload	Pentavalent	Scale Values
				1 Yes
				0 No
				-1 Don't know
CL_VACC_VALIDEXP_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine]	Scale Values
				1 Yes
				0 No
				-1 Don't know
CL_VACC_VALIDEXP_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine]	Scale Values
				1 Yes
				0 No

				-1 Don't know
CL_VACC_VALIDEXP_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine]	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_5	integer	preload	Polio	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine]	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_14	integer	preload	MMR	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_7	integer	preload	Influenza	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_8	integer	preload	Rotavirus	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_9	integer	preload	Pneumococcal conjugate	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_10	integer	preload	BCG	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_11	integer	preload	Vitamin A	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_12	integer	preload	Micronutrients	Scale Values 1 Yes 0 No -1 Don't know
CL_VACC_VALIDEXP_13	integer	preload	Tetanus toxoid	Scale Values 1 Yes 0 No

			-1 Don't know
CL_VACC_STOREBYDATE_1	boolean	preload	Pentavalent
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_5	boolean	preload	Polio
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_14	boolean	preload	MMR
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_7	boolean	preload	Influenza
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_8	boolean	preload	Rotavirus
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_9	boolean	preload	Pneumococcal conjugate
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_10	boolean	preload	BCG
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_11	boolean	preload	Vitamin A
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_12	boolean	preload	Micronutrients
			Scale Values
			0 No
			1 Yes
CL_VACC_STOREBYDATE_13	boolean	preload	Tetanus toxoid

				Scale Values
				0 No
				1 Yes
CL_VACC_STOCKCARD_1	boolean	preload	Pentavalent	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_5	boolean	preload	Polio	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_14	boolean	preload	MMR	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_7	boolean	preload	Influenza	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_8	boolean	preload	Rotavirus	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_9	boolean	preload	Pneumococcal conjugate	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_10	boolean	preload	BCG	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_11	boolean	preload	Vitamin A	Scale Values
				0 no
				1 yes
CL_VACC_STOCKCARD_12	boolean	preload	Micronutrients	Scale Values
				0 no
				1 yes

CL_VACC_STOCKCARD_13	boolean	preload	Tetanus toxoid
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_1	boolean	preload	Pentavalent
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_5	boolean	preload	Polio
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_14	boolean	preload	MMR
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_7	boolean	preload	Influenza
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_8	boolean	preload	Rotavirus
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_9	boolean	preload	Pneumococcal conjugate
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_10	boolean	preload	BCG
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_11	boolean	preload	Vitamin A
			Scale Values
			0 no
			1 yes
CL_VACC_MATCH_12	boolean	preload	Micronutrients
			Scale Values
			0 no

				1 yes
CL_VACC_MATCH_13	boolean	preload	Tetanus toxoid	Scale Values
				0 no
				1 yes
CL_VACC_BAL_1	boolean	preload	Pentavalent	Scale Values
				0 no
				1 yes
CL_VACC_BAL_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_BAL_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_BAL_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_BAL_5	boolean	preload	Polio	Scale Values
				0 no
				1 yes
CL_VACC_BAL_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]	Scale Values
				0 no
				1 yes
CL_VACC_BAL_14	boolean	preload	MMR	Scale Values
				0 no
				1 yes
CL_VACC_BAL_7	boolean	preload	Influenza	Scale Values
				0 no
				1 yes
CL_VACC_BAL_8	boolean	preload	Rotavirus	Scale Values
				0 no
				1 yes
CL_VACC_BAL_9	boolean	preload	Pneumococcal conjugate	Scale Values
				0 no
				1 yes
CL_VACC_BAL_10	boolean	preload	BCG	Scale Values
				0 no
				1 yes
CL_VACC_BAL_11	boolean	preload	Vitamin A	Scale Values
				0 no
				1 yes
CL_VACC_BAL_12	boolean	preload	Micronutrients	

			Scale Values
			0 no
			1 yes
CL_VACC_BAL_13	boolean	preload	Tetanus toxoid
			Scale Values
			0 no
			1 yes
CL_VACC_AMNT_RECEIVED_1	integer	preload	Pentavalent
CL_VACC_AMNT_RECEIVED_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_RECEIVED_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_RECEIVED_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_RECEIVED_5	integer	preload	Polio
CL_VACC_AMNT_RECEIVED_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_RECEIVED_14	integer	preload	MMR
CL_VACC_AMNT_RECEIVED_7	integer	preload	Influenza
CL_VACC_AMNT_RECEIVED_8	integer	preload	Rotavirus
CL_VACC_AMNT_RECEIVED_9	integer	preload	Pneumococcal conjugate
CL_VACC_AMNT_RECEIVED_10	integer	preload	BCG
CL_VACC_AMNT_RECEIVED_11	integer	preload	Vitamin A
CL_VACC_AMNT_RECEIVED_12	integer	preload	Micronutrients
CL_VACC_AMNT_RECEIVED_13	integer	preload	Tetanus toxoid
CL_VACC_AMNT_DISBURSED_1	integer	preload	Pentavalent
CL_VACC_AMNT_DISBURSED_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_DISBURSED_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_DISBURSED_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_DISBURSED_5	integer	preload	Polio
CL_VACC_AMNT_DISBURSED_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_DISBURSED_14	integer	preload	MMR
CL_VACC_AMNT_DISBURSED_7	integer	preload	Influenza
CL_VACC_AMNT_DISBURSED_8	integer	preload	Rotavirus
CL_VACC_AMNT_DISBURSED_9	integer	preload	Pneumococcal conjugate
CL_VACC_AMNT_DISBURSED_10	integer	preload	BCG
CL_VACC_AMNT_DISBURSED_11	integer	preload	Vitamin A
CL_VACC_AMNT_DISBURSED_12	integer	preload	Micronutrients
CL_VACC_AMNT_DISBURSED_13	integer	preload	Tetanus toxoid
CL_VACC_AMNT_TODAY_1	integer	preload	Pentavalent
CL_VACC_AMNT_TODAY_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_TODAY_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_TODAY_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_TODAY_5	integer	preload	Polio
CL_VACC_AMNT_TODAY_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine]
CL_VACC_AMNT_TODAY_14	integer	preload	MMR
CL_VACC_AMNT_TODAY_7	integer	preload	Influenza
CL_VACC_AMNT_TODAY_8	integer	preload	Rotavirus
CL_VACC_AMNT_TODAY_9	integer	preload	Pneumococcal conjugate
CL_VACC_AMNT_TODAY_10	integer	preload	BCG
CL_VACC_AMNT_TODAY_11	integer	preload	Vitamin A
CL_VACC_AMNT_TODAY_12	integer	preload	Micronutrients
CL_VACC_AMNT_TODAY_13	integer	preload	Tetanus toxoid
CL_VACC_DATA_MX_1	integer	preload	Pentavalent
CL_VACC_DATA_MX_2	integer	preload	DPT [alone and not as part of the pentavalent vaccine]
CL_VACC_DATA_MX_3	integer	preload	Hepb [alone and not as part of the pentavalent vaccine]
CL_VACC_DATA_MX_4	integer	preload	Hib [alone and not as part of the pentavalent vaccine]
CL_VACC_DATA_MX_5	integer	preload	Polio
CL_VACC_DATA_MX_6	integer	preload	Measles [alone and not as part of the pentavalent vaccine]
CL_VACC_DATA_MX_14	integer	preload	MMR
CL_VACC_DATA_MX_7	integer	preload	Influenza
CL_VACC_DATA_MX_8	integer	preload	Rotavirus
CL_VACC_DATA_MX_9	integer	preload	Pneumococcal conjugate
CL_VACC_DATA_MX_10	integer	preload	BCG

CL_VACC_DATA_MX_11	integer	preload	Vitamin A
CL_VACC_DATA_MX_12	integer	preload	Micronutrients
CL_VACC_DATA_MX_13	integer	preload	Tetanus toxoid
CL_VACC_DS_1	boolean	preload	Pentavalent
			Scale Values
			0 no
			1 yes
CL_VACC_DS_2	boolean	preload	DPT [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_DS_3	boolean	preload	Hepb [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_DS_4	boolean	preload	Hib [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_DS_5	boolean	preload	Polio
			Scale Values
			0 no
			1 yes
CL_VACC_DS_6	boolean	preload	Measles [alone and not as part of the pentavalent vaccine]
			Scale Values
			0 no
			1 yes
CL_VACC_DS_14	boolean	preload	MMR
			Scale Values
			0 no
			1 yes
CL_VACC_DS_7	boolean	preload	Influenza
			Scale Values
			0 no
			1 yes
CL_VACC_DS_8	boolean	preload	Rotavirus
			Scale Values
			0 no
			1 yes
CL_VACC_DS_9	boolean	preload	Pneumococcal conjugate
			Scale Values
			0 no
			1 yes
CL_VACC_DS_10	boolean	preload	BCG
			Scale Values
			0 no
			1 yes
CL_VACC_DS_11	boolean	preload	Vitamin A
			Scale Values
			0 no
			1 yes
CL_VACC_DS_12	boolean	preload	Micronutrients
			Scale Values
			0 no
			1 yes

CL_VACC_DS_13	boolean	preload	Tetanus toxoid
			Scale Values
			0 no
			1 yes

LOGIN

<u>Variable Name</u>	<u>Data Type</u>	<u>Display Type</u>	<u>Description</u>
CUSTOMID	longText	text	Facility ID:

DATSTAT.INTERNAL

<u>Variable Name</u>	<u>Data Type</u>	<u>Display Type</u>	<u>Description</u>
DATSTAT.SUBMISSIONID	longInteger	hidden	Unique id of this data submission.
DATSTAT.SESSIONID	text	hidden	Session Id.
DATSTAT.VERSION	positiveInteger	hidden	The version of the survey used.
DATSTAT.LOCALE	positiveInteger	hidden	The preferred locale of the participant/user.
DATSTAT.LANGUAGE	longText	hidden	The survey language used by this participant.
DATSTAT.BROWSER	longText	hidden	The browser this participant/user used to enter data.
DATSTAT.STARTDATETIME	dateTime	hidden	The date and time this participant/user began entering data.
DATSTAT.ENDDATETIME	dateTime	hidden	The date and time this participant/user finished entering data.
DATSTAT.ELAPSEDTIME	integer	hidden	The total number of minutes it took this participant/user to finish entering data.
DATSTAT.SUBMISSIONSTATUS	positiveInteger	hidden	Describes how the data set was submitted.
			Scale Values
			1 Completed
			2 Partial
			4 Not started
			5 Terminated
DATSTAT.LOGINCOUNT	positiveInteger	hidden	Number of times the participant has logged in.
DATSTAT.JAVASCRIPT	boolean	hidden	JavaScript enabled?
			Scale Values
			0 No
			1 Yes
DATSTAT.TIMEPERIOD	integer	hidden	The time period of this submission.
DATSTAT.PCTCOMPLETE	positiveInteger	hidden	Percent complete.
DATSTAT.LOGINDATETIME	dateTime	hidden	The date and time when this participant last logged in.
DATSTAT.UPLOADDATETIME	dateTime	hidden	The date and time if and when this submission was uploaded.
DATSTAT.UPLOADUSER	longText	hidden	The name of the user who uploaded this submission.
DATSTAT.UPLOADTYPE	integer	hidden	The type of upload.
			Scale Values
			1 Remote data collection
			2 Imported
DATSTAT.NUMPRESENTED	positiveInteger	hidden	Number of questions presented to the participant.
DATSTAT.NUMANSWERED	positiveInteger	hidden	Number of questions answered by this participant.
DATSTAT.NUMUNANSWERED	positiveInteger	hidden	Number of questions unanswered by this participant.
DATSTAT.PCTUNANSWERED	positiveInteger	hidden	Percentage of questions unanswered by this participant.