

(R)

Statistics/Data Analysis

Project: SM2015

MEMBERNUM\_2B 3683 18 5.847135 1 18 Número de miembros del hogar - Módulo b  
 name: <unnamed>  
 log: H:\IDB\El Salvador\Code\MODULE2B\_CODEBOOK.smcl  
 log type: smcl  
 opened on: 27 Sep 2011, 12:03:55

1 . use "`get\_data'\MODULE2b\_LONG\_KID.dta", clear  
 (Merged: MODULE 2B)

2 . codebook, c

Variable	Obs	Unique	Mean	Min	Max	Label
PAIS_TIP	3699	1	.	.	.	Pais y Tipo Encuesta
DEP	3699	8	3.679102	1	8	
MUN	3699	14	5.319275	1	14	
SEG	3699	139	.	.	.	Segmento
NHOGAR	3699	191	.	.	.	Número del hogar
ID_HH	3699	2979	.	.	.	
ID_WOMAN	3699	16	.	.	.	
ID_KID	3593	17	.	.	.	
MEMBERNUM_2B	3683	18	5.847135	1	18	Número de miembros del hogar - Módulo b
WOMANNUM_2B	3699	3	1.07867	1	3	
KIDNUM_2B	3593	4	1.363485	1	4	
LINENUM	3593	4	1.181742	1	4	Número de línea
DATE_1ST_2B	3699	100	18754.69	18641	18875	
DATE_1ST_S~B	3699	100	.	.	.	
DATE_2ND_2B	417	64	18758.7	18690	18816	
DATE_2ND_S~B	417	64	.	.	.	
DATE_3RD_2B	115	48	18762.98	18662	18816	
DATE_3RD_S~B	115	48	.	.	.	
DATE_FI~L_2B	3699	100	18754.78	18641	18875	
DATE_FI~R_2B	3699	100	.	.	.	
VISITNUM_2B	3699	3	1.143823	1	3	
INT_DUR_2B	3598	71	17.90161	0	166	
RESULT_V1_2B	3699	6	2.94512	1	97	Primera Visita: Resultado - Módulo b
RESULT_V2_2B	417	6	3.455635	1	97	Segunda Visita: Resultado - Módulo b
RESULT_V3_2B	115	4	6.556522	1	97	Tercera Visita: Resultado - Módulo b
RESULT_2B	3699	5	2.86645	1	97	Resultado final - Módulo b
REPLACEME~2B	3371	2	.0711955	0	1	¿Es un reemplazo? - Módulo b
ID_REPLAC~2B	240	194	.	.	.	
ID_INTERV~2B	3691	56	41.75535	0	99	Código del entrevistador - Módulo b
M_SUP_CO	3080	14	9.233442	0	99	Código Supervisor
M_SUP_DI	3586	31	14.92499	1	31	Supervisión Visita: Día
M_SUP_ME	3586	8	4.762967	1	8	Supervisión Visita: mes
M_SUP_AG	3586	1	2011	2011	2011	Supervisión Visita: Año
ID_SUPERV~2B	3070	11	9.167427	0	99	Código Supervisor - Módulo b
DATE_SUP_2B	3580	101	18754.94	18641	18875	
DATE_SUP_S~B	3581	102	.	.	.	
ID_DATAEN~2B	3699	15	5.257367	1	99	Código Operador - Módulo b
DATE_EN~Y_2B	3699	81	18766.68	18666	18820	
DATE_EN~R_2B	3699	81	.	.	.	
ID_MUJ_1	3699	16	2.399838	1	17	Identificación de la Mujer
M_CELULA	2290	1832	.	.	.	Teléfono Celular
M_ENC_CO	3696	56	41.76542	0	96	Código del entrevistador
M_V1_DIA	3699	31	14.89078	1	31	Primera Visita: Día
M_V1_MES	3699	7	4.762098	2	8	Primera Visita: mes
M_V1_AGN	3699	1	2011	2011	2011	Primera Visita: Año
M_V1_RES	3699	7	2.916194	1	97	Primera Visita: Resultado
M_V2_DIA	420	30	15.03333	1	31	Segunda Visita: Día
M_V2_MES	420	5	4.87619	3	7	Segunda Visita: mes
M_V2_AGN	420	1	2011	2011	2011	Segunda Visita: Año
M_V2_RES	420	6	3.442857	1	97	Segunda Visita: Resultado
M_V3_DIA	116	27	15.34483	1	31	Tercera Visita: Día
M_V3_MES	116	5	5.051724	3	7	Tercera Visita: mes
M_V3_AGN	116	1	2011	2011	2011	Tercera Visita: Año
M_V3_RES	116	4	7.293103	1	97	Tercera Visita: Resultado

M_FINAL_	3698	5	2.867226	1	97	Resultado final
M_N_VISI	3698	3	1.14278	1	3	Número de visitas
M_OPE_CO	3699	15	5.291971	1	99	Código Operador
M_ENT_DI	3699	31	16.08489	1	31	Entrada Visita: Día
M_ENT_ME	3699	4	5.111922	4	7	Entrada Visita: mes
M_ENT_AG	3699	1	2011	2011	2011	Entrada Visita: Año
M_N_PERS	3696	18	5.851732	1	18	Número de miembros del hogar
M_INI_HO	3654	16	12.62397	5	20	Inicio: hora
M_INI_MI	3654	60	28.4012	0	59	Inicio: minutos
M_FIN_HO	3652	17	13.19085	5	21	Fin: Hora
M_FIN_MI	3652	60	29.53587	0	59	Fin_ minutos
M_REEMPL	3398	2	1.92937	1	2	¿Es un reemplazo?
PREG6	3593	4	.6980239	-2	1	P1011: Quería estar embarazada?
PREG7	1073	3	1.150979	-1	2	P1012
PREF_PREG2	3592	5	1.336303	-2	3	
PREG8_MON	897	27	40.40134	-2	300	
ANC1	3593	2	.9782911	0	1	P20.01: Atención prenatal?
ANC_DOC	3511	2	.9655369	0	1	P20.02 Médico?
ANC_PRONUR	3511	3	.5927086	-2	1	P20.02 Enfermera prof.?
ANC_AUXNUR	3511	3	.3508972	-2	1	P20.02 Enfermera auxiliar?
ANC_LABTECH	3510	3	.162963	-2	1	P20.02 Técnico lab?
ANC_MW	3511	3	.0512674	-2	1	P20.02 Partera?
ANC_CHW	3510	3	.1239316	-2	1	P20.02 Promotor?
ANC_PHARM	3509	3	.0886292	-2	1	P20.02 Dependiente farmacia?
ANC_TRAD	3509	3	.0051297	-2	1	P20.02 Curandero prof.?
ANC_REL	3509	3	.0447421	-2	1	P20.02 Pariente?
ANC_OTH	3454	4	.0225825	-2	1	P20.02 Otro?
ANC_WHERE	3511	14	3.753631	-1	97	P20.03: Dónde recibió atención prenatal?
ANC_NAME	3480	1354	.	.	.	P20.04: Nombre establecimiento
ANC_WK	3508	31	9.51089	1	38.7	
ANC_MON	3508	10	2.316373	1	9	
ANC_T1	3586	2	.8184607	0	1	
ANC_T1_PRO	3586	2	.8095371	0	1	
ANC4	3583	4	.9053865	-2	1	
ANC4BEST	3583	4	.5040469	-2	1	
BEST	1952	1	1	1	1	
ANC_TIMES	3583	34	6.842869	-2	91	P20.06: Cuántas veces recibió prenatal...?
ANC_NUMCAT	3583	7	2.514373	-2	4	
ANC_COUNS	3515	2	.9391181	0	1	P20.07: Recibió asesoramiento sobre el embarazo?
ANC_WT	3515	2	.9974395	0	1	P2008 ¿La pesaron?
ANC_BP	3515	2	.9840683	0	1	P2009 ¿Se le tomó la presión sanguínea?
ANC_HIGHBP	3465	2	.175469	0	1	P2009a ¿Se le dijo que tenía presión sanguínea?
ANC_URINE	3515	2	.9354196	0	1	P2010 ¿Entregó usted una muestra de orina?
ANC_BLOOD	3515	2	.941394	0	1	P2011 ¿Entregó usted una muestra de sangre?
ANC_ANEMIA	3321	2	.1493526	0	1	P2011a ¿Se le dijo que tenía anemia?
ANC_BLOODS~R	3510	2	.6501425	0	1	P2012 ¿Se le hizo un análisis de sangre para d
ANC_DM	2323	2	.0241068	0	1	P2012a ¿Se le dijo que tenía diabetes?
ANC_FUND	3513	2	.9703957	0	1	P2013 ¿Se le hizo la medición de fondo uterino
ANC_US	3515	2	.8611664	0	1	P2014 ¿Se le hizo un ultrasonido?
ANC_FETALHB	3515	2	.9681366	0	1	P2015 ¿Hizo el médico una prueba para escuchar
ANC_TETINJ	3515	2	.9698435	0	1	P2016 ¿Le aplicaron una vacuna en el brazo par
ANC_SIGNS	3514	2	.9317018	0	1	P2017 ¿Le indicaron las señales que podrían su
ANC_PMTCT	3513	2	.8502704	0	1	P2018 ¿Se le dio información sobre bebés que s
ANC_HIVPREV	3511	2	.8499003	0	1	P2019 ¿Se le dio información sobre las cosas q
ANC_HIVTES~O	3513	2	.8653572	0	1	P2020 ¿Se le dio información sobre realizarse
ANC_HIVTES~F	3513	2	.8488471	0	1	P2021 ¿Se le ofreció un análisis para detectar
ANC_HIVTES~E	3513	2	.8317677	0	1	P2022 ¿Se le realizó un análisis para detectar
ANC_DEL_HCF1	3513	2	.9496157	0	1	P2023 ¿Se le dio asesoramiento sobre el parto
ANC_DEL_HCF2	3514	2	.964428	0	1	P2024 ¿Se le aconsejó dar a luz en un establec
ANC_DEL_CS	3514	2	.3716562	0	1	P2025 ¿Se le dijo que debería hacerse una cesá
ANC_DEL_TR~P	3514	2	.670461	0	1	P2026 ¿Se le asesoró acerca de hacer un plan d
ANC_CONTRA	3513	2	.8001708	0	1	P2027 ¿Se le asesoró acerca de la anticoncep
ANC_CHILDC~E	3513	2	.9615713	0	1	P2028 ¿Se le dio asesoramiento sobre el cuidad
ANC_AIDS_W~E	2968	20	4.153976	-1	19	P2029: Dónde se hizo análisis SIDA?men
ANC_AIDS_N~E	2920	1118	.	.	.	P20.30: Nombre establecimiento SIDA
ANC_VOUCHER	3494	2	.0343446	0	1	P20.31: Bono por asistir a controles pre?
ANC_VOUCH~MT	3492	18	2.212199	-1	2000	P2031_a: Monto bono

ANC_VOUCH~AT	3492	7	.069874	-1	6	
ANC_TETINJ~M	3479	10	1.877838	0	9	P20.32: Cuántas veces recibió .. tétano?
TETINJPRIOR	3506	4	.5345123	-2	1	P20.33: Recibió inyección tétano?
TETINJPRIOR~M	3315	10	1.411765	0	9	P20.33a: Cantidad inyecciones tétano
TETINJPRI~YR	2067	22	2.4209	-2	21	P20.34: Años recibió última inyección tétano
TETINJPRIOR~1	3503	5	.2871824	-2	2	
TETINJPRIOR~2	3503	5	.2871824	-2	2	
BLEEDPRIOR	3505	4	.0727532	-2	1	P20.35: Sufrió pérdidas sangre?
PRENATALTABS	3512	4	.7332005	-2	1	P20.36: Usó pastillas prenatales?
PRENATALTA~Y	2600	103	169.4373	-2	700	P20.37: cuántos días tomó pastillas prenatales?
WOM_IRON	3510	4	.8968661	-2	1	P20.38: Pastillas/jarabe hierro?
WOM_IRON_DAY	3163	122	166.5688	-2	920	P20.39: Cuántos días ..hierro?
WOM_WORMS	3511	4	.059812	-2	1	P20.40: tomó ... parásitos intestinales?
ANTIMAL	3505	4	.0025678	-2	1	P20.41: Tomó medicamento malaria?
ANTIMAL_TYPE	31	5	6.677419	-2	97	P20.42: qué medicamento?
ANTIMAL_TI~S	9	4	4.777778	-1	30	P20.43: veces tomó Primaquina
ANTIMAL_SO~E	10	2	.7	-2	1	P20.44: fuente primaquina
DEL_DOC	3592	4	.8335189	-2	1	P30.01 Médico?
DEL_PRONUR	3591	4	.6889446	-2	1	P30.01 Enfermera prof.?
DEL_AUXNUR	3587	4	.4722609	-2	1	P30.01 Enfermera auxiliar?
DEL_LABTECH	3582	4	.0555556	-2	1	P30.01 Técnico lab?
DEL_MW	3582	4	.0968733	-2	1	P30.01 Partera?
DEL_CHW	3584	4	.0097656	-2	1	P30.01 Promotor?
DEL_PHARM	3581	4	.0201061	-2	1	P30.01 Dependiente farmacia?
DEL_TRAD	3581	4	.0016755	-2	1	P30.01 Curandero prof.?
DEL_REL	3581	3	.0544541	-1	1	P30.01 Pariente?
DEL_OTH	3518	4	.0361001	-2	1	P30.01 Otro?
DEL_NUM	3592	10	2.276726	0	10	
DEL_NUMCAT	3592	5	2.249722	0	4	
DEL_ALONE	3592	2	.0105791	0	1	
DEL_SBA	3590	2	.8476323	0	1	
DEL_WHERE	3591	12	3.617655	-2	97	P30.02: Dónde dio a luz?
DEL_FAC	3590	2	.8364903	0	1	
DEL_FAC_SBA	3587	2	.8330081	0	1	
DEL_HOSP	3590	2	.8114206	0	1	
DEL_HOSP_SBA	3587	2	.8079175	0	1	
DEL_FACTIM~N	3022	68	60.04203	-2	2760	P30.03: Tiempo en llegar ahí (min)
DELFAC_TIM~T	3017	7	3.598939	-2	5	
DEL_FACTRA~P	3018	5	2.605368	-2	4	P30.04: Transporte usado
DEL_FACDIST	3001	68	8.402199	-1	100	P30.05: Distancia lugar (km)
DELFAC_DIS~T	2950	4	1.519661	-1	4	
DEL_NAME	3021	960	.	.	.	P30.06: Nombre establecimiento
DEL_FACEMRG	3022	4	2.181337	-1	97	P30.07: Emergencia/Planificado?
DEL_CSEC1	3023	3	.2907708	-2	1	P30.08: Nació por cesárea?
DEL_CSEC2	884	4	1.5181	-2	2	P30.09: Cesárea programada o emergencia?
DEL_LABOR_HR	3593	58	9.308656	-3	96	P30.10: Horas entre primeras contracciones y naci
DEL_SEIZURE	3592	3	.030902	-2	1	P30.11: Tuvo convulsiones antes?
DEL_SIZE	3593	7	2.890621	-2	5	P30.12: Tamaño bebé
DEL_WEIGHED	3592	4	.886971	-2	1	P30.13: Pesaron al bebé?
DEL_WT_KG	3435	115	2.188957	-2	9	
DEL_LBW	3393	4	-.1432361	-2	1	
PP_BLEED	3591	4	.3817878	-2	1	P40.01: Sangró al día siguiente?
PP_CHECK1	3590	4	.8476323	-2	1	P40.02: Controló alguien su salud?
PP_FCHECKM~R	3005	46	44.57637	0	2016	
PP_CHECK2	3070	9	1.541368	-2	96	P40.04: Quién controló?
PP_CHECK3	2864	4	.9647346	-2	1	P40.05: Controló alguien su salud cuando estaba en
PP_CHECK4	2861	4	.777001	-2	1	P40.06: La controlaron cada 15 min?
PP_LOS_HR	3048	48	61.02264	0	960	
PP_CHECK5	3124	4	.8309859	-2	1	P40.08: Chequeo médico antes del alta?
PP_CHECK6	3148	4	.6867853	-2	1	P40.09: alguien controló antes de salir?
PP_CHECK7	3570	4	1.391317	-2	2	P40.10: La examinó un proveedor de atención..?
PP_CHECK7~C	3548	2	.617531	0	1	
PP_CHECK7~Y	3548	2	.794814	0	1	
PP_CHECK8	3573	4	.8639798	-2	1	P40.11: Primer día después del parto, examinaron b
PP_NICU	3564	4	.1433782	-2	1	P40.12: Unidad de Terapia Intensiva...?
PP_CHECK9	3584	4	.9433594	-2	1	P40.13: En dos meses siguientes, hubo control médi
PP_FCHECKB~R	3415	63	336.5303	0	5040	

PP_CHECK10	3424	9	1.193633	-2	96	P40.15: Quién controló al niño/a?
PP_CHECKB~RE	3424	11	5.247956	1	97	P40.16: Dónde tuvo ese primer control?
PP_CHECKB~ME	3327	1196	.	.	.	P40.17: Nombre establecimiento
PP_VITAMINA	3586	4	.935304	-2	1	P40.18: Recibió vitamina A..?
CYCLE3A	3546	4	.785674	-2	1	P40.19: Volvió a tener período menstrual..?
CYCLE3B	2275	4	.3323077	-2	1	P40.20: Período menstrual entre nacimiento y el si
CYCLE4	3579	41	4.330539	-2	48	P40.21: Meses sin período menstrual..?
MOM_SEX	3583	34	3.409713	-2	96	P40.22: Meses sin relaciones..?
BF_INFO	3592	4	.9262249	-2	1	P50.01: Recibió instrucción sobre cómo amamantar?
BF_EVER	3593	3	.9652101	-2	1	P50.02: Alguna vez le dio pecho?
BF_START_HR	3415	45	13.09458	0	2160	
EARLYBF	3531	2	.6666667	0	1	
BF_MON	3467	27	4.738102	-1	40	P50.04: Meses con pecho exclusivo
BF_CURRENT	3475	4	.3948201	-2	1	P50.05: Todavía le da pecho?
FEEDING1	3590	5	.2389972	-2	2	P50.06: Recibió niño/a otro alimento... tres días.
DRINK_MILK	614	4	.3485342	-2	1	P50.07: Leche Materna?
DRINK_WATER	602	4	.0913621	-2	1	P50.07: Agua sola?
DRINK_SUGAR	594	4	.026936	-2	1	P50.07: Agua con azúcar/glucosa?
DRINK_RICE	597	4	.0452261	-2	1	P50.07: Agua de arroz?
DRINK_SALT	592	4	.0033784	-2	1	P50.07: Solución agua con sal?
DRINK_JUICE	592	4	.0050676	-2	1	P50.07: Jugo frutas?
DRINK_FORM	610	4	.4836066	-2	1	P50.07: Formula infantil?
DRINK_TEA	592	4	-.0033784	-2	1	P50.07: Té / infusiones?
DRINK_HONEY	593	4	.0168634	-2	1	P50.07: Miel?
DRINK_OTH	588	4	.0221088	-2	1	P50.07: Otro?
DRINK_DK	559	4	-.0035778	-2	1	P50.07: No sabe?
FEEDING2	3585	4	.2479777	-2	1	P50.08: Bebió anoche algo de biberón..?

3 . codebook, d

**PAIS\_TIP**

```

type: string ( str4)
unique values: 1 missing "": 0/3699
tabulation: Freq. Value
              3699 "ES_M"

```

**DEP**

```

type: numeric ( float)
label: Ldep
range: [ 1,8] units: 1
unique values: 8 missing .: 0/3699
tabulation: Freq. Numeric Label
              522 1 AHUACHAPAN
             1609 2 CABANAS
              201 3 CUSCATLAN
              209 4 LA LIBERTAD
              165 5 LA PAZ
               81 6 LA UNION
              177 7 MORAZAN
              735 8 SAN VICENTE

```

**MUN**

```

      type: numeric ( float)
      label:  Lmun

      range: [ 1,14]
      unique values: 14

      units: 1
      missing .: 0/3699

      examples: 2      ILOBASCO
                 3      SENSUNTEPEQUE
                 4      MONTE SAN JUAN
                 10     SOCIEDAD

```

---

**SEG**

---

```

      type: string ( str3)

      unique values: 139

      missing "": 0/3699

      examples: "027"
                 "057"
                 "084"
                 "111"

```

---

**NHOGAR**

---

```

      type: string ( str3)

      unique values: 191

      missing "": 0/3699

      examples: "024"
                 "049"
                 "075"
                 "105"

```

---

**ID\_HH**

---

```

      type: string ( str6)

      unique values: 2979

      missing "": 0/3699

      examples: "027063"
                 "057158"
                 "084127"
                 "111054"

```

---

**ID\_WOMAN**

---

```

      type: string ( str4)

      unique values: 16

      missing "": 0/3699

      examples: "_W02"
                 "_W02"
                 "_W02"
                 "_W03"

```

---

**ID\_KID**

---

```

type: string ( str4)

unique values: 17                               missing "": 106/3699

examples:  "_K03"
           "_K04"
           "_K05"
           "_K07"

```

---

**MEMBERNUM\_2B**

---

```

type: numeric ( byte)

range: [ 1,18]                                units: 1
unique values: 18                            missing .: 16/3699

mean: 5.84714
std. dev: 2.5578

percentiles:    10%    25%    50%    75%    90%
                3      4      5      7      9

```

---

**WOMANNUM\_2B**

---

```

type: numeric ( float)

range: [ 1,3]                                units: 1
unique values: 3                            missing .: 0/3699

tabulation: Freq. Value
             3427  1
             253  2
             19  3

```

---

**KIDNUM\_2B**

---

```

type: numeric ( float)

range: [ 1,4]                                units: 1
unique values: 4                            missing .: 106/3699

tabulation: Freq. Value
             2455  1
             982  2
             144  3
              12  4
             106  .

```

---

**LINENUM**

---

```

type: numeric ( byte)

range: [ 1,4]                                units: 1
unique values: 4                            missing .: 106/3699

```

```

tabulation:  Freq.  Value
              2997   1
              542   2
              51   3
              3   4
              106   .

```

---

**DATE\_1ST\_2B**

---

```

type:  numeric (  float )

range:  [ 18641,18875]          units:    1
unique values:  100             missing .:  0/3699

mean:    18754.7
std. dev: 23.6726

percentiles:      10%      25%      50%      75%      90%
                  18722    18742    18754    18769    18787

```

---

**DATE\_1ST\_STR\_2B**

---

```

type:  string (  str9 )

unique values:  100             missing " ":  0/3699

examples:  "14/5/2011"
           "22/5/2011"
           "28/4/2011"
           "4/6/2011"

```

---

**DATE\_2ND\_2B**

---

```

type:  numeric (  float )

range:  [ 18690,18816]          units:    1
unique values:  64             missing .:  3282/3699

mean:    18758.7
std. dev: 23.1996

percentiles:      10%      25%      50%      75%      90%
                  18723    18746    18759    18772    18794

```

---

**DATE\_2ND\_STR\_2B**

---

```

type:  string (  str9 )

unique values:  64             missing " ":  3282/3699

examples:  " "
           " "
           " "
           " "

```

---

**DATE\_3RD\_2B**

---

```

type: numeric ( float)

range: [ 18662,18816]          units: 1
unique values: 48              missing .: 3584/3699

mean: 18763
std. dev: 23.3711

percentiles:    10%    25%    50%    75%    90%
                18731  18750  18763  18773  18798

```

---

**DATE\_3RD\_STR\_2B**

---

```

type: string ( str9)

unique values: 48              missing "": 3584/3699

examples:  ""
           ""
           ""
           ""

```

---

**DATE\_FINAL\_2B**

---

```

type: numeric ( float)

range: [ 18641,18875]          units: 1
unique values: 100             missing .: 0/3699

mean: 18754.8
std. dev: 23.7205

percentiles:    10%    25%    50%    75%    90%
                18722  18742  18754  18769  18787

```

---

**DATE\_FINAL\_STR\_2B**

---

```

type: string ( str9)

unique values: 100             missing "": 0/3699

examples:  "14/5/2011"
           "22/5/2011"
           "28/4/2011"
           "4/6/2011"

```

---

**VISITNUM\_2B**

---

```

type: numeric ( float)

range: [ 1,3]                  units: 1
unique values: 3               missing .: 0/3699

tabulation:  Freq.  Value
              3282   1
              302    2
              115    3

```



---

**INT\_DUR\_2B**

---

```

      type: numeric ( float)
      range: [ 0,166]
unique values: 71
      units: 1
      missing .: 101/3699

      mean: 17.9016
      std. dev: 10.4313

percentiles:      10%      25%      50%      75%      90%
                  10       12       16       21       29

```

---

**RESULT\_V1\_2B**

---

```

      type: numeric ( byte)
      label: Lresult

      range: [ 1,97]
unique values: 6
      units: 1
      missing .: 0/3699

      tabulation: Freq.  Numeric  Label
                  3218         1  Completed
                   7         2  Partial
                   4         3  Refused
                  406         4  Household absent
                   2         6  Address not found
                   62        97  Other

```

---

**RESULT\_V2\_2B**

---

```

      type: numeric ( byte)
      label: Lresult

      range: [ 1,97]
unique values: 6
      units: 1
      missing .: 3282/3699

      tabulation: Freq.  Numeric  Label
                  290         1  Completed
                   4         2  Partial
                   1         3  Refused
                  114         4  Household absent
                   1         5  Unoccupied house
                   7        97  Other
                  3282         .

```

---

**RESULT\_V3\_2B**

---

```

      type: numeric ( byte)
      label: Lresult

      range: [ 1,97]
unique values: 4
      units: 1
      missing .: 3584/3699

```

tabulation:	Freq.	Numeric	Label
	87	1	Completed
	3	3	Refused
	19	4	Household absent
	6	97	Other
	3584	.	

---

#### RESULT\_2B

---

type: numeric ( **byte**)  
 label: **Lresult**  
 range: [ 1,97] units: 1  
 unique values: 5 missing .: 0/3699

tabulation:	Freq.	Numeric	Label
	3597	1	Completed
	1	2	Partial
	3	3	Refused
	27	4	Household absent
	71	97	Other

---

#### REPLACEMENT\_2B

---

type: numeric ( **byte**)  
 label: **M\_REEM\_1**, but 1 nonmissing value is not labeled  
 range: [ 0,1] units: 1  
 unique values: 2 missing .: 328/3699

tabulation:	Freq.	Numeric	Label
	3131	0	
	240	1	SI
	328	.	

---

#### ID\_REPLACED\_2B

---

type: string ( **str6**)  
 unique values: 194 missing "": 3459/3699  
 examples: ""  
           ""  
           ""  
           ""

---

#### ID\_INTERVIEWER\_2B

---

type: numeric ( **byte**)  
 range: [ 0,99] units: 1  
 unique values: 56 missing .: 8/3699  
 mean: 41.7554  
 std. dev: 25.8795

percentiles:	10%	25%	50%	75%	90%
	8	18	41	64	81

---

**M\_SUP\_CO**

---

```

      type:  numeric (  byte)
    range:  [  0,99]
unique values:  14
                                units:  1
                                missing .:  619/3699

      mean:  9.23344
    std. dev:  27.8418

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        6

```

---

**M\_SUP\_DI**

---

```

      type:  numeric (  byte)
    range:  [  1,31]
unique values:  31
                                units:  1
                                missing .:  113/3699

      mean:  14.925
    std. dev:  9.35521

percentiles:      10%      25%      50%      75%      90%
                  3        6       13       24       28

```

---

**M\_SUP\_ME**

---

```

      type:  numeric (  byte)
    range:  [  1,8]
unique values:  8
                                units:  1
                                missing .:  113/3699

tabulation:  Freq.  Value
              1      1
              1      2
             163      3
            1138      4
            1690      5
             566      6
              26      7
               1      8
             113      .

```

---

**M\_SUP\_AG**

---

```

      type:  numeric (  int)
    range:  [ 2011,2011]
unique values:  1
                                units:  1
                                missing .:  113/3699

tabulation:  Freq.  Value
              3586  2011
              113   .

```

---

**ID\_SUPERVISOR\_2B**

---

```

type: numeric ( byte)

range: [ 0,99]          units: 1
unique values: 11        missing .: 629/3699

mean: 9.16743
std. dev: 27.7463

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        6

```

---

**DATE\_SUP\_2B**

---

```

type: numeric ( float)

range: [ 18641,18875]    units: 1
unique values: 101       missing .: 119/3699

mean: 18754.9
std. dev: 23.9463

percentiles:      10%      25%      50%      75%      90%
                  18722    18742    18754    18770    18787

```

---

**DATE\_SUP\_STR\_2B**

---

```

type: string ( str9)

unique values: 102        missing "": 118/3699

examples: "14/4/2011"
          "22/5/2011"
          "28/4/2011"
          "4/5/2011"

```

---

**ID\_DATAENTRY\_2B**

---

```

type: numeric ( byte)

range: [ 1,99]          units: 1
unique values: 15        missing .: 0/3699

mean: 5.25737
std. dev: 3.55848

percentiles:      10%      25%      50%      75%      90%
                  1        3        5        7        8

```

---

**DATE\_ENTRY\_2B**

---

```

type: numeric ( float)

range: [ 18666,18820]    units: 1
unique values: 81        missing .: 0/3699

mean: 18766.7
std. dev: 23.0233

```

percentiles:	10%	25%	50%	75%	90%
	18736	18751	18763	18781	18800

---

**DATE\_ENTRY\_STR\_2B**

---

```

type: string ( str9)
unique values: 81 missing "": 0/3699
examples: "13/6/2011"
           "18/5/2011"
           "25/4/2011"
           "30/5/2011"

```

---

**ID\_MUJ\_1**

---

```

type: numeric ( byte)
range: [ 1,17] units: 1
unique values: 16 missing .: 0/3699
mean: 2.39984
std. dev: 1.52105
percentiles: 10% 25% 50% 75% 90%
              1 2 2 2 4

```

---

**M\_CELULA**

---

```

type: string ( str15), but longest is str10
unique values: 1832 missing "": 1409/3699
examples: ""
           "2329-3700"
           "72936183"
           "7588-1421"

```

---

**M\_ENC\_CO**

---

```

type: numeric ( byte)
range: [ 0,96] units: 1
unique values: 56 missing .: 3/3699
mean: 41.7654
std. dev: 25.8203
percentiles: 10% 25% 50% 75% 90%
              8 18 41 64 81

```

---

**M\_V1\_DIA**

---

```

type: numeric ( byte)

```

```

        range: [ 1,31]
unique values: 31
        units: 1
        missing .: 0/3699

        mean: 14.8908
        std. dev: 9.31162

percentiles:      10%      25%      50%      75%      90%
                  3        6       13       24       28

```

---

**M\_V1\_MES**

---

```

        type: numeric ( byte)

        range: [ 2,8]
unique values: 7
        units: 1
        missing .: 0/3699

tabulation: Freq. Value
              1  2
              164 3
              1166 4
              1777 5
              566 6
              24 7
              1 8

```

---

**M\_V1\_AGN**

---

```

        type: numeric ( int)

        range: [ 2011,2011]
unique values: 1
        units: 1
        missing .: 0/3699

tabulation: Freq. Value
              3699 2011

```

---

**M\_V1\_RES**

---

```

        type: numeric ( byte)
label: M_V1_RES

        range: [ 1,97]
unique values: 7
        units: 1
        missing .: 0/3699

tabulation: Freq. Numeric Label
              3221      1  ENTREVISTA COMPLETADA
              11      2  PARCIALMENTE COMPLETA
              4      3  LA PERSONA RECHAZÓ LA ENTREVISTA
              399      4  MIEMBROS DEL HOGAR AUSENTES
              2      6  DIRECCIÓN DEL HOGAR NO
                   ENCONTRADA
              1      7  OTRO MIEMBRO DEL HOGAR RECHAZÓ
                   LA ENTREVISTA
              61      97  OTRO, PRECISAR

```

---

**M\_V2\_DIA**

---

```

        type: numeric ( byte)

```

```

        range: [ 1,31]
unique values: 30
        mean: 15.0333
        std. dev: 9.37619
percentiles: 10% 25% 50% 75% 90%
              3 6 14 23 29

```

---

**M\_V2\_MES**

---

```

        type: numeric ( byte)
        range: [ 3,7]
unique values: 5
        units: 1
        missing .: 3279/3699
tabulation: Freq. Value
              17 3
              109 4
              207 5
              83 6
               4 7
              3279 .

```

---

**M\_V2\_AGN**

---

```

        type: numeric ( int)
        range: [ 2011,2011]
unique values: 1
        units: 1
        missing .: 3279/3699
tabulation: Freq. Value
              420 2011
              3279 .

```

---

**M\_V2\_RES**

---

```

        type: numeric ( byte)
        label: M_V2_RES
        range: [ 1,97]
unique values: 6
        units: 1
        missing .: 3279/3699
tabulation: Freq. Numeric Label
              293 1 ENTREVISTA COMPLETADA
               4 2 PARCIALMENTE COMPLETA
               1 3 LA PERSONA RECHAZÓ LA ENTREVISTA
              114 4 MIEMBROS DEL HOGAR AUSENTES
               1 7 OTRO MIEMBRO DEL HOGAR RECHAZÓ
                 LA ENTREVISTA
               7 97 OTRO, PRECISAR
              3279 .

```

---

**M\_V3\_DIA**

---

```

        type: numeric ( byte)

```

```

      range: [ 1,31]
unique values: 27
      mean: 15.3448
      std. dev: 8.99188

percentiles:      10%      25%      50%      75%      90%
                  4        6        16        23        27

```

---

**M\_V3\_MES**

---

```

      type: numeric ( byte)

      range: [ 3,7]
unique values: 5
      units: 1
missing .: 3583/3699

tabulation: Freq. Value
              1 3
              22 4
              66 5
              24 6
               3 7
            3583 .

```

---

**M\_V3\_AGN**

---

```

      type: numeric ( int)

      range: [ 2011,2011]
unique values: 1
      units: 1
missing .: 3583/3699

tabulation: Freq. Value
              116 2011
            3583 .

```

---

**M\_V3\_RES**

---

```

      type: numeric ( byte)
label: M_V3_RES

      range: [ 1,97]
unique values: 4
      units: 1
missing .: 3583/3699

tabulation: Freq. Numeric Label
              89      1  ENTEVISTA COMPLETADA
               2      3  LA PERSONA RECHAZÓ LA ENTREVISTA
              18      4  MIEMBROS DEL HOGAR AUSENTES
               7     97  OTRO, PRECISAR
            3583      .

```

---

**M\_FINAL\_**

---

```

      type: numeric ( byte)
label: M_FINAL_

      range: [ 1,97]
unique values: 5
      units: 1
missing .: 1/3699

```



tabulation:	Freq.	Numeric	Label
	3596	1	ENTREVISTA COMPLETADA
	1	2	PARCIALMENTE COMPLETA
	2	3	LA PERSONA RECHAZÓ LA ENTREVISTA
	28	4	MIEMBROS DEL HOGAR AUSENTES
	71	97	OTRO, PRECISAR
	1	.	

---

**M\_N\_VISI**

---

type: numeric ( **byte**)

range: [ 1,3]                      units: 1

unique values: 3                      missing .: 1/3699

tabulation:	Freq.	Value
	3285	1
	298	2
	115	3
	1	.

---

**M\_OPE\_CO**

---

type: numeric ( **byte**)

range: [ 1,99]                      units: 1

unique values: 15                      missing .: 0/3699

mean: 5.29197

std. dev: 3.97309

percentiles:	10%	25%	50%	75%	90%
	1	3	5	7	8

---

**M\_ENT\_DI**

---

type: numeric ( **byte**)

range: [ 1,31]                      units: 1

unique values: 31                      missing .: 0/3699

mean: 16.0849

std. dev: 8.25462

percentiles:	10%	25%	50%	75%	90%
	5	10	16	23	27

---

**M\_ENT\_ME**

---

type: numeric ( **byte**)

range: [ 4,7]                      units: 1

unique values: 4                      missing .: 0/3699

```

tabulation:  Freq.  Value
              747    4
              1939    5
              865    6
              148    7

```

---

**M\_ENT\_AG**

---

```

type:  numeric (  int)

range:  [ 2011,2011]          units:    1
unique values:  1             missing .:  0/3699

tabulation:  Freq.  Value
              3699  2011

```

---

**M\_N\_PERS**

---

```

type:  numeric (  byte)

range:  [ 1,18]              units:    1
unique values:  18           missing .:  3/3699

mean:    5.85173
std. dev: 2.54936

percentiles:    10%    25%    50%    75%    90%
                  3      4      5      7      9

```

---

**M\_INI\_HO**

---

```

type:  numeric (  byte)

range:  [ 5,20]              units:    1
unique values:  16           missing .:  45/3699

mean:    12.624
std. dev: 3.1213

percentiles:    10%    25%    50%    75%    90%
                  8     10     13     15     17

```

---

**M\_INI\_MI**

---

```

type:  numeric (  byte)

range:  [ 0,59]              units:    1
unique values:  60           missing .:  45/3699

mean:    28.4012
std. dev: 16.9743

percentiles:    10%    25%    50%    75%    90%
                  6     14     28     42     52

```

---

**M\_FIN\_HO**

---

```

type: numeric ( byte)

range: [ 5,21]          units: 1
unique values: 17        missing .: 47/3699

mean: 13.1909
std. dev: 3.13784

percentiles:      10%      25%      50%      75%      90%
                  9        11        13        16        17

```

---

**M\_FIN\_MI**

---

```

type: numeric ( byte)

range: [ 0,59]          units: 1
unique values: 60        missing .: 47/3699

mean: 29.5359
std. dev: 17.3316

percentiles:      10%      25%      50%      75%      90%
                  6        15        30        45        54

```

---

**M\_REEMPL**

---

```

type: numeric ( byte)
label: M_REEMPL

range: [ 1,2]          units: 1
unique values: 2        missing .: 301/3699

tabulation: Freq.  Numeric  Label
              240         1  SI
              3158        2  NO
              301         .

```

---

**PREG6**

---

```

type: numeric ( byte)
label: M_P1011, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 106/3699

tabulation: Freq.  Numeric  Label
              5        -2
              3        -1
            1064         0
            2521         1  SI
            106         .

```

---

**PREG7**

---

```

type: numeric ( byte)
label: M_P1012, but 1 nonmissing value is not labeled

```

range: [ -1,2] units: 1  
unique values: 3 missing .: 2626/3699

tabulation:	Freq.	Numeric	Label
	6	-1	
	893	1	Quería esperar
	174	2	No quería tener más hijos
	2626	.	

---

#### PREF\_PREG2

---

type: numeric ( float)  
range: [ -2,3] units: 1  
unique values: 5 missing .: 107/3699

tabulation:	Freq.	Value
	5	-2
	9	-1
	2511	1
	893	2
	174	3
	107	.

---

#### PREG8\_MON

---

type: numeric ( float)  
range: [ -2,300] units: 1  
unique values: 27 missing .: 2802/3699  
mean: 40.4013  
std. dev: 30.4791  
percentiles: 10% 12 25% 24 50% 36 75% 60 90% 72

---

#### ANC1

---

type: numeric ( byte)  
label: M\_P2001, but 1 nonmissing value is not labeled  
range: [ 0,1] units: 1  
unique values: 2 missing .: 106/3699  
tabulation:

Freq.	Numeric	Label
78	0	
3515	1	Si
106	.	

---

#### ANC\_DOC

---

type: numeric ( byte)  
label: M\_P2002\_, but 1 nonmissing value is not labeled  
range: [ 0,1] units: 1  
unique values: 2 missing .: 188/3699

```

tabulation:  Freq.  Numeric  Label
              121      0
              3390      1  SI
              188      .

```

---

**ANC\_PRONUR**

---

```

type:  numeric ( byte)
label:  M_P200_1, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3          missing .:  188/3699

```

```

tabulation:  Freq.  Numeric  Label
              1      -2
             1427      0
             2083      1  SI
             188      .

```

---

**ANC\_AUXNUR**

---

```

type:  numeric ( byte)
label:  M_P200_2, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3          missing .:  188/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
             2273      0
             1236      1  SI
             188      .

```

---

**ANC\_LABTECH**

---

```

type:  numeric ( byte)
label:  M_P200_3, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3          missing .:  189/3699

```

```

tabulation:  Freq.  Numeric  Label
              3      -2
             2929      0
             578      1  SI
             189      .

```

---

**ANC\_MW**

---

```

type:  numeric ( byte)
label:  M_P200_4, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3          missing .:  188/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
            3325      0
            184      1  SI
            188      .

```

---

**ANC\_CHW**

---

```

type:  numeric ( byte)
label:  M_P200_5, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3        missing .:  189/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
            3069      0
            439      1  SI
            189      .

```

---

**ANC\_PHARM**

---

```

type:  numeric ( byte)
label:  M_P200_6, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3        missing .:  190/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
            3192      0
            315      1  SI
            190      .

```

---

**ANC\_TRAD**

---

```

type:  numeric ( byte)
label:  M_P200_7, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3        missing .:  190/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
            3485      0
            22      1  SI
            190      .

```

---

**ANC\_REL**

---

```

type:  numeric ( byte)
label:  M_P200_8, but 2 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  3        missing .:  190/3699

```

```

tabulation:  Freq.  Numeric  Label
              2      -2
            3346      0
            161      1  SI
            190      .

```

---

#### ANC\_OTH

---

```

type:  numeric (  byte)
label:  M_P200_9, but 3 nonmissing values are not labeled

range:  [ -2,1]          units:  1
unique values:  4          missing .:  245/3699

```

```

tabulation:  Freq.  Numeric  Label
              4      -2
              1      -1
            3362      0
              87      1  SI
            245      .

```

---

#### ANC\_WHERE

---

```

type:  numeric (  byte)
label:  Lwhere1, but 1 nonmissing value is not labeled

range:  [ -1,97]          units:  1
unique values:  14          missing .:  188/3699

examples:  2    Public health unit
           2    Public health unit
           2    Public health unit
           3    Community health center / clinic

```

---

#### ANC\_NAME

---

```

type:  string (  str50), but longest is str47

unique values:  1354          missing "":  219/3699

examples:  "ILOBASCO"
           "U.S. SENSUNTEPEQUE"
           "UNIDAD DE SANTA MARIA OSTUMA"
           "u.s puerto la libertad"

warning:  variable has embedded blanks

```

---

#### ANC\_WK

---

```

type:  numeric (  float)

range:  [ 1,38.7]          units:  .1
unique values:  31          missing .:  191/3699

mean:  9.51089
std. dev:  6.2285

```

percentiles:	10%	25%	50%	75%	90%
	3	4.3	8.6	12.9	17.2

---

**ANC\_MON**

---

```

type: numeric ( float)

range: [ 1,9]          units: .00001
unique values: 10      missing .: 191/3699

mean: 2.31637
std. dev: 1.3744

percentiles: 10%      25%      50%      75%      90%
              1        1        2        3        4

```

---

**ANC\_T1**

---

```

type: numeric ( float)

range: [ 0,1]          units: 1
unique values: 2        missing .: 113/3699

tabulation: Freq. Value
              651  0
              2935 1
              113  .

```

---

**ANC\_T1\_PRO**

---

```

type: numeric ( float)

range: [ 0,1]          units: 1
unique values: 2        missing .: 113/3699

tabulation: Freq. Value
              683  0
              2903 1
              113  .

```

---

**ANC4**

---

```

type: numeric ( float)

range: [ -2,1]         units: 1
unique values: 4        missing .: 116/3699

tabulation: Freq. Value
              1  -2
              9  -1
             318  0
             3255 1
             116  .

```

---

**ANC4BEST**

---



```

type: numeric ( float)

range: [ -2,1]          units: 1
unique values: 4         missing .: 116/3699

tabulation: Freq. Value
              1  -2
              7  -1
            1760  0
            1815  1
             116  .

```

---

**BEST**

---

```

type: numeric ( float)

range: [ 1,1]          units: 1
unique values: 1        missing .: 1747/3699

tabulation: Freq. Value
              1952  1
              1747  .

```

---

**ANC\_TIMES**

---

```

type: numeric ( byte)

range: [ -2,91]        units: 1
unique values: 34       missing .: 116/3699

mean: 6.84287
std. dev: 3.77695

percentiles: 10%      25%      50%      75%      90%
              4        6        7        8        9

```

---

**ANC\_NUMCAT**

---

```

type: numeric ( float)
label: Lancnumcat

range: [ -2,4]          units: 1
unique values: 7        missing .: 116/3699

tabulation: Freq. Numeric Label
              1      -2  Decline to respond
              9      -1  Don't know
             78       0  None
            240       1  1-3 visits
            1132      2  4-6 visits
            1976      3  7-9 visits
             147      4  10+ visits
             116       .

```

---

**ANC\_COUNS**

---

```

type: numeric ( byte)
label: M_P2007, but 1 nonmissing value is not labeled

```

```

      range: [ 0,1]
unique values: 2
      units: 1
missing .: 184/3699

```

```

tabulation: Freq.  Numeric  Label
             214      0
             3301      1  SI
             184      .

```

---

**ANC\_WT**

---

```

      type: numeric ( byte)
      label: M_P2008, but 1 nonmissing value is not labeled

```

```

      range: [ 0,1]
unique values: 2
      units: 1
missing .: 184/3699

```

```

tabulation: Freq.  Numeric  Label
             9      0
            3506      1  SI
            184      .

```

---

**ANC\_BP**

---

```

      type: numeric ( byte)
      label: M_P2009, but 1 nonmissing value is not labeled

```

```

      range: [ 0,1]
unique values: 2
      units: 1
missing .: 184/3699

```

```

tabulation: Freq.  Numeric  Label
            56      0
           3459      1  SI
           184      .

```

---

**ANC\_HIGHBP**

---

```

      type: numeric ( byte)
      label: M_P2009A, but 1 nonmissing value is not labeled

```

```

      range: [ 0,1]
unique values: 2
      units: 1
missing .: 234/3699

```

```

tabulation: Freq.  Numeric  Label
           2857      0
           608      1  SI
           234      .

```

---

**ANC\_URINE**

---

```

      type: numeric ( byte)
      label: M_P2010, but 1 nonmissing value is not labeled

```

```

      range: [ 0,1]
unique values: 2
      units: 1
missing .: 184/3699

```

```

tabulation:  Freq.  Numeric  Label
              227      0
              3288     1  SI
              184      .

```

---

#### ANC\_BLOOD

---

```

type:  numeric ( byte)
label:  M_P2011, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  184/3699

```

```

tabulation:  Freq.  Numeric  Label
              206      0
              3309     1  SI
              184      .

```

---

#### ANC\_ANEMIA

---

```

type:  numeric ( byte)
label:  M_P2011A, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  378/3699

```

```

tabulation:  Freq.  Numeric  Label
              2825     0
              496      1  SI
              378      .

```

---

#### ANC\_BLOODSUGAR

---

```

type:  numeric ( byte)
label:  M_P2012, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  189/3699

```

```

tabulation:  Freq.  Numeric  Label
              1228     0
              2282     1  SI
              189      .

```

---

#### ANC\_DM

---

```

type:  numeric ( byte)
label:  M_P2012A, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  1376/3699

```

```

tabulation:  Freq.  Numeric  Label
              2267     0
              56      1  SI
              1376     .

```

---

**ANC\_FUND**

---

```

      type: numeric ( byte)
      label:  M_P2013, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 186/3699

      tabulation: Freq.  Numeric  Label
                   104         0
                   3409        1  SI
                   186         .

```

---

**ANC\_US**

---

```

      type: numeric ( byte)
      label:  M_P2014, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 184/3699

      tabulation: Freq.  Numeric  Label
                   488         0
                   3027        1  SI
                   184         .

```

---

**ANC\_FETALHB**

---

```

      type: numeric ( byte)
      label:  M_P2015, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 184/3699

      tabulation: Freq.  Numeric  Label
                   112         0
                   3403        1  SI
                   184         .

```

---

**ANC\_TETINJ**

---

```

      type: numeric ( byte)
      label:  M_P2016, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 184/3699

      tabulation: Freq.  Numeric  Label
                   106         0
                   3409        1  SI
                   184         .

```

---

**ANC\_SIGNS**

---

```

      type: numeric ( byte)
      label:  M_P2017, but 1 nonmissing value is not labeled

```

range: [ 0,1] units: 1  
unique values: 2 missing .: 185/3699

tabulation:	Freq.	Numeric	Label
	240	0	
	3274	1	SI
	185	.	

---

#### ANC\_PMTCT

---

type: numeric ( byte)  
label: M\_P2018, but 1 nonmissing value is not labeled

range: [ 0,1] units: 1  
unique values: 2 missing .: 186/3699

tabulation:	Freq.	Numeric	Label
	526	0	
	2987	1	SI
	186	.	

---

#### ANC\_HIVPREV

---

type: numeric ( byte)  
label: M\_P2019, but 1 nonmissing value is not labeled

range: [ 0,1] units: 1  
unique values: 2 missing .: 188/3699

tabulation:	Freq.	Numeric	Label
	527	0	
	2984	1	SI
	188	.	

---

#### ANC\_HIVTESTINFO

---

type: numeric ( byte)  
label: M\_P2020, but 1 nonmissing value is not labeled

range: [ 0,1] units: 1  
unique values: 2 missing .: 186/3699

tabulation:	Freq.	Numeric	Label
	473	0	
	3040	1	SI
	186	.	

---

#### ANC\_HIVTESTOFF

---

type: numeric ( byte)  
label: M\_P2021, but 1 nonmissing value is not labeled

range: [ 0,1] units: 1  
unique values: 2 missing .: 186/3699

```

tabulation:  Freq.  Numeric  Label
              531      0
              2982     1  SI
              186      .

```

---

**ANC\_HIVTESTDONE**

---

```

type:  numeric ( byte)
label:  M_P2022, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  186/3699

```

```

tabulation:  Freq.  Numeric  Label
              591      0
              2922     1  SI
              186      .

```

---

**ANC\_DEL\_HCF1**

---

```

type:  numeric ( byte)
label:  M_P2023, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  186/3699

```

```

tabulation:  Freq.  Numeric  Label
              177      0
              3336     1  SI
              186      .

```

---

**ANC\_DEL\_HCF2**

---

```

type:  numeric ( byte)
label:  M_P2024, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  185/3699

```

```

tabulation:  Freq.  Numeric  Label
              125      0
              3389     1  SI
              185      .

```

---

**ANC\_DEL\_CS**

---

```

type:  numeric ( byte)
label:  M_P2025, but 1 nonmissing value is not labeled

range:  [ 0,1]          units:  1
unique values:  2      missing .:  185/3699

```

```

tabulation:  Freq.  Numeric  Label
              2208      0
              1306     1  SI
              185      .

```

---

**ANC\_DEL\_TRANSP**

---

```

      type: numeric ( byte)
      label:  M_P2026, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 185/3699

      tabulation: Freq.  Numeric  Label
                  1158      0
                  2356      1  SI
                  185       .

```

---

**ANC\_CONTRA**

---

```

      type: numeric ( byte)
      label:  M_P2027, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 186/3699

      tabulation: Freq.  Numeric  Label
                  702      0
                  2811      1  SI
                  186       .

```

---

**ANC\_CHILDCARE**

---

```

      type: numeric ( byte)
      label:  M_P2028, but 1 nonmissing value is not labeled

      range: [ 0,1]                      units: 1
unique values: 2                      missing .: 186/3699

      tabulation: Freq.  Numeric  Label
                  135      0
                  3378      1  SI
                  186       .

```

---

**ANC\_AIDS\_WHERE**

---

```

      type: numeric ( byte)
      label:  M_P2029, but 2 nonmissing values are not labeled

      range: [ -1,19]                    units: 1
unique values: 20                      missing .: 731/3699

      examples: 3  HOSPITAL DE GOBIERNO
                  4  UNIDAD DE SALUD
                  4  UNIDAD DE SALUD
                  16 OTRO ESTABLECIMIENTO PRIVADO

```

---

**ANC\_AIDS\_NAME**

---

```

      type: string ( str50), but longest is str44

```

unique values: 1118 missing "": 779/3699

examples: ""  
 "ISSS DE COJUTEPEQUE"  
 "UNIDAD DE SALUD DE TACUBA"  
 "iss sensuntepeque"

warning: variable has embedded blanks

---

**ANC\_VOUCHER**

---

type: numeric ( byte)  
 label: M\_P2031, but 1 nonmissing value is not labeled

range: [ 0,1] units: 1  
 unique values: 2 missing .: 205/3699

tabulation: Freq. Numeric Label  
 3374 0  
 120 1 SI  
 205 .

---

**ANC\_VOUCHER\_AMT**

---

type: numeric ( int)

range: [ -1,2000] units: 1  
 unique values: 18 missing .: 207/3699

mean: 2.2122  
 std. dev: 49.23

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**ANC\_VOUCHER\_AMTCAT**

---

type: numeric ( float)

range: [ -1,6] units: 1  
 unique values: 7 missing .: 207/3699

tabulation: Freq. Value  
 6 -1  
 3374 0  
 18 1  
 63 2  
 26 3  
 1 4  
 4 6  
 207 .

---

**ANC\_TETINJNUM**

---

type: numeric ( byte)

range: [ 0,9] units: 1  
 unique values: 10 missing .: 220/3699



```

      mean:      1.87784
    std. dev:    1.40453

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        2        3

```

---

**TETINJPRIOR**

---

```

      type: numeric ( byte)
    label:   M_P2033, but 3 nonmissing values are not labeled

      range: [ -2,1]          units: 1
unique values: 4             missing .: 193/3699

      tabulation: Freq.  Numeric  Label
                  48        -2
                  100       -1
                  1288        0
                  2070        1  Si
                   193         .

```

---

**TETINJPRIOR\_NUM**

---

```

      type: numeric ( byte)

      range: [ 0,9]          units: 1
unique values: 10           missing .: 384/3699

      mean:      1.41176
    std. dev:    1.8396

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3

```

---

**TETINJPRIOR\_YR**

---

```

      type: numeric ( byte)

      range: [ -2,21]        units: 1
unique values: 22           missing .: 1632/3699

      mean:      2.4209
    std. dev:    3.12469

percentiles:      10%      25%      50%      75%      90%
                  -1        1        2        4        6

```

---

**TETINJPRIOR\_YRCAT1**

---

```

      type: numeric ( float)
    label:   Ltetyrcat

      range: [ -2,2]          units: 1
unique values: 5             missing .: 196/3699

```

```

tabulation:  Freq.  Numeric  Label
              51      -2  Decline to respond
              570     -1  Don't know
             1288      0  Never vaccinated
             1510      1  Vaccinated <10 years ago
              84      2  Vaccinated 10+ years ago
             196      .

```

---

**TETINJPRIOR\_YRCAT2**

---

```

      type: numeric ( float)
      label: Ltetyrcat

      range: [ -2,2]          units: 1
unique values: 5             missing .: 196/3699

      tabulation:  Freq.  Numeric  Label
                   51      -2  Decline to respond
                   570     -1  Don't know
                  1288      0  Never vaccinated
                  1510      1  Vaccinated <10 years ago
                   84      2  Vaccinated 10+ years ago
                  196      .

```

---

**BLEEDPRIOR**

---

```

      type: numeric ( byte)
      label: M_P2035, but 3 nonmissing values are not labeled

      range: [ -2,1]          units: 1
unique values: 4             missing .: 194/3699

      tabulation:  Freq.  Numeric  Label
                   9      -2
                  11     -1
                 3201      0
                  284      1  Si
                  194      .

```

---

**PRENATALTABS**

---

```

      type: numeric ( byte)
      label: M_P2036, but 3 nonmissing values are not labeled

      range: [ -2,1]          units: 1
unique values: 4             missing .: 187/3699

      tabulation:  Freq.  Numeric  Label
                   3      -2
                   2     -1
                  924      0
                 2583      1  Si
                  187      .

```

---

**PRENATALTABS\_DAY**

---

```

      type: numeric ( int)

```

```

      range: [ -2,700]
unique values: 103
      mean: 169.437
      std. dev: 81.455

percentiles:      10%      25%      50%      75%      90%
                  30      120      180      240      270

```

---

**WOM\_IRON**

---

```

      type: numeric ( byte)
      label: M_P2038, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
missing .: 189/3699

tabulation: Freq.  Numeric  Label
              2          -2
              6          -1
             344           0
             3158          1  Si
              189           .

```

---

**WOM\_IRON\_DAY**

---

```

      type: numeric ( int)

      range: [ -2,920]
unique values: 122
      units: 1
missing .: 536/3699

      mean: 166.569
      std. dev: 81.9223

percentiles:      10%      25%      50%      75%      90%
                  30      120      180      221      250

```

---

**WOM\_WORMS**

---

```

      type: numeric ( byte)
      label: M_P2040, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
missing .: 188/3699

tabulation: Freq.  Numeric  Label
              4          -2
              6          -1
             3277           0
              224           1  Si
              188           .

```

---

**ANTIMAL**

---

```

      type: numeric ( byte)
      label: M_2041, but 3 nonmissing values are not labeled

```

range: [ -2,1] units: 1  
unique values: 4 missing .: 194/3699

tabulation:	Freq.	Numeric	Label
	6	-2	
	6	-1	
	3466	0	
	27	1	Si
	194	.	

---

#### ANTIMAL\_TYPE

---

type: numeric ( byte)  
label: M\_P2042, but 2 nonmissing values are not labeled

range: [ -2,97] units: 1  
unique values: 5 missing .: 3668/3699

tabulation:	Freq.	Numeric	Label
	2	-2	
	9	-1	
	10	1	Primaquina
	8	2	Cloroquina
	2	97	Otro
	3668	.	

---

#### ANTIMAL\_TIMES

---

type: numeric ( byte)  
range: [ 1,30]  
unique values: 4 units: 1  
missing .: 3690/3699

tabulation:	Freq.	Value
	4	1
	3	2
	1	3
	1	30
	3690	.

---

#### ANTIMAL\_SOURCE

---

type: numeric ( byte)  
label: M\_P2044, but 1 nonmissing value is not labeled

range: [ -2,1] units: 1  
unique values: 2 missing .: 3689/3699

tabulation:	Freq.	Numeric	Label
	1	-2	
	9	1	Consulta Prenatal
	3689	.	

---

#### DEL\_DOC

---

type: numeric ( byte)  
label: M\_P3001\_, but 3 nonmissing values are not labeled

```

range:  [ -2,1]
unique values:  4
units:  1
missing .:  107/3699

```

```

tabulation:  Freq.  Numeric  Label
               1         -2
               1         -1
              593          0
             2997          1  SI
              107          .

```

---

**DEL\_PRONUR**

---

```

type:  numeric ( byte)
label:  M_P300_1, but 3 nonmissing values are not labeled

range:  [ -2,1]
unique values:  4
units:  1
missing .:  108/3699

```

```

tabulation:  Freq.  Numeric  Label
               1         -2
               1         -1
              1112          0
              2477          1  SI
               108          .

```

---

**DEL\_AUXNUR**

---

```

type:  numeric ( byte)
label:  M_P300_2, but 3 nonmissing values are not labeled

range:  [ -2,1]
unique values:  4
units:  1
missing .:  112/3699

```

```

tabulation:  Freq.  Numeric  Label
               1         -2
               2         -1
              1886          0
              1698          1  SI
               112          .

```

---

**DEL\_LABTECH**

---

```

type:  numeric ( byte)
label:  M_P300_3, but 3 nonmissing values are not labeled

range:  [ -2,1]
unique values:  4
units:  1
missing .:  117/3699

```

```

tabulation:  Freq.  Numeric  Label
               1         -2
               1         -1
              3378          0
               202          1  SI
               117          .

```

---

**DEL\_MW**

---

```

type: numeric ( byte)
label:  M_P300_4, but 3 nonmissing values are not labeled

range: [ -2,1]                      units: 1
unique values: 4                      missing .: 117/3699

tabulation:  Freq.   Numeric   Label
              1         -2
              2         -1
            3228         0
              351         1   SI
              117         .

```

---

**DEL\_CHW**

---

```

type: numeric ( byte)
label:  M_P300_5, but 3 nonmissing values are not labeled

range: [ -2,1]                      units: 1
unique values: 4                      missing .: 115/3699

tabulation:  Freq.   Numeric   Label
              1         -2
              1         -1
            3544         0
              38         1   SI
             115         .

```

---

**DEL\_PHARM**

---

```

type: numeric ( byte)
label:  M_P300_6, but 3 nonmissing values are not labeled

range: [ -2,1]                      units: 1
unique values: 4                      missing .: 118/3699

tabulation:  Freq.   Numeric   Label
              1         -2
              2         -1
            3502         0
              76         1   SI
             118         .

```

---

**DEL\_TRAD**

---

```

type: numeric ( byte)
label:  M_P300_7, but 3 nonmissing values are not labeled

range: [ -2,1]                      units: 1
unique values: 4                      missing .: 118/3699

tabulation:  Freq.   Numeric   Label
              1         -2
              1         -1
            3570         0
              9         1   SI
             118         .

```

---

**DEL\_REL**

---

```

      type: numeric ( byte)
      label:  M_P300_8, but 2 nonmissing values are not labeled

      range: [ -1,1]                      units: 1
unique values: 3                          missing .: 118/3699

      tabulation: Freq.  Numeric  Label
                   1          -1
                   3384         0
                   196          1  SI
                   118          .

```

---

**DEL\_OTH**

---

```

      type: numeric ( byte)
      label:  M_P300_9, but 3 nonmissing values are not labeled

      range: [ -2,1]                      units: 1
unique values: 4                          missing .: 181/3699

      tabulation: Freq.  Numeric  Label
                   3          -2
                   1          -1
                   3380         0
                   134          1  SI
                   181          .

```

---

**DEL\_NUM**

---

```

      type: numeric ( float)

      range: [ 0,10]                      units: 1
unique values: 10                        missing .: 107/3699

      mean: 2.27673
      std. dev: 1.00194

      percentiles:      10%      25%      50%      75%      90%
                        1         2         2         3         3

```

---

**DEL\_NUMCAT**

---

```

      type: numeric ( float)
      label:  Ldelnumcat

      range: [ 0,4]                      units: 1
unique values: 5                        missing .: 107/3699

      tabulation: Freq.  Numeric  Label
                   38         0  None
                   858         1  One
                   1105        2  Two
                   1351         3  Three
                   240          4  Four or more
                   107          .

```

---

**DEL\_ALONE**

---

```

        type: numeric ( float)

        range: [ 0,1]                units: 1
unique values: 2                    missing .: 107/3699

        tabulation: Freq. Value
                   3554 0
                   38  1
                   107  .

```

---

**DEL\_SBA**

---

```

        type: numeric ( float)

        range: [ 0,1]                units: 1
unique values: 2                    missing .: 109/3699

        tabulation: Freq. Value
                   547 0
                   3043 1
                   109  .

```

---

**DEL\_WHERE**

---

```

        type: numeric ( byte)
        label:  Lwhere2, but 1 nonmissing value is not labeled

        range: [ -2,97]              units: 1
unique values: 12                    missing .: 108/3699

        examples: 3    Public hospital
                   3    Public hospital
                   3    Public hospital
                   3    Public hospital

```

---

**DEL\_FAC**

---

```

        type: numeric ( float)

        range: [ 0,1]                units: 1
unique values: 2                    missing .: 109/3699

        tabulation: Freq. Value
                   587 0
                   3003 1
                   109  .

```

---

**DEL\_FAC\_SBA**

---

```

        type: numeric ( float)

        range: [ 0,1]                units: 1
unique values: 2                    missing .: 112/3699

```



```

tabulation:  Freq.  Value
              599    0
              2988    1
              112     .

```

---

**DEL\_HOSP**

---

```

type:  numeric ( float)

range:  [ 0,1]
unique values:  2
units:  1
missing .:  109/3699

tabulation:  Freq.  Value
              677    0
              2913    1
              109     .

```

---

**DEL\_HOSP\_SBA**

---

```

type:  numeric ( float)

range:  [ 0,1]
unique values:  2
units:  1
missing .:  112/3699

tabulation:  Freq.  Value
              689    0
              2898    1
              112     .

```

---

**DEL\_FACTIME\_MIN**

---

```

type:  numeric ( int)

range:  [ -2,2760]
unique values:  68
units:  1
missing .:  677/3699

mean:  60.042
std. dev:  92.0754

percentiles:  10%    25%    50%    75%    90%
               15      25      45      75     120

```

---

**DELFAC\_TIMECAT**

---

```

type:  numeric ( float)
label:  Ltimecat

range:  [ -2,5]
unique values:  7
units:  1
missing .:  682/3699

```

```

tabulation:  Freq.  Numeric  Label
              3      -2  Decline to respond
              7      -1  Don't know
            267       1   <15 min
            490       2   15 to <30 min
            721       3   30 to <45 min
            184       4   45 to <60 min
           1345       5   60+ min
            682       .

```

---

**DEL\_FACTRANSP**

---

```

type:  numeric (  byte)
label:  M_P3004, but 1 nonmissing value is not labeled

range:  [ -2,4]                units:  1
unique values:  5                missing .:  681/3699

tabulation:  Freq.  Numeric  Label
              3      -2
            220       1   A pie
           1596       2  Vehículo privado
            339       3  Ambulancia
            860       4  Otro tipo de transporte público
            681       .

```

---

**DEL\_FACDIST**

---

```

type:  numeric (  int)

range:  [ -1,100]                units:  1
unique values:  68                missing .:  698/3699

mean:  8.4022
std. dev:  15.0456

percentiles:  10%    25%    50%    75%    90%
              -1     -1      2      12     25

```

---

**DELFAC\_DISTCAT**

---

```

type:  numeric (  float)
label:  Ldistcat

range:  [ -1,4]                units:  1
unique values:  4                missing .:  749/3699

tabulation:  Freq.  Numeric  Label
            1180      -1  Don't know
             559       2   1 to <5 km
             299       3   5 to <10 km
             912       4   10+ km
             749       .

```

---

**DEL\_NAME**

---

```

type:  string (  str50), but longest is str47

```

unique values: 960 missing "": 678/3699

examples: "COJUTEPEQUE"  
"HOSPITAL DE MATERNIDAD"  
"ILOBASCO"  
"hospital de sensunte"

warning: variable has embedded blanks

---

**DEL\_FACEMRG**

---

type: numeric ( byte)  
label: M\_P3007, but 1 nonmissing value is not labeled

range: [ -1,97] units: 1  
unique values: 4 missing .: 677/3699

tabulation: Freq. Numeric Label

1	-1	
1539	1	EMERGENCIA
1460	2	PARTO PLANIFICADO
22	97	OTRO
677	.	

---

**DEL\_CSEC1**

---

type: numeric ( byte)  
label: M\_P3008, but 2 nonmissing values are not labeled

range: [ -2,1] units: 1  
unique values: 3 missing .: 676/3699

tabulation: Freq. Numeric Label

1	-2	
2141	0	
881	1	Si
676	.	

---

**DEL\_CSEC2**

---

type: numeric ( byte)  
label: M\_P3009, but 2 nonmissing values are not labeled

range: [ -2,2] units: 1  
unique values: 4 missing .: 2815/3699

tabulation: Freq. Numeric Label

1	-2	
1	-1	
419	1	Programada
463	2	De emergencia
2815	.	

---

**DEL\_LABOR\_HR**

---

type: numeric ( byte)

```

      range:  [ -3,96]
unique values: 58
      mean:    9.30866
      std. dev: 13.0917

percentiles:      10%      25%      50%      75%      90%
                  -3        2        6       12       24

```

---

**DEL\_SEIZURE**

---

```

      type: numeric ( byte)
      label:  M_P3011, but 2 nonmissing values are not labeled

      range:  [ -2,1]
unique values: 3
      units:    1
missing .: 107/3699

      tabulation: Freq.  Numeric  Label
                  1         -2
                  3478        0
                  113         1  Si
                  107         .

```

---

**DEL\_SIZE**

---

```

      type: numeric ( byte)
      label:  M_P3012, but 2 nonmissing values are not labeled

      range:  [ -2,5]
unique values: 7
      units:    1
missing .: 106/3699

      tabulation: Freq.  Numeric  Label
                  2         -2
                  25        -1
                  152         1  Muy Grande
                  438         2  Más grande que el promedio
                  2618        3  Promedio
                  257         4  Más pequeño que el promedio
                  101         5  Muy pequeño
                  106         .

```

---

**DEL\_WEIGHED**

---

```

      type: numeric ( byte)
      label:  M_P3013, but 3 nonmissing values are not labeled

      range:  [ -2,1]
unique values: 4
      units:    1
missing .: 107/3699

      tabulation: Freq.  Numeric  Label
                  9         -2
                  16        -1
                  347         0
                  3220        1  Si
                  107         .

```

---

**DEL\_WT\_KG**

---

```

type: numeric ( float)

range: [ -2,9]          units: 1.000e-08
unique values: 115      missing .: 264/3699

mean: 2.18896
std. dev: 1.95647

percentiles:      10%      25%      50%      75%      90%
                  -1      1.81437      2.9      3.3      3.62874

```

---

**DEL\_LBW**

---

```

type: numeric ( float)

range: [ -2,1]          units: 1
unique values: 4        missing .: 306/3699

tabulation: Freq. Value
              179 -2
              528 -1
             2286 0
              400 1
              306 .

```

---

**PP\_BLEED**

---

```

type: numeric ( byte)
label: M_P4001, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 108/3699

tabulation: Freq. Numeric Label
              2      -2
              4      -1
             2206      0
             1379      1 Si
              108      .

```

---

**PP\_CHECK1**

---

```

type: numeric ( byte)
label: M_P4002, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 109/3699

tabulation: Freq. Numeric Label
              2      -2
              1      -1
             539      0
             3048      1 Si
              109      .

```

---

**PP\_FCHECKMOM\_HR**

---

```

type: numeric ( float)

```

```

      range: [ 0,2016]
unique values: 46
      units: 1
missing .: 694/3699

      mean: 44.5764
      std. dev: 139.108

percentiles:      10%      25%      50%      75%      90%
                  0        1        1        7      168

```

---

**PP\_CHECK2**

---

```

      type: numeric ( byte)
      label: M_P4004, but 2 nonmissing values are not labeled

      range: [ -2,96]
unique values: 9
      units: 1
missing .: 629/3699

tabulation: Freq.  Numeric  Label
              8          -2
              5          -1
            2289          1  MEDICO
             539          2  ENFERMERA PROFESIONAL
              78          3  ENFERMERA AUXILIAR
              81          5  PARTERA
              48          6  PROMOTOR COMUNITARIO DE SALUD
              19          9  PARIENTE
               3         96  OTRO
            629          .

```

---

**PP\_CHECK3**

---

```

      type: numeric ( byte)
      label: M_P4005, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
missing .: 835/3699

tabulation: Freq.  Numeric  Label
              9          -2
              8          -1
             58           0
            2789          1  Si
             835          .

```

---

**PP\_CHECK4**

---

```

      type: numeric ( byte)
      label: M_P4006, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
missing .: 838/3699

tabulation: Freq.  Numeric  Label
              16          -2
              17          -1
             556           0
            2272          1  Si
             838          .

```

---

**PP\_LOS\_HR**

---

```

      type: numeric ( float)
      range: [ 0,960]
unique values: 48
      units: 1
      missing .: 651/3699

      mean: 61.0226
      std. dev: 64.1059

percentiles:      10%      25%      50%      75%      90%
                  24      24      48      72      120

```

---

**PP\_CHECK5**

---

```

      type: numeric ( byte)
      label: M_P4008, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
      missing .: 575/3699

      tabulation: Freq.   Numeric   Label
                   31         -2
                   13         -1
                   409         0
                   2671        1   Si
                   575         .

```

---

**PP\_CHECK6**

---

```

      type: numeric ( byte)
      label: M_P4009, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
      missing .: 551/3699

      tabulation: Freq.   Numeric   Label
                   26         -2
                   12         -1
                   884         0
                   2226        1   Si
                   551         .

```

---

**PP\_CHECK7**

---

```

      type: numeric ( byte)
      label: Lppcheck7

      range: [ -2,2]
unique values: 4
      units: 1
      missing .: 129/3699

      tabulation: Freq.   Numeric   Label
                   22         -2   Decline to respond
                   728         0   No
                   629         1   Yes, at home
                   2191        2   Yes, at facility
                   129         .

```

---

**PP\_CHECK7\_FAC**

---

```

      type: numeric ( float)
      range: [ 0,1]
unique values: 2
      units: 1
missing .: 151/3699

      tabulation: Freq. Value
                   1357 0
                   2191 1
                   151 .

```

---

**PP\_CHECK7\_ANY**

---

```

      type: numeric ( float)
      range: [ 0,1]
unique values: 2
      units: 1
missing .: 151/3699

      tabulation: Freq. Value
                   728 0
                   2820 1
                   151 .

```

---

**PP\_CHECK8**

---

```

      type: numeric ( byte)
      label: M_P4011, but 3 nonmissing values are not labeled
      range: [ -2,1]
unique values: 4
      units: 1
missing .: 126/3699

      tabulation: Freq. Numeric Label
                   6      -2
                   4      -1
                   460     0
                   3103    1 Si
                   126     .

```

---

**PP\_NICU**

---

```

      type: numeric ( byte)
      label: M_P4012, but 3 nonmissing values are not labeled
      range: [ -2,1]
unique values: 4
      units: 1
missing .: 135/3699

      tabulation: Freq. Numeric Label
                   2      -2
                   1      -1
                   3045     0
                   516     1 Si
                   135     .

```

---

**PP\_CHECK9**

---



```

type: numeric ( byte)
label:  M_P4013, but 3 nonmissing values are not labeled

range: [ -2,1]                units: 1
unique values: 4                missing .: 115/3699

```

```

tabulation: Freq.  Numeric  Label
              4          -2
              1          -1
             189          0
            3390          1  Si
             115          .

```

---

**PP\_FCCECKBABY\_HR**

---

```

type: numeric ( float)

range: [ 0,5040]                units: 1
unique values: 63                missing .: 284/3699

mean: 336.53
std. dev: 347.68

percentiles:    10%    25%    50%    75%    90%
                  144    168    192    360    672

```

---

**PP\_CHECK10**

---

```

type: numeric ( byte)
label:  M_P4015, but 2 nonmissing values are not labeled

range: [ -2,96]                units: 1
unique values: 9                missing .: 275/3699

tabulation: Freq.  Numeric  Label
              7          -2
              1          -1
            3053          1  MEDICO
             299          2  ENFERMERA PROFESIONAL
              6          3  ENFERMERA AUXILIAR
              6          5  PARTERA
             50          6  PROMOTOR COMUNITARIO DE SALUD
              1          7  DEPENDIENTE DE FARMACIA
              1          96  OTRO
            275          .

```

---

**PP\_CHECKBABY\_WHERE**

---

```

type: numeric ( byte)
label:  M_P4016

range: [ 1,97]                units: 1
unique values: 11                missing .: 275/3699

examples: 4  UNIDAD DE SALUD
           4  UNIDAD DE SALUD
           4  UNIDAD DE SALUD
           4  UNIDAD DE SALUD

```

---

**PP\_CHECKBABY\_NAME**

---

```

      type:  string (  str50)
unique values:  1196                      missing "":  372/3699
examples:      "ILOBASCO"
                "U.S. ILOBASCO"
                "UNIDAD DE SALUD TACUBA"
                "u.s.s"
warning:  variable has embedded blanks

```

---

**PP\_VITAMINA**

---

```

      type:  numeric (  byte)
      label:  M_P4018, but 3 nonmissing values are not labeled
range:  [ -2,1]                      units:  1
unique values:  4                      missing .:  113/3699
tabulation:  Freq.  Numeric  Label
              6        -2
              10       -1
             194         0
             3376        1  Si
              113         .

```

---

**CYCLE3A**

---

```

      type:  numeric (  byte)
      label:  M_P4019, but 3 nonmissing values are not labeled
range:  [ -2,1]                      units:  1
unique values:  4                      missing .:  153/3699
tabulation:  Freq.  Numeric  Label
              13        -2
               5       -1
             711         0
            2817        1  Si
             153         .

```

---

**CYCLE3B**

---

```

      type:  numeric (  byte)
      label:  M_P4020, but 3 nonmissing values are not labeled
range:  [ -2,1]                      units:  1
unique values:  4                      missing .:  1424/3699
tabulation:  Freq.  Numeric  Label
              333        -2
               40       -1
              440         0
             1462        1  Si
             1424         .

```

---

**CYCLE4**

---

```

      type: numeric ( byte)
      range: [ -2,48]
unique values: 41
      units: 1
      missing .: 120/3699

      mean: 4.33054
      std. dev: 6.53361

percentiles:      10%      25%      50%      75%      90%
                  -2          1          2          6         12

```

---

**MOM\_SEX**

---

```

      type: numeric ( byte)
      range: [ -2,96]
unique values: 34
      units: 1
      missing .: 116/3699

      mean: 3.40971
      std. dev: 6.03731

percentiles:      10%      25%      50%      75%      90%
                  -2          2          2          3          6

```

---

**BF\_INFO**

---

```

      type: numeric ( byte)
      label: M_P5001, but 3 nonmissing values are not labeled

      range: [ -2,1]
unique values: 4
      units: 1
      missing .: 107/3699

      tabulation: Freq.   Numeric   Label
                   2          -2
                   1          -1
                  257           0
                  3332          1 Si
                   107           .

```

---

**BF\_EVER**

---

```

      type: numeric ( byte)
      label: M_P5002, but 2 nonmissing values are not labeled

      range: [ -2,1]
unique values: 3
      units: 1
      missing .: 106/3699

      tabulation: Freq.   Numeric   Label
                   3          -2
                  116           0
                  3474          1 Si
                   106           .

```

---

**BF\_START\_HR**

---

```

type: numeric ( float)

range: [ 0,2160]          units: 1
unique values: 45          missing .: 284/3699

mean: 13.0946
std. dev: 72.0576

percentiles:      10%      25%      50%      75%      90%
                  0        1        1        2        24

```

---

**EARLYBF**

---

```

type: numeric ( float)

range: [ 0,1]          units: 1
unique values: 2        missing .: 168/3699

tabulation: Freq. Value
              1177 0
              2354 1
              168 .

```

---

**BF\_MON**

---

```

type: numeric ( byte)

range: [ -1,40]         units: 1
unique values: 27        missing .: 232/3699

mean: 4.7381
std. dev: 3.00184

percentiles:      10%      25%      50%      75%      90%
                  1        3        6        6        6

```

---

**BF\_CURRENT**

---

```

type: numeric ( byte)
label: M_P5005, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4          missing .: 224/3699

tabulation: Freq. Numeric Label
              1      -2
              1      -1
            2098      0
            1375      1 Si
              224      .

```

---

**FEEDING1**

---

```

type: numeric ( byte)
label: M_P5006, but 3 nonmissing values are not labeled

range: [ -2,2]          units: 1
unique values: 5          missing .: 109/3699

```

tabulation:	Freq.	Numeric	Label
	1	-2	
	10	-1	
	2911	0	
	466	1	Sí, pacha
	202	2	Sí, otra cosa
	109	.	

---

**DRINK\_MILK**

---

```

type: numeric ( byte)
label: M_5007_1, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 3085/3699

tabulation: Freq.  Numeric  Label
              2         -2
              2         -1
             390          0
             220          1  Si
            3085          .

```

---

**DRINK\_WATER**

---

```

type: numeric ( byte)
label: M_5007_2, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 3097/3699

tabulation: Freq.  Numeric  Label
              2         -2
              4         -1
             533          0
              63          1  Si
            3097          .

```

---

**DRINK\_SUGAR**

---

```

type: numeric ( byte)
label: M_5007_3, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4        missing .: 3105/3699

tabulation: Freq.  Numeric  Label
              2         -2
              4         -1
             564          0
              24          1  Si
            3105          .

```

---

**DRINK\_RICE**

---

```

type: numeric ( byte)
label: M_5007_4, but 3 nonmissing values are not labeled

```

```

range: [ -2,1]
unique values: 4
units: 1
missing .: 3102/3699

```

```

tabulation: Freq.  Numeric  Label
              2         -2
              2         -1
             560          0
              33          1  Si
             3102          .

```

---

**DRINK\_SALT**

---

```

type: numeric ( byte)
label: M_5007_5, but 3 nonmissing values are not labeled
range: [ -2,1]
unique values: 4
units: 1
missing .: 3107/3699

```

```

tabulation: Freq.  Numeric  Label
              2         -2
              2         -1
             580          0
              8          1  Si
             3107          .

```

---

**DRINK\_JUICE**

---

```

type: numeric ( byte)
label: M_5007_6, but 3 nonmissing values are not labeled
range: [ -2,1]
unique values: 4
units: 1
missing .: 3107/3699

```

```

tabulation: Freq.  Numeric  Label
              2         -2
              3         -1
             577          0
              10          1  Si
             3107          .

```

---

**DRINK\_FORM**

---

```

type: numeric ( byte)
label: M_5007_7, but 3 nonmissing values are not labeled
range: [ -2,1]
unique values: 4
units: 1
missing .: 3089/3699

```

```

tabulation: Freq.  Numeric  Label
              2         -2
              2         -1
             305          0
             301          1  Si
             3089          .

```

---

**DRINK\_TEA**

---

```

type: numeric ( byte)
label:  M_5007_8, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4          missing .: 3107/3699

tabulation: Freq.  Numeric  Label
              2          -2
              3          -1
             582          0
              5          1  Si
             3107          .

```

---

**DRINK\_HONEY**

---

```

type: numeric ( byte)
label:  M_5007_9, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4          missing .: 3106/3699

tabulation: Freq.  Numeric  Label
              2          -2
              3          -1
             571          0
             17          1  Si
            3106          .

```

---

**DRINK\_OTH**

---

```

type: numeric ( byte)
label:  M_500_10, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4          missing .: 3111/3699

tabulation: Freq.  Numeric  Label
              2          -2
              3          -1
             563          0
             20          1  Si
            3111          .

```

---

**DRINK\_DK**

---

```

type: numeric ( byte)
label:  M_500_11, but 3 nonmissing values are not labeled

range: [ -2,1]          units: 1
unique values: 4          missing .: 3140/3699

tabulation: Freq.  Numeric  Label
              3          -2
              2          -1
             548          0
              6          1  Si
            3140          .

```

---

**FEEDING2**

---

```
      type: numeric ( byte)
      label:  M_P5008, but 3 nonmissing values are not labeled

      range: [ -2,1]          units: 1
unique values: 4              missing .: 114/3699

      tabulation: Freq.  Numeric  Label
                  6         -2
                  1         -1
                2676         0
                  902         1  Si
                  114         .
```

```
4 . cap log close
```